

# Command Summary

Page	Command
19-16	.....ACTivate ACC CALL= <i>name</i> [PHONEnumber= <i>phone-number</i> ]
10-31	.....ACTivate ATM= <i>instance</i> CHANnel= <i>channel</i> OAMfunction=LOOpback TYpe=[F4Ete F4Seg F5Ete F5Seg]
4-13	.....ACTivate CPU EXTended STARt={1..100} STOp={1..100}
22-65	.....ACTivate DDNS UPdate
6-9	.....ACTivate FLash COMPACTiON
48-47	.....ACTivate IPsec CONvERToldsa [SA= <i>sa-id</i> ]
11-61	.....ACTivate ISDN CALL= <i>name</i>
20-18	.....ACTivate L2TP CALL= <i>name</i>
13-39	.....ACTivate MIOX=x25t-interface CIRCUit= <i>circuit-name</i> [User={APPLE IP IPX PPP}]
43-21	.....ACTivate PORTAuth[={8021x MACbased}] Port={ALL  <i>port-name</i> } REAUTHENTICate [SUPPLiCantmac= <i>macadd</i> ]
15-49	.....ACTIVATE PPP=ppp-interface RXPKT= <i>hexstring</i>
11-62	.....ACTivate Q931= <i>interface</i> ASpid
11-63	.....ACTivate Q931= <i>interface</i> MESSage= <i>message</i> [DLC= <i>dlc-index</i> ]
58-7	.....ACTivate SCRipt= <i>filename</i> [OUtput= <i>device</i> ] [ <i>parameters</i> ]
10-32	.....ACTivate SHDsl= <i>interface</i> EOCcmd={LOOPback SOFTrestart MAPping} DEStination={1..A F ALL CO CPE} [LOOPbacktype={CUStomer NETwork BOTH}] [TIMEOut={NONE 1..4095}]
59-6	.....ACTivate TRIGger= <i>trigger-id</i>
13-40	.....ACTivate X25C= <i>interface</i> TEST LCGn=0..15 LCN=0..128 REMote= <i>remote-dte-address</i> LOCAl= <i>local-dte-address</i> [ACtion={DTe DCe}]
19-17	.....ADD ACC CALL= <i>name</i> ASYn= <i>asyn-number</i> [AUthentication={AUto NOne PAssword}] [CScript= <i>script-name</i> ] [DIAL= <i>phone-number</i> ] [DiRection={ANswer BOTH ORiginate}] [DScript= <i>script-name</i> ] [ENcapsulation={ADaptive AUto CSlip ENquire NOne OKPpp PPp SLip DIStill}] [IPPool={ <i>pool-name</i>  NONE}] [LIne={DiRect MODem}] [PPPTemplate= <i>template</i> ] [REMotecall= <i>remote-call</i> ] [RScript= <i>script-name</i> ]
19-20	.....ADD ACC DOmainname= <i>domain-name</i>
19-21	.....ADD ACC SCRipt= <i>script-name</i> [LIne= <i>line-number</i> ] [TEXT= <i>script-text</i> ] [TEMplate= <i>script-name</i> ]
2-12	.....ADD ALLas= <i>name</i> STRing= <i>substitution</i>
35-22	.....ADD APple CIRCUit= <i>circuit</i> PORT= <i>port</i>
35-23	.....ADD APple DLCi= <i>dlci</i> PORT= <i>port</i>



## Page Command

- 35-24 ..... ADD APPLE PACKETFilter=*filter-id* [ENTRy=*entry*] [SNEtwork={*network-range*|ANY}]  
 [DNEtwork={*network-range*|ANY}] [SNOde={*node-range*|ANY}] [DNOde={*node-range*|ANY}]  
 [SSOcket={*socket-range*|ANY}] [DSOcket={*socket-range*|ANY}] [DIRECTION={IN|OUT}]  
 [LOG={YES|NO|ON|OFF|TRUE|FALSE}] ACTION={DENY|ALLOW}
- 35-26 ..... ADD APPLE PORT INTeRface=*interface* [DEMAnd={ON|OFF|YES|NO}] [HINt=*network:node*]  
 [SEED=*seed*] [PACKETFilter={*filter-id*|NONE}] [ROUTEFilter={*filter-id*|NONE}]  
 [ZONEFilter={*filter-id*|NONE}]
- 35-28 ..... ADD APPLE ROUTE=*network* PORT=*port* [{NEXThop=*network:node*|CIRCUit=*circuit*|DLCI=*dlci*}]  
 [HOPs=*hopcount*]
- 35-29 ..... ADD APPLE ROUTEfilter=*filter-id* [ENTRy=*entry*] NETWOrk=*network-range* [DIRECTION={IN|OUT}]  
 [LOG={YES|NO|ON|OFF}] ACTION={DENY|ALLOW}
- 35-30 ..... ADD APPLE ZONE=*zone-name* PORT=*port* [DEFault]
- 35-31 ..... ADD APPLE ZONEFilter=*filter-id* [ENTRy=*entry*] ZONE=*zone-name* [LOG={YES|NO|ON|OFF}]  
 ACTION={DENY|ALLOW}
- 10-34 ..... ADD ATM=0..9 CHANnel=1..30 SERVICeClass={VBRNrt|VBRrt} PCR=1..155000 SCR=1..155000  
 MBS=2..10000 [DESCRiption=*description*] [ENCapsulation={AAL5Snap|LLC|VCMux}] [VPI=0..15  
 VCI=32..1023]
- 10-34 ..... ADD ATM=0..9 CHANnel=1..30 SERVICeClass=CBR PCR=1..155000 [DESCRiption=*description*]  
 [ENCapsulation={AAL5Snap|LLC|VCMux}] [VPI=0..15 VCI=32..1023]
- 10-34 ..... ADD ATM=*instance* CHANnel=*channel* [SERVICeClass=UBR] [PCR=0|32..155000]  
 [DESCRiption=*description*] [ENCapsulation={AAL5Snap|LLC|VCMux}] [VPI=0..15 VCI=32..1023]
- 27-47 ..... ADD BGP AGGREGate=*prefix*/0..32 [MASK=*mask*] [SUMmary={NO|YES}] [ROUTEMap=*routemap*]
- 27-49 ..... ADD BGP CONFEDerationpeer=1..65534
- 27-50 ..... ADD BGP IMPort={INTeRface|OSPF|RIP|STatic} [ROUTEMap=*routemap*]
- 27-51 ..... ADD BGP NETWOrk=*prefix*/0..32 [MASK=*mask*] [ROUTEMap=*routemap*]
- 27-52 ..... ADD BGP PEer=*ipadd* POLICYTemplate=1..30 REMoteas=1..65534 [AUthentication={MD5|NONE}]  
 [CAPAbilitymatching={STRICT|LOOSE}] [DEFaultoriginate={NO|YES}]  
 [DESCRiption={NONE|*description*}] [EHOps={DEFault|1..255}] [FASTFallover={NO|YES}]  
 [PASSword=*password*]
- 27-52 ..... ADD BGP PEer=*ipadd* REMoteas=1..65534 [AUthentication={MD5|NONE}]  
 [CAPAbilitymatching={STRICT|LOOSE}] [CLIEnt={NO|YES}]  
 [CONnectretry={DEFault|0..4294967295}] [DEFaultoriginate={NO|YES}]  
 [DESCRiption={NONE|*description*}] [EHOps={DEFault|1..255}] [FASTFallover={NO|YES}]  
 [HOLDtime={DEFault|0|3..65535}] [INFilter={NONE|*prefixlist-name*}] [INPathfilter={NONE|1..99}]  
 [INRoutemap={NONE|*routemap*}] [KEEpalive={DEFault|1..21845}] [LOCAL={NONE|1..15}]  
 [MAXPREFIX={OFF|1..4294967295}] [MAXPREFIXAction={Terminate|Warning}]  
 [MINAsoriginated={DEFault|0..3600}] [MINRouteadvert={DEFault|0..3600}]  
 [NEXthopself={NO|YES}] [OUTFilter={NONE|*prefixlist-name*}] [OUTPathfilter={NONE|1..99}]  
 [OUTRoutemap={NONE|*routemap*}] [PASSword=*password*] [PRIVateasfilter={NO|YES}]  
 [SENdcommunity={NO|YES}]
- 27-60 ..... ADD BGP PEERTemplate=1..30 [CLIEnt={NO|YES}] [CONnectretry={DEFault|0..4294967295}]  
 [DESCRiption={NONE|*description*}] [HOLDtime={DEFault|0|3..65535}]  
 [INFilter={NONE|*prefixlist-name*}] [INPathfilter={NONE|1..99}] [INRoutemap={NONE|*routemap*}]  
 [KEEpalive={DEFault|1..21845}] [LOCAL={NONE|1..15}] [MAXPREFIX={OFF|1..4294967295}]  
 [MAXPREFIXAction={Terminate|Warning}] [MINAsoriginated={DEFault|0..3600}]  
 [MINRouteadvert={DEFault|0..3600}] [NEXthopself={NO|YES}]  
 [OUTFilter={NONE|*prefixlist-name*}] [OUTPathfilter={NONE|1..99}]  
 [OUTRoutemap={NONE|*routemap*}] [PRIVateasfilter={NO|YES}] [SENdcommunity={NO|YES}]
- 23-10 ..... ADD BOOTp RELAY=*ipadd* [INTeRface=*interface*]



## Page Command

- 16-25 .....ADD BRIDGe FILter=1..99 PORt={ALL|NONE|*port-list*} [ENTry=*entry*] [SAddress<*sep1*>*macadd* [SMask=*macadd*]] [DAddress<*sep1*>*macadd* [DMask=*macadd*]] [ENCapsulation<*sep1*>{802|Ethii|Snap|NOVell} [Discriminator<*sep1*>*protocoltype*]] [Size<*sep2*>1..65535] [Offset=1..1500 Data<*sep1*>*datastring*] [Type<*sep1*>{UNlcast|MULticast|BROadcast|ANY}]
- 16-28 .....ADD BRIDGe GROUp={*groupname*|1..32} [REclustering=0..15]
- 16-29 .....ADD BRIDGe PORt=1..32 INTerface=*interface* [CIRCuit=*circuit*]
- 16-30 .....ADD BRIDGe PROTOcol[=*label*|*index*] {Type=*protocolname*|*protocolnumber*} [PRIOrity=*priority*]
- 16-33 .....ADD BRIDGe STation=*macadd* PORt=1..32
- 34-12 .....ADD CLNS[=*virtual-router-id*] ADJacency=*nsap-system-id* CIRCuit=*circ-id* [ETHernetaddress=*macadd*]
- 34-13 .....ADD CLNS[=*virtual-router-id*] AREa=*nsap-area-address*
- 34-14 .....ADD CLNS[=*virtual-router-id*] CIRCuit=*circ-id* INTerface=*interface* [IHhPint=1..65535] [L1DEFmetricval=1..63] [L1DELmetricval=0..63] [L1EXPmetricval=0..63] [L1ERRmetricval=0..63] [L2DEFmetricval=1..63] [L2DELmetricval=0..63] [L2EXPmetricval=0..63] [L2ERRmetricval=0..63] [ISIS={ON|OFF|YES|NO|TRue|FALse}] [L2Only={ON|OFF|YES|NO|TRue|FALse}] [L1Priority=1..127] [L2Priority=1..127] [ESIS={ON|OFF|YES|NO|TRue|FALse}] [ISConfint=1..65535] [PORt=*port*] [VLantag=1..4094]
- 34-16 .....ADD CLNS[=*virtual-router-id*] RA=*nsap-prefix* CIRCuit=*circ-id* SOURCE={NONE|EXPLICIT} [ETHernetaddress=*macadd*] [DEFMetricval=1..63] [DEFMType={INTERNAL|EXTERNAL}] [DELMetricval=0..63] [DELMType={INTERNAL|EXTERNAL}] [EXPMetricval=0..63] [EXPMType={INTERNAL|EXTERNAL}] [ERRMetricval=0..63] [ERRMType={INTERNAL|EXTERNAL}]
- 37-14 .....ADD DECnet EXclusion=*dntadd*
- 37-15 .....ADD DECnet INclusion=*dntadd*
- 37-16 .....ADD DECnet INTerface=*interface* [COST=1..25]
- 37-17 .....ADD DECnet LPN=*dntadd*
- 32-10 .....ADD DHCP6 INTerface=*interface* POLlcy=*name*
- 32-11 .....ADD DHCP6 KEY=0..65535 [CLlentid=*clientid*] [STRict={TRue|FALse}]
- 23-11 .....ADD DHCP OPTion=*number* POLlcy=*name* TYpe={IP|SWItch|VALue|STRING|HexString|NONE} VALue=*value* [NAME=*option-name*]
- 32-12 .....ADD DHCP6 POLlcy=*name* [ANTIReplayenabled={TRue|FALse}] [DNSServer=*ipv6add*[,*ipv6add*]] [DObainname=*domain-name*[,...]] [PDLease=*seconds*] [PREference=0..255] [SERVER=*ipv6add*] [T1Time=*seconds*] [T2Time=*seconds*] [REPLAywindowsize={32|64|128|256}]
- 23-13 .....ADD DHCP POLlcy=*name* [ARPTImeout=*seconds*] [BOOTFilesize=*bootfilesize*] [BROADcastaddress=*ipadd*] [COOKIeserver=*ipadd*,*ipadd*...] [DNSServer=*ipadd*,*ipadd*...] [DObainname=*string*] [ETHERENcap={ON|OFF}] [EXTENSionpath=*string*] [File=*string*] [HOSTname=*string*] [IMPRESserver=*ipadd*,*ipadd*...] [INTMTu=68..65535] [IPForwarding={ENABled|DisABled}] [IPMTU=576..65535] [IPPLAteau=*mtu*,*mtu*...] [IPTIMEout=*seconds*] [IPTTL=*ttl*] [LOGServer=*ipadd*,*ipadd*...] [LPRServer=*ipadd*,*ipadd*...] [MASKDiscovery={ON|OFF}] [MASKSupplier={ON|OFF}] [MERITdumpfile=*longstring*] [NAMEserver=*ipadd*,*ipadd*...] [NBDDservers=*ipadd*,*ipadd*...] [NBNAMEServers=*ipadd*,*ipadd*...] [NBNODEtype={B-node|P-node|M-node|H-node}] [NBScope=*string*] [NISDomain=*string*] [NIServers=*ipadd*,*ipadd*...] [NTPServers=*ipadd*,*ipadd*...] [POLICYFiltering=*ipadd*,*ipadd*...] [RESOURceserver=*ipadd*,*ipadd*...] [ROOTPath=*longstring*] [ROUTer=*ipadd*,*ipadd*...] [ROUTERDiscovery={ON|OFF}] [ROUTERSolicit=*ipadd*] [SERVER=*ipadd*] [SERVERName=*server-name*] [SOURCerouting={ENABled|DisABled}] [STATicroute=*ipadd*,*ipadd*...] [SUBLOCAL={ON|OFF}] [SUBNetmask=*ipadd*] [SWAPServer=*ipadd*] [T1Time=*seconds*] [T2Time=*seconds*] [TCPGarbage={ON|OFF}] [TCPKeepalive=*seconds*] [TCPTtl=*ttl*] [TIMEOffset=*utc-offset*] [TIMEServer=*ipadd*,*ipadd*...] [TRAILerencap={ON|OFF}] [XDISplayservers=*ipadd*,*ipadd*...] [XFONtservers=*ipadd*,*ipadd*...]



## Page Command

- 23-19 ..... ADD DHCP RANge=*name* Address=*macadd* IP=*ipadd* [POLIcy=*name*]
- 32-14 ..... ADD DHCP6 RANge=*name* IP=*ip6add* CLientid=*clientid* IAid=*iaid* [INTerface=*interface*]
- 24-43 ..... ADD DVMrp INTerface=*interface* [DLC=1..1024] [METric=1..32] [TTLThreshold=1..255]
- 6-10 ..... ADD File=*filename* [COMmand=*commandstring*] [SCRipt=*scriptname*] [PERManentredirect] [LIMIT=*limit*]
- 46-63 ..... ADD FIREwall MONitor=*monitor-id* IP=*ipadd* COpyto=*ip-interface* [APPLYto={PRIVate|PUBLIC|BOTH}]
- 46-66 ..... ADD FIREwall POLIcy=*policy-name* APPRule=*app-rule-id* ACTion={ALLOw|DENY} INTerface=*interface* APPlication={FTP|TELnet|SMTP|TIME|DNS|BOOTPS|BOOTPC|TFTP|GOPHer|FINGER|WWW|HTTP|KERBeros|RTELnet|POP2|POP3|RTSP|SNMPTRap|SNMP|VDOLive|REALAudio|REALVideo|CUSEeme|XING|QUICKtime|MMS|BBMS} [COMmand={GET|PUT}] [Port=*port*]
- 46-68 ..... ADD FIREwall POLIcy=*policy-name* DYnamic=*template* {File=*filename.txt*|USer={username|ANY|NONE}}
- 46-69 ..... ADD FIREwall POLIcy=*policy-name* HTTPFilter=*filename* [DIRECTION={IN|OUT}]
- 46-72 ..... ADD FIREwall POLIcy=*policy-name* INTerface=*interface* TYpe={PUBLIC|PRIVate} [METHOD={DYnamic|PASSall}] [TRUstprivate=YES|NO|True|False] [UPNPtype={Lan|Wan}]
- 46-74 ..... ADD FIREwall POLIcy=*policy-name* LIMITrule=*rule-id* [INTerface=*interface*] [IP=*ipadd*[-*ipadd*]] [GBLRemoteip=*ipadd*[-*ipadd*]] [SRCIplimit=0..10000]
- 46-76 ..... ADD FIREwall POLIcy=*policy-name* LISt=*list-name* File=*filename* TYpe={IP|Address}
- 46-77 ..... ADD FIREwall POLIcy=*policy-name* NAT={ENAPt|ENHanced|STANDARD} GBLIInterface=*interface* INTerface=*interface* [GBLIP=*ipadd*[-*ipadd*]] [IP=*ipadd*[-*ipadd*]]
- 46-80 ..... ADD FIREwall POLIcy=*policy-name* PROXY={HTTP|SMTP} INTerface=*interface* GBLIInterface=*interface* DIRECTION={IN|OUT|BOTH} [IP=*ipadd*] [DAYs=*day-list*] [AFTER=*hh:mm*] [BEFORE=*hh:mm*]
- 46-82 ..... ADD FIREwall POLIcy=*policy-name* RULE=*rule-id* ACTion={ALLOw|DENY|NAT|NONat} INTerface=*interface* PROTOcol={protocol|ALL|EGP|GRE|Cmp|OSPF|SA|TCP|UDP} [AFTER=*hh:mm*] [BEFORE=*hh:mm*] [DAYs={ALL|MON|TUE|WED|THU|FRI|SAT|SUN|WEEKDay|WEEKEnd}|,...] [ENCapsulation={NONE|IPSec}] [GBLIP=*ipadd*] [GBLPort={ALL|port[-port]|service-name}] [GBLRemoteip=*ipadd*[-*ipadd*]] [IP=*ipadd*[-*ipadd*]] [LISt={list-name|RADIUS|MACRADIUS}] [NATType={DOUBLE|ENAPt|ENHanced|NAPt|REVERSE|STANDARD}] [NATMask=*ipadd*] [PORT={ALL|port[-port]|service-name}] [REMOteip=*ipadd*[-*ipadd*]] [SOURCEport={ALL|port[-port]}] [TTL=*hh:mm*]
- 46-96 ..... ADD FIREwall POLIcy=*policy-name* SPAMsources=*filename*
- 46-97 ..... ADD FIREwall POLIcy=*policy-name* UDPPorttimeout=*port* [TIMEout={0..43200|DEFAULT}]
- 14-27 ..... ADD FRamerelay=*fr-interface* DLC=*dlci* [COMPRession={DEFAULT|ON|OFF}] [ENCapsulation={DEFAULT|IETF|CISCO}] [ENCryption={DEFAULT|ON|OFF}]
- 14-28 ..... ADD FRamerelay=*fr-interface* LI=*logical-interface* [TYpe={NBMA|PTP}]
- 30-14 ..... ADD GRE TUNnel REMote=*ipadd* [KEY={keyval|NONE}]
- 30-12 ..... ADD GRE=*gre-number* TARget=*ipadd* {INTerface=*interface*|SOURCE=*ipadd* [SMask=*ipadd*] [DESTINATION=*ipadd*] [DMask=*ipadd*]} [ENTry=*entry-number*]
- 24-44 ..... ADD IGMP FILter=*filter-id* GROupaddress={*ipadd*|*ipadd-ipadd*} [MSGType={QUERy|REPORt|LEAVE}] [ACTion={INCLude|EXCLude}] [ENTry=1..65535]
- 24-45 ..... ADD IGMPsNooping ROUTERAddress=*ipaddr-list*
- 24-46 ..... ADD IGMPsNooping VLAN={*vlan-name*|1..4094} ROUTERPort=*port-list*
- 22-66 ..... ADD IP ARP=*ipadd* INTerface=*atm-interface*
- 22-66 ..... ADD IP ARP=*ipadd* INTerface=*eth-interface* [ETHernet=*macadd*]
- 22-66 ..... ADD IP ARP=*ipadd* INTerface=*fr-interface* DLCI=*dlci*
- 22-66 ..... ADD IP ARP=*ipadd* INTerface=*ppp-interface*
- 22-66 ..... ADD IP ARP=*ipadd* INTerface=*vlan* ETHernet=*macadd* PORT=*port-number*
- 22-66 ..... ADD IP ARP=*ipadd* INTerface=*x25-interface* CIRCUit=*miox-circuit*



## Page Command

- 28-41 .....ADD IP ASPATHlist=1..99 [ENTRy=1..4294967295] EXCLude=*aspath-reg-exp*
- 28-41 .....ADD IP ASPATHlist=1..99 [ENTRy=1..4294967295] INCLude=*aspath-reg-exp*
- 28-43 .....ADD IP COMMunitylist=1..99 [ENTRy=1..4294967295]  
EXCLude={INTernet|NOExport|NOAdvertise|NOEXPORTSubconfed|*aa:xx*},{...}
- 28-43 .....ADD IP COMMunitylist=1..99 [ENTRy=1..4294967295]  
INCLude={INTernet|NOExport|NOAdvertise|NOEXPORTSubconfed|*aa:xx*},{...}
- 22-68 .....ADD IP DNS [DOMain={ANY|*domain-name*}] {INTERface=*interface*|PRIMary=*ipadd*  
[SECOnDary=*ipadd*]}
- 22-70 .....ADD IP FILTer=0..999 ACTion={INCLude|EXCLude} SORuce=*ipadd* [TYPE=ROUting] [ENTRy=1..255]  
[SMask=*ipadd*]
- 22-70 .....ADD IP FILTer=0..999 ACTion={INCLude|EXCLude} SORuce=*ipadd* [TYPE=TRAFFic] [SMask=*ipadd*]  
[SPort={*port-name*|*port-id*}] [DEStination=*ipadd* [DMask=*ipadd*]] [DPort={*port-name*|*port-id*}]  
[ICMPCode={*icmp-code-name*|*icmp-code-id*}] [ICMptype={*icmp-type-name*|*icmp-type-id*}]  
[LOG={4..1600|DISabled|Dump|ENabled|Full|Header|None|Off|ON|Yes}]  
[OPTions={False|OFF|ON|NO|True|YES}] [PROTOcol={*protocol*|Any|Icmp|Ospf|Tcp|Udp}]  
[SEssion={Any|Established|Start}] [Size=*size*] [ENTRy=1..255]
- 22-70 .....ADD IP FILTer=0..999 POLIcy=0..15 SORuce=*ipadd* [TYPE=POLIcy] [SMask=*ipadd*]  
[SPort={*port-name*|*port-id*}] [DEStination=*ipadd* [DMask=*ipadd*]] [DPort={*port-name*|*port-id*}]  
[ICMPCode={*icmp-code-name*|*icmp-code-id*}] [ICMptype={*icmp-type-name*|*icmp-type-id*}]  
[LOG={4..1600|DISabled|Dump|ENabled|Full|Header|None|Off|ON|Yes}]  
[OPTions={False|OFF|ON|NO|True|YES}] [PROTOcol={*protocol*|Any|Icmp|Ospf|Tcp|Udp}]  
[SEssion={Any|Established|Start}] [Size=*size*] [ENTRy=1..255]
- 22-70 .....ADD IP FILTer=0..999 PRIOrity=PO..P7 SORuce=*ipadd* [TYPE=PRIOrity] [SMask=*ipadd*]  
[SPort={*port-name*|*port-id*}] [DEStination=*ipadd* [DMask=*ipadd*]] [DPort={*port-name*|*port-id*}]  
[ICMPCode={*icmp-code-name*|*icmp-code-id*}] [ICMptype={*icmp-type-name*|*icmp-type-id*}]  
[LOG={4..1600|DISabled|Dump|ENabled|Full|Header|None|Off|ON|Yes}]  
[OPTions={False|OFF|ON|NO|True|YES}] [PROTOcol={*protocol*|Any|Icmp|Ospf|Tcp|Udp}]  
[SEssion={Any|Established|Start}] [Size=64..65535] [ENTRy=1..255]
- 22-78 .....ADD IP HELper DEStination=*ipadd* INTERface=*interface* PORT=*port-number*
- 22-79 .....ADD IP HOST=*name* IPAddress=*ipadd*
- 22-80 .....ADD IP INTERface=*interface* IPAddress={*ipadd*|DHCP} [BROadcast={0|1}]  
[DIRectedbroadcast={False|NO|OFF|ON|True|YES}] [FILTer={0..999|NONE}]  
[FRAGment={NO|OFF|ON|YES}] [GRAtuitousarp={ON|OFF}] [GRE={0..100|NONE}]  
[IGMPProxy={OFF|UPstream|DOWNstream}] [INVersearp={ON|OFF}] [MASK=*ipadd*]  
[METric=1..16] [MULticast={BOTH|NO|OFF|ON|REceive|SENd|YES}]  
[NOTIfyospfdowN={False|NO|OFF|ON|True|YES}] [OSPFmetric=1..65534]  
[POLIcyfilter={0..999|NONE}] [PRIOrityfilter={0..999|NONE}]  
[PROxyarp={False|NO|OFF|ON|True|YES|LOCAL|STRICT|DEFRoute}] [RIPMetric=1..16]  
[SAMode={Block|Passthrough}] [VJC={False|NO|OFF|ON|True|YES}] [VLANPriority={0..7|None}]  
[VLantag={1..4094|None}]
- 22-86 .....ADD IP LOCAl=1..15 IPAddress=*ipadd* [FILTer={0..999|None}] [GRE={0..100|None}]  
[POLIcyfilter={0..999|None}] [PRIOrityfilter={0..999|None}]
- 22-87 .....ADD IP NAT IP=*ipadd* [MASK=*ipadd*] [GBLIPAddress=*ipadd*] [GBLMask=*ipadd*] [GBLPort=*port*]  
[GBLINTERface=*interface*] [PORT=*port*]  
[PROTOcol={*protocol*|ALL|EGP|GRE|Icmp|OSPF|SA|TCP|UDP}]
- 28-45 .....ADD IP PREFIXList=*name* ENTRy=1..65535 [ACTion={MATCh|NOMatch}] [MASKlength=*range*]  
[PREFIX=*ipadd*]
- 25-7 .....ADD IP RIP INTERface=*interface* [CIRCuit=*miox-circuit*] [DLCi=*dlci*] [IP=*ipadd*] [NEXThop=*ipadd*]  
[SENd={None|RIP1|RIP2|COmpatible}] [REceive={None|RIP1|RIP2|BOTH}]  
[DEMand={False|NO|OFF|ON|True|YES}] [AUth={None|PASSword|MD5}] [PASSword=*password*]  
[STATicexport={YES|NO}]



## Page Command

25-10	.....	ADD IP RIP REDistribute PROTOcol=BGP [LIMit=1..500] [METric=0..16] [ROUteMap= <i>routemap</i> ] [SUBNET={ON OFF Yes No True False}]
28-47	.....	ADD IP ROUte FILter[= <i>filter-id</i> ] IP= <i>ipadd</i> MASK= <i>ipadd</i> ACTION={INCLude EXCLude} [DIRECTION={RECEive SENd BOTH}] [INTerface= <i>interface</i> ] [NEXThop= <i>ipadd</i> ] [POLlcy=0..7] [PROTOcol={ANY OSPF RIP}]
22-93	.....	ADD IP ROUte TEMPlate= <i>name</i> INTerface= <i>interface</i> NEXThop= <i>ipadd</i> [CIRCuit= <i>miox-circuit</i> ] [DLCi= <i>dlci</i> ] [METric=1..16] [METRIC1=1..16] [METRIC2=1..65535] [POLlcy=0..7] [PREFerence=0..65535]
22-90	.....	ADD IP ROUte= <i>ipadd</i> INTerface= <i>interface</i> NEXThop= <i>ipadd</i> [CIRCuit= <i>miox-circuit</i> ] [DLCi= <i>dlci</i> ] [MASK= <i>ipadd</i> ] [METric=1..16] [METRIC1=1..16] [METRIC2=1..65535] [POLlcy=0..7] [PREFerence=0..65535] [TAG=1..65535]
28-50	.....	ADD IP ROUTEMap= <i>routemap</i> ENTry=1..4294967295 [ACtion={INCLude EXCLude}]
28-50	.....	ADD IP ROUTEMap= <i>routemap</i> ENTry=1..4294967295 [ACtion={INCLude EXCLude}] MAtch COMMunity=1..99 [EXAct={NO YES}]
28-50	.....	ADD IP ROUTEMap= <i>routemap</i> ENTry=1..4294967295 [ACtion={INCLude EXCLude}] MAtch METric=0..4294967295[-0..4294967295]
28-50	.....	ADD IP ROUTEMap= <i>routemap</i> ENTry=1..4294967295 [ACtion={INCLude EXCLude}] MAtch ORIGIN={EGP IGP INCOmplete}
28-50	.....	ADD IP ROUTEMap= <i>routemap</i> ENTry=1..4294967295 [ACtion={INCLude EXCLude}] MAtch PREFIXList= <i>prefixlist-name</i>
28-50	.....	ADD IP ROUTEMap= <i>routemap</i> ENTry=1..4294967295 [ACtion={INCLude EXCLude}] MAtch ROUTESource= <i>prefixlist-name</i>
28-50	.....	ADD IP ROUTEMap= <i>routemap</i> ENTry=1..4294967295 [ACtion={INCLude EXCLude}] MAtch ROUTEType={INTRA INTER TYPE1 TYPE2 OTHER}
28-50	.....	ADD IP ROUTEMap= <i>routemap</i> ENTry=1..4294967295 [ACtion={INCLude EXCLude}] MAtch ASPath=1..99
28-50	.....	ADD IP ROUTEMap= <i>routemap</i> ENTry=1..4294967295 [ACtion={INCLude EXCLude}] MAtch INTerface= <i>interface</i>
28-50	.....	ADD IP ROUTEMap= <i>routemap</i> ENTry=1..4294967295 [ACtion={INCLude EXCLude}] MAtch NEXThop= <i>ipadd</i>
28-50	.....	ADD IP ROUTEMap= <i>routemap</i> ENTry=1..4294967295 [ACtion={INCLude EXCLude}] MAtch TAG=1..65535
28-50	.....	ADD IP ROUTEMap= <i>routemap</i> ENTry=1..4294967295 [ACtion={INCLude EXCLude}] SET TAG=1..65535
28-50	.....	ADD IP ROUTEMap= <i>routemap</i> ENTry=1..4294967295 [ACtion=INCLude] MAtch MED=0..4294967295
28-51	.....	ADD IP ROUTEMap= <i>routemap</i> ENTry=1..4294967295 [ACtion=INCLude] SET COMMunity={NOExport NOAdvertise NOEXPORTSubconfed  <i>aa:xx</i> [,...]} [ADD={NO YES}]
28-51	.....	ADD IP ROUTEMap= <i>routemap</i> ENTry=1..4294967295 [ACtion=INCLude] SET ASPath={1..65534[,...]}
28-51	.....	ADD IP ROUTEMap= <i>routemap</i> ENTry=1..4294967295 [ACtion=INCLude] SET BGPDampid=1..100
28-51	.....	ADD IP ROUTEMap= <i>routemap</i> ENTry=1..4294967295 [ACtion=INCLude] SET LOCALpref=0..4294967295
28-51	.....	ADD IP ROUTEMap= <i>routemap</i> ENTry=1..4294967295 [ACtion=INCLude] SET MED={0..4294967295 REMOVE}
28-50	.....	ADD IP ROUTEMap= <i>routemap</i> ENTry=1..4294967295 [ACtion=INCLude] SET METric=0..4294967295
28-51	.....	ADD IP ROUTEMap= <i>routemap</i> ENTry=1..4294967295 [ACtion=INCLude] SET ORIGIN={IGP EGP INCOmplete}
28-50	.....	ADD IP ROUTEMap= <i>routemap</i> ENTry=1..4294967295 [ACtion=INCLude] SET TYpe={1 2}



## Page Command

- 22-95 .....ADD IP SA=*sa-id* INTerface=*interface*
- 25-11 .....ADD IP TRusted=*ipadd*
- 31-37 .....ADD IPV6 FILter=*filter-id* SOurce=*ipv6add/prefix-length*  
 [ACtion={INCLude|EXCLude}|PRiority=P0..P7] [DEStination=*ipv6add/prefix-length*]  
 [DPort={*port-name|port-id|ANY*}] [ENTry=*entry-number*]  
 [ICMPCode={*icmp-code-name|icmp-code-id|ANY*}]  
 [ICMptype={*icmp-type-name|icmp-type-id|ANY*}] [LOG={4..1950|Dump|Header|None}]  
 [OPTions={YES|NO|ON|OFF|ENABle|DISABle}] [PROTocol={*protocol|Any|Egp|Icmp|Ospf|Tcp|Udp*}]  
 [SEssion={Any|Established|Start}|SIZe={*size|ANY*}] [SPort={*port-name|port-id|ANY*}]
- 31-42 .....ADD IPV6 HOst=*name* IPaddress=*ipv6add* [INTerface=*interface*]
- 31-43 .....ADD IPV6 INTerface=*interface* IPaddress={*ipv6add/prefix-length|DHCP|DHCPTMP|PD*]  
 [APPINTerface=*app-interface*,...] [DECrement={YES|NO|ON|OFF|ENABle|DISABle}] [FILter=0..99]  
 [HInt=*ipv6add/prefix-length*] [KEY=*key-id*] [PREferred=1..4294967295|INFinite]  
 [PRiorityfilter=200..299] [PUBLish={YES|NO|ON|OFF|ENABle|DISABle}] [TYPe={ANYcast|UNicast}]  
 [VALid=1..4294967295|INFinite]
- 31-46 .....ADD IPV6 ND=*ipv6add* INTerface=*interface* ETHernet=*macadd* [ISRouter={YES|NO}]  
 [Port=*port-number*]
- 31-47 .....ADD IPV6 PREFIX=*ipv6add/prefix-length* INTerface=*interface* [AUTOnomous={YES|NO}]  
 [ONlink={YES|NO}] [PREferred=1..4294967295|INFinite] [VALid=1..4294967295|INFinite]
- 31-48 .....ADD IPV6 RIP INTerface=*interface* POIsonreverse={ON|OFF|True|False}
- 31-49 .....ADD IPV6 ROUte=*ipv6add/prefix-length* INTerface=*interface* [NEXThop=*ipv6add*] [METric=1..16]  
 [PREference=0..65535]
- 31-36 .....ADD IPV6 6TO4 IP=*ipv4add*
- 31-51 .....ADD IPV6 TUNnel LOcal=*ipv4add* TArget=*ipv4add* [INTerface=*tunnel-interface*] [IPaddress=*ipv6add*]
- 36-31 .....ADD IPX CIRCUit=*circuit* INTerface=*interface* NETwork=*network* [COST=1..999]  
 [DEmand={ON|OFF|YES|NO|True|False}] [DLCI=*dlci*] [ENCapsulation={802.2|802.3|ETHii|SNap}]  
 [INRip=*filter-number|NONE*] [OUTRip=*filter-number|NONE*] [INSap=*filter-number|NONE*]  
 [OUTSap=*filter-number|NONE*]  
 [Keepalive={ON|OFF|YES|NO|True|False|Endlessly|FOREver|Infinite|Infinitely|Indefinitely|NONstop|  
 1..1440}] [MIoxcircuit=*circuit-name*] [RIPChange={ON|OFF|YES|NO|True|False}]  
 [RIPTimer=0..99999] [SAPChange={ON|OFF|YES|NO|True|False}] [SAPTimer=0..99999]  
 [SPXSpooF={ON|OFF|YES|NO|True|False|Endlessly|FOREver|Infinite|Infinitely|Indefinitely|NONstop|  
 0..1440}] [SPXendspooF={Uplink|Donothing}] [SPXConfail={Uplink|Donothing}]  
 [TYPE20={ON|OFF|YES|NO|True|False}]
- 36-35 .....ADD IPX EXclusion=*network[:station]*
- 36-36 .....ADD IPX INclusion=*network[:station]*
- 36-37 .....ADD IPX RIP=*filter-number* NETwork=*network* ACtion={Include|Exclude} [ENTry=*entry-number*]
- 36-38 .....ADD IPX ROUte=*network* CIRCUit=*circuit* NEXthop=*network:station* [Hops=1..15] [COST=1..999]
- 36-39 .....ADD IPX SAP=*filter-number* SERvice=*service* [TYPE=*service-type*] ACtion={Include|Exclude}  
 [ENTry=*entry-number*]
- 36-40 .....ADD IPX SERvice=*service* ADdress=*network:station:socket* TYPE=*service-type* CIRCUit=*circuit*  
 [HOPS=1..15]



## Page Command

- 11-64 ..... ADD ISDN CALL=name NUMber=number PRECedence={IN|OUT} [ALTnumber=number] [BUMPdelay=0..100] [CALLBACK={ON|OFF|YES|NO|True|False}] [CALLINGNumber=number] [CALLINGSubaddress=*calling-subaddress*] [CBDelay=0..100] [CHECKCli={OFF|PREsent|REQuired}] [CHECKSub={OFF|LOCAL|REMOte}] [CHECKUser={OFF|LOCAL|REMOte}] [CLList=0..99] [DIRECTION={IN|OUT|BOTH}] [DOV={ON|OFF|YES|NO|True|False}] [HOLDUP=0..7200] [INANY={ON|OFF|YES|NO|True|False}] [INTPRef={NONE|interface}] [INTREQ={NONE|interface}] [KEEPUP={ON|OFF|YES|NO|True|False}] [LOGIn={ALL|NONE|CHAP|PAP-Radius|PAP-Tacacs|RADius|TACAcS|USer}] [MAXDuration=0..36000] [OUTCLI={OFF|CALLIng|INTErface|NONUMber}] [OUTSUB={OFF|LOCAL|REMOte}] [OUTUSER={OFF|LOCAL|REMOte}] [PASSword={NONE|CLI|CALLEdsub|NAME|USer}] [PPPTemplate=*template*] [PRIOrity=0..99] [RAte={56K|64K}] [REMOtecall=name|remote-number] [RN1=0..10] [RN2=0..5] [RT1=5..120] [RT2=300..1200] [SEARCHCli={ON|OFF|YES|NO|True|False|CALled|0..99}] [SEARCHSub={OFF|LOCAL|REMOte}] [SEARCHUser={OFF|LOCAL|REMOte}] [SUBAddress=number] [USer={ATTach|PPP}] [USerName={NONE|CLI|CALLEdsub|NAME|USer}]
- 11-70 ..... ADD ISDN CLList=0..99 NUMber=number
- 11-70 ..... ADD ISDN DOrainname=domain-name
- 11-71 ..... ADD LAPD=interface TEI=tei...
- 11-71 ..... ADD LAPD=interface XSPid=spid-index
- 11-72 ..... ADD LAPD=interface XTEI=tei
- 51-21 ..... ADD LOADBalancer RESource=resourcenamE IP=ipadd POrt=0..65535 [RESPool=resourcepoolname] [WEIght=0..4294967295]
- 51-23 ..... ADD LOADBalancer RESPool=resourcepoolname [FAIllast={YES|NO}] [SElectmethod={ROundrobin|WLEastconnect|WLOttery|FAsTestresponse}]
- 51-24 ..... ADD LOADBalancer VIRTualbalancer=*virtualbalancername* [AFFinity={YES|NO}] [COOkieheader=*cookiedetectorstring*] [DOMAInname=*domainname*] [POLicy=*policyName*] [PUBLICIp=*ipadd*] [PUBLICPort=0..65535] [RESPool=*resourcepoolname*] [SSL={ON|OFF}] [SSLKey=*key-id*] [SSLTOresource={ON|OFF}] [TYpe={ROute|TCP|SSI|HTtp}]
- 51-27 ..... ADD LOADBalanceR VIRTualbalancer=*virtualbalancername* HTTPErrorcode=*httperrorcodelist*
- 60-13 ..... ADD LOG OUTput={Temporary|*output-id*} [ACtion={Process|Ignore}] [ALL] [DATE={*op*dd-*mmm*-*yyyy*}] [DEvice={*op*device} [File={*op*filename} [FILter=*filter-id*] [MASK=*ipadd*] [MSGtext={*op*string} [MODule={*op*module-id} [ORIGin=*ipadd*] [REFerence={*op*string} [SEVerity={*op*}0..7] [SOUrceline={*op*line} [SUBTYpe={*op*subtype-id} [TIme={*op*hh:mm:ss} [TYpe={*op*type-id}
- 60-17 ..... ADD LOG RECeive={*ipadd*|ANY} [ALLow={False|NO|OFF|ON|True|YES}] [MASK=*ipadd*] [PASSword={*password*|NONE}] [PROTOcol={ALL|BOTH|NEW|OLD|SYSlog}]
- 20-19 ..... ADD L2TP CALL=name IP=ipadd TYpe={ASYNc|ISDN|Vrtual} [DIAL=number] [NUMber={OFF|ON|STARTup}] [PASSword=password] [PRE13={OFF|ON}] [PRECedence={IN|OUT}] [REMOtecall=name] [SPeed=300..4294967295] [SUBAddress=subaddress] [TOSreflect={OFF|ON|False|True|NO|YES}]
- 20-22 ..... ADD L2TP IP={*ipadd*|*ipadd-ipadd*} PPPTemplate=0..31 [NUMber={OFF|ON|STARTup}] [PRE13={OFF|ON}] [PROXYAuth={OFF|ON}] [TOSreflect={OFF|ON|False|True|NO|YES}]
- 20-24 ..... ADD L2TP PASSword={*password*|NONE} [IP={*ipadd*|*ipadd-ipadd*}]
- 20-25 ..... ADD L2TP USer={mapping|ALL|LOCAL|NONE|REMOte} [ACtion={DATAbase|DNSLookup|IGNore|RADIus} [IP=ipadd [POrt=1..65535]] [NUMber={OFF|ON}] [PASSword=password] [PRE13={ON|OFF}] [PREFix=prefix] [TIMEOut=8..300] [TOSreflect={OFF|ON|False|True|NO|YES}]
- 13-41 ..... ADD MIOX=x25t-interface CIRCUit=circuit-name [DTEaddress=dteaddress|PVC=1..4095] [CPAr=1..8] [ENCAP={APPLE|IP|IPX|NULL|MULTiple|PPP}] [COMMEnt=comment] [COMP={ON|OFF}] [TCPComp={ON|OFF}]
- 57-8 ..... ADD NTP PEer=*ipadd*



## Page Command

- 26-28 .....ADD OSPF AREa={BACkbone|*area-number*} [AUthentication={NONE|PASSword|MD5}]  
 [NSSAStability=1..3600] [NSSATranslator={CANdicate|ALWays}]  
 [STUBArea={ON|OFF|YES|NO|NSSA|True|False}] [STUBMetric=0..16777215]  
 [SUMmary={SENd|NONE|OFF|NO|False}]
- 26-30 .....ADD OSPF HOSt=*ipadd* [METric=0..65535]
- 26-31 .....ADD OSPF INTerface=*interface* AREa={BACkbone|*area-number*}  
 [AUthentication={AREadefault|NONE|PASSword|MD5}] [BOOST1=0..1023]  
 [DEadinterval=2..2147483647] [DEMand={ON|OFF|YES|NO|True|False}]  
 [HELlointerval=1..65535] [NETwork={BROadcast|NON-broadcast}]  
 [PASSive={ON|OFF|YES|NO|True|False}] [PASSword={NONE|*password*}]  
 [POLLinterval=1..2147483647] [PRIOrity=0..255] [RXmtinterval=1..3600]  
 [TRansitdelay=1..3600] [Virtuallink=*router-id*]
- 26-35 .....ADD OSPF MD5key=*key* ID=1..255 INTerface=*interface*
- 26-36 .....ADD OSPF NElghbour=*ipadd* PRIOrity=0..255
- 26-37 .....ADD OSPF RANge=*ipadd* AREa={BACkbone|*area-number*} [MASK=*ipadd*]  
 [EFFect={ADVertise|DONotadvertise}]
- 26-38 .....ADD OSPF REDistribute PROTOcol={BGP|INTerface|RIP|STATic} [LIMit=1..4000]  
 [METric={0..16777214|ORiginal}] [ROUteMap=*router-map*]  
 [SUBNET={ON|OFF|YES|NO|True|False}] [TAG={1..65535|ORiginal}] [TYpe={1|2|ORiginal}]
- 26-40 .....ADD OSPF STUB=*ipadd* MASK=*ipadd* [METric=0..65535]
- 26-41 .....ADD OSPF SUMMaryaddress=*ipadd* MASK=*ipadd* [ADVertise={ON|OFF|YES|NO|True|False}]  
 [TAG=0..65535]
- 62-6 .....ADD PERM=*perm-name* Lport=*lport* Rport=*rport* IP=*ipadd*
- 24-47 .....ADD PIM BSRCandidate [PREference=0..255] [HASHmasklength=0..32]  
 [BSMinterval={10..15000|DEFault}] [INTerface=*interface*]
- 33-23 .....ADD PIM6 BSRCandidate [SCOpe={SITE|GLobal|ALL}] [PREference=0..255]
- 24-48 .....ADD PIM INTerface=*interface* [DLCi=1..1024] [DRPriority=0..4294967295]  
 [ELectby={DRPriority|IPAddress}] [HELlointerval={10..15000|DEFault|65535}]  
 [MODE={Dense|Sparse}] [SRCapable={Yes|No}]
- 33-24 .....ADD PIM6 INTerface=*interface* [DRPriority=0..4294967295] [ELectby={DRPriority|IPAddress}]  
 [HELlointerval={10..15000|DEFault|65535}] [MODE={Dense|Sparse}] [SRCapable={Yes|No}]
- 24-50 .....ADD PIM RPCandidate[=*rp-address*] GROUp=*group-address* [ADVinterval={10..15000|DEFault}]  
 [INTerface=*interface*] [MASK=*ipaddress*] [PRIOrity=0..255]
- 33-25 .....ADD PIM6 RPCandidate[=*rp-address*] GROUp=*ipv6address* [/prefixlength] [PRIOrity=0..255]
- 54-9 .....ADD PING POLl=*poll-id* IPAddress={*ipadd*|*ipv6add*|%*interface*} [CRIticalinterval=1..65535]  
 [DESCRiption=*poll-description*] [FAllcount=1..100] [Length=4..1500]  
 [NORMalinterval=1..65535] [SIPAddress={*ipadd*|*ipv6add*}] [TIMEOut=1..30] [UPCount=1..100]  
 [SAMPlesize=1..100]
- 49-16 .....ADD PKI CERTificate=*name* LOCation={*url*|*localfile*} [PASSword=*password*]  
 [PROXYAddress={*hostname*|*ipadd*}] [PROXYPort=*port*] [TRUsted={TRue|FALse|YES|NO|ON|OFF}]  
 [TYpe={CA|SElf|ENDentity|EE}] [USERname=*username*]
- 49-18 .....ADD PKI CRL=*name* LOCation={*url*|*localfile*} [PASSword=*password*]  
 [PROXYAddress={*hostname*|*ipadd*}] [PROXYPort=1..65535] [USERname=*username*]
- 49-19 .....ADD PKI LDaprepository=*name* LOCation=*ldap-url* [PASSword=*password*] [USERname=*username*]
- 15-54 .....ADD PPP ACSERVICE=*service-name* TEMPLATE=*ppp-template* [ACRADIUS={OFF|ON}]  
 [MAXSESSIONS=1..512] [ACINTerface={NONE|*interface*}]



## Page Command

- 15-50 ..... ADD PPP=ppp-interface OVER=physical-interface [AUTHENTICATION={CHAP|EITHER|PAP|NONE}]  
 [AUTHMODE={IN|OUT|INOUT}] [CBDELAY=1..100] [CBMODE={ACCEPT|OFF|REQUEST}]  
 [CBNUMBER=e164number] [CBOPERATION={E164NUMBER|USERAUTH}]  
 [COMPALGORITHM={PREDICTOR|STACLZS}] [COMPRESSION={LINK|OFF}]  
 [CONFIGURE={value|CONTINUOUS}] [ECHO={OFF|ON|period}] [LQR={ON|OFF|period}]  
 [MAGIC={ON|OFF}] [MODEM={ON|OFF}] [NUMBER=number]  
 [PREDCHECK={CRC16|CRCCITT}] [RECHALLENGE={ON|OFF|360..3600}] [RESTART=time]  
 [STACHECK={LCB|SEQUENCE}] [TERMINATE={value|CONTINUOUS}]  
 [TYPE={DEMAND|PRIMARY|SECONDARY}]
- 41-30 ..... ADD RADIUS SERVER=*ipadd* SECRET=*secret* [PORT=*port-number*] [ACCPort=*port-number*]  
 [LOCAL={NONE|1..15}]
- 48-48 ..... ADD SA=*sa-id* MEMBER={LOCAL|REMOTE} IPADDRESS=*ipadd* MASK=*ipadd*
- 58-8 ..... ADD SCRIPT=*filename* TEXT=*text* [LINE=*line*]
- 55-25 ..... ADD SNMP COMMUNITY=*name* [TRAPHOST=*ipadd*] [MANAGER={*ipadd*|*prefix*}] [V1TRAPHOST=*ipadd*]  
 [V2CTRAHOST=*ipadd*]
- 55-27 ..... ADD SNMP GROUP=*group-name* SECURITYLEVEL={AUTHNOPRIV|NOAUTHNOPRIV|AUTHPRIV}  
 [READVIEW=*view-name*] [WRITEVIEW=*view-name*] [NOTIFYVIEW=*view-name*]
- 55-28 ..... ADD SNMP TARGETADDR=*address-name* IP=*target-ipadd* [UDP=*udp-port*] PARAMS=*params-name*
- 55-29 ..... ADD SNMP TARGETPARAMS=*params-name* SECURITYLEVEL={NOAUTHNOPRIV|AUTHNOPRIV|AUTHPRIV}  
 USER=*user-name*
- 55-30 ..... ADD SNMP USER=*user-name* [GROUP=*group-name*] [AUTHPROTOCOL={NONE|MD5|SHA}]  
 [AUTHPASSWORD=*password*] [PRIVPROTOCOL={NONE|DES}] [PRIVPASSWORD=*password*]
- 55-32 ..... ADD SNMP VIEW=*view-name* {OID=*oid-tree*|MIB=*mib-name*} [TYPE={INCLUDE|EXCLUDE}]
- 39-87 ..... ADD SQOS INTERFACE=*interface* DAR=*id-list*
- 39-88 ..... ADD SQOS POLICY=0..9999 TRAFFICCLASS=*id-list*
- 39-89 ..... ADD SQOS TRAFFICCLASS=0..9999 CLASSIFIER=*id-list*
- 39-90 ..... ADD SQOS TRAFFICCLASS=0..9999 DAR=*id-list*
- 39-91 ..... ADD SQOS TRAFFICCLASS=0..9999 SUBCLASS=*id-list*
- 44-10 ..... ADD SSH USER=*username* {PASSWORD=*password*|KEYID=*key-id*} [IPADDRESS={*ipadd*|*ipv6add*}]  
 [MASK=*mask*]
- 17-5 ..... ADD STT=*sttname* LSYN=*localsyn* RSYN=0..7 IP=*ipadd* [DATALEN=*maxlength*]
- 41-31 ..... ADD TACACS SERVER=*ipadd*
- 41-32 ..... ADD TACPLUS SERVER=*ipaddress* [KEY=*key*] [LOCAL={NONE|1..15}] [PORT=*port*]  
 [SINGLECONNECTION={YES|NO}] [TIMEOUT=1..10]
- 12-8 ..... ADD TDM GROUP=*groupname* SLOTS=*slotlist*
- 18-17 ..... ADD TPAD=*name* ASYN=*port-number*
- 59-7 ..... ADD TRIGGER=*trigger-id* SCRIPT=*filename*... [NUMBER=*index*]
- 41-36 ..... ADD USER RSO IP=*ipadd* [MASK=*ipadd*]
- 41-36 ..... ADD USER RSO IP=*ipadd*[-*ipadd*]
- 41-36 ..... ADD USER RSO IP=*ipv6add*[/*prefix-length*]
- 41-36 ..... ADD USER RSO IP=*ipv6add*[-*ipv6add*]
- 41-33 ..... ADD USER=*login-name* LOGIN={YES|NO|ON|OFF|TRUE|FALSE} PASSWORD=*password*  
 [APPLENETWORK=*atk-network*] [APPLEZONE=*zone-name*] [CALLINGNUMBER=*number*]  
 [CBNUMBER=e164number] [DESCRIPTION=*description*] [IPADDRESS=*ipadd*] [MASK=*ipadd*]  
 [NETMASK=*ipadd*] [MTU=40..1500] [IPXNETWORK=*ipx-network*]  
 [PRIVILEGE={USER|MANAGER|SECURITYOFFICER}] [RADIUSBACKUP={YES|NO|ON|OFF|TRUE|FALSE}]  
 [TELNET={YES|NO}]
- 16-34 ..... ADD VLAN={*vlan-name*|1..4094} BRIDGE [DEVICELIMIT={NONE|1..250}]  
 [AGINGTIMER={NONE|0..10000001}]
- 8-25 ..... ADD VLAN={*vlan-name*|1..4094} PORT={*port-list*|ALL} [FRAME={TAGGED|UNTAGGED}]
- 53-12 ..... ADD VRRP=*vr-identifier* IPADDRESS=*ipadd*



## Page Command

- 53-13 .....ADD VRRP=*vr-identifier* MONItoredinterface=*monitored-interface* [Newpriority=1..254]
- 52-16 .....ADD WANLB HEALThcheck[=1..3] HOst=*hostaddress*
- 52-17 .....ADD WANLB RESource=*interface* [HEALThchecksipaddress=*ipadd*]  
[WEIght={0..1000000|AUTOMatic|PERFectautomatic}]
- 13-44 .....ADD X25C HUNTgroup=*huntname* FORward=*ipadd*
- 13-45 .....ADD X25C ROUTE=dteaddress IPaddress=*ipadd* [INDEX=route-index]
- 13-43 .....ADD X25C=x25-interface DTEaddress=dteaddress
- 13-46 .....ADD X25T CPAr=call-index [COPy=call-index] [MAXdata={128|256|512|1024}] [NUl=*nui*]  
[RMaxdata={128|256|512|1024}] [RWindow=1..127] [TMaxdata={128|256|512|1024}]  
[TWindow=1..127] [USERData=hex-string] [WIndow=1..127]
- 6-11 .....CLear FLash TOTAlly
- 4-14 .....CLear SUMMertime
- 4-15 .....CLear TIMEZone
- 61-16 .....Connect ASYn=*asyn-number*
- 9-25 .....Connect ASYn=*asyn-number*
- 61-16 .....Connect *service-name*
- 6-12 .....COPy *src-filename.ext dest-filename.ext*
- 10-36 .....CREate ATM=0..9 OVer=*phys-interface*
- 27-65 .....CREate BGP DAMping PARAmeterset=1..100 [DESCRiption=*description*]  
[SUPpression={DEFault|1..20000}] [REUse={DEFault|1..20000}] [HALflife={DEFault|1..45}]  
[MAXhold={DEFault|1..8}]
- 38-5 .....CREate CLASSifier=1..9999 [IINTerface={*interface*|NONE}]  
[IPDAddr={*ipadd*/0..32|*ipv6add*/0..128}|ANY}] [IPSAAddr={*ipadd*/0..32|*ipv6add*/0..128}|ANY}]  
[IPDScp={*dscp-list*|ANY}] [IPTOs={0..7}|ANY}] [IPFRAG={YES|NO|ANY}] [IPOptions={YES|NO|ANY}]  
[IPFLowlabel={*flow-label-range*|ANY}]  
[IPPRotocol={TCP|UDP|ICMp|GMp|OSPf|NONTcpudp|ANY|*ip-protocol*}]  
[ICMptype={Any|ECHORply|Unreachable|Quench|Redirect|ECHO|ADvertisement|Solicitation|  
Timeexceed|Parameter|TSTAMP|TSTAMPReply|INFOREQ|INFOREP|ADDRREQ|ADDRREP|  
NAMEReq|NAMERply|*icmp-type*}] [ICMPCode={Any|Filter|FRAGMent|FRAGReasm|  
HOSTComm|HOSTIsolated|HOSTPrec|HOSTRedirec|HOSTRTos|HOSTTos|HOSTUNKnown|  
HOSTUNReach|NETComm|NETRedirec|NETRTos|NETTos|NETUNKnown|NETUNReach|NOptr|  
PORTunreach|PREcedent|PROtunreach|PTRproblem|Sourceroute|Ttl|*icmp-code*}]  
[TCPFlags={{Urg|Ack|Rst|Syn|Fin},...}|ANY}] [TCPDport={*port-range*|ANY}]  
[TCPSport={*port-range*|ANY}] [UDPport={*port-range*|ANY}] [UDPSport={*port-range*|ANY}]
- 38-4 .....CREate CLASSifier=1..9999 [IINTerface={*interface*|NONE}] [EPOrt={*port*|ANY}] [IPOrt={*port*|ANY}]  
[SVlan={*vlan-name*|1..4094}|ANY}] [DVlan={*vlan-name*|1..4094}|ANY}]  
[VLANPriority={*priority-list*|ANY}] [ETHFormat={802.2|802.2-Tagged|802.2-Untagged|Ethii|  
ETHII-Tagged|ETHII-Untagged|Netwareraw|NETWARERAW-Tagged|NETWARERAW-Untagged|S  
nap|SNAP-Tagged|SNAP-Untagged}|ANY}] [MACDaddr={*macadd*|ANY}]  
[MACSaddr={*macadd*|ANY}] [MACType={L2Ucast|L2BMcast}|ANY}] [ATMVCI={*vci-list*|ANY}]  
[ATMVPI={*vpi-list*|ANY}] [DLCi={*dldi-range*|ANY}] [PPPIndex=0..1023]  
[PPPProtocolid={*ppp-protocol-id*|IP|IPv6}|ANY}] [PROTocol={*protocol-type*|ARP|IP|IPv6|IPX}|ANY}]  
[IPDAddr={*ipadd*/0..32|*ipv6add*/0..128}|ANY}] [IPSAAddr={*ipadd*/0..32|*ipv6add*/0..128}|ANY}]  
[IPDScp={*dscp-list*|ANY}] [IPTOs={0..7}|ANY}] [IPFRAG={YES|NO|ANY}] [IPOptions={YES|NO|ANY}]  
[IPFLowlabel={0..1048575}|ANY}] [IPPRotocol={TCP|UDP|ICMp|GMp|OSPf|NONTcpudp|ANY|  
*ip-protocol*}] [ICMptype={Any|ECHORply|Unreachable|Quench|Redirect|ECHO|ADvertisement|  
Solicitation|Timeexceed|Parameter|TSTAMP|TSTAMPReply|INFOREQ|INFOREP|ADDRREQ|  
ADDRREP|NAMEReq|NAMERply|*icmp-type*}]  
[ICMPCode={Any|Filter|FRAGMent|FRAGReasm|HOSTComm|HOSTIsolated|HOSTPrec|  
HOSTRedirec|HOSTRTos|HOSTTos|HOSTUNKnown|HOSTUNReach|NETComm|NETRedirec|  
NETRTos|NETTos|NETUNKnown|NETUNReach|NOptr|PORTunreach|PREcedent|PROtunreach|  
PTRproblem|Sourceroute|Ttl|*icmp-code*}] [TCPFlags={{Urg|Ack|Rst|Syn|Fin},...}|ANY}]  
[TCPDport={*port-range*|ANY}] [TCPSport={*port-range*|ANY}] [UDPport={*port-range*|ANY}]  
[UDPSport={*port-range*|ANY}]



## Page Command

- 38-4 ..... CREate CLASSifier=1..9999 [IPDScp={*dscp-list*|ANY}] [IPTOs={0..7|ANY}]  
[VLANPriority={*priority-list*|ANY}]
- 5-22 ..... CREate CONfig=*filename* [SET]
- 32-15 ..... CREate DHCP6 POLIcy=*name* [INHerit=*name*]
- 23-20 ..... CREate DHCP POLIcy=*name* LEASetime={*lease-time*|INFinity} [INHerit=*name*]
- 23-21 ..... CREate DHCP RANGE=*name* IP=*ipadd* NUMber=*number* POLIcy=*name* [GATEway=*ipadd*]  
[PRObe={ARP|ICMP}]
- 32-16 ..... CREate DHCP6 RANge=*name* IP=*ipv6add*[-*ipv6add*] POLIcy=*name* [TYPe={NORMal|TEMPorary|PD}]
- 42-19 ..... CREate ENCo KEY=*key-id* TYPe={AES128|AES192|AES256|DES|3DES2key|3DESInner|GENeral|RSA}  
[DESCRiption=*description*] [FIle=*filename*] [FORmat={HEX|NIQ|SSH}] [IPaddress=*ipadd*]  
[LENgth=*length*] [MODule=*module-id*] [{RANDom|VALue=*value*}]
- 9-26 ..... CREate ETH=0..9 OVer=*interface*
- 6-13 ..... CREate File=*filename* [FORCE] [COMmand=*commandstring*] [SCRipt=*scriptname*]  
[PERManentredirect] [LIMIT=*limit*]
- 46-98 ..... CREate FIREwall POLIcy=*policy-name*
- 46-99 ..... CREate FIREwall POLIcy=*policy-name* DYnamic=*template*
- 14-29 ..... CREate FRamerelay=*fr-interface* OVer=*physical-interface* [DEFATencap={Appleoui|IETFoui}]  
[BECNLimit=2..4294967295] [BECNTimeout=1..4294967295]  
[CDETection={BECN|CLLM|BOTH}] [CTICK=1..60] [DECReasefactor={0.025|0.05|0.1|0.2}]  
[DEFCCompression={ON|OFF}] [DEFENCApsulation={IETF|CISCO}] [DEFEncryption={ON|OFF}]  
[DROPOFFthreshold=1..100] [INCreasefactor={0.05|0.1|0.2}]  
[LMIscheme={LMIREV1|Q933A|ANNEXA|T1617B|ANNEXB|T1617D|ANNEXD|NONE}]  
[MAXTXQlength=1..4294967295] [NN1=*nn1*] [NN2=*nn2*] [NN3=*nn3*] [NT1=*nt1*]  
[RECOverytime=1..4294967295]
- 29-27 ..... CREate H323 ENTry ENGIne=*engine* HOSTip=*ipaddr* PHonenumber=*number* [PORt=*tcpport*]
- 29-25 ..... CREate H323 INTerface=*interface* PHonenumber=*number*  
[CAPAbility={ALL|PCMU|PCMA|G723R53|G723R63|G729A}|...] [CLIP={ON|OFF}]  
[DSCP=*dscppriority*] [DTMFrelay={H245|RTP|NONE}] [RTCP={ON|OFF}] [TOS=*tospriority*]
- 24-52 ..... CREate IGMP FILter=*filter-id*
- 22-96 ..... CREate IP POOL=*pool-name* IP=*ipadd*[-*ipadd*]
- 48-49 ..... CREate IPsec BUNDlespecification=*bundlespecification-id* KEYmanagement={ISakmp|MANual}  
STRING=" *bundle-string*" [EXPIRYKbytes=1..4193280] [EXPIRYSeconds=300..31449600]
- 48-51 ..... CREate IPsec POLIcy=*name* INTerface=*interface* ACTion={DENy|IPsec|PERmit} [IPVersion={4|6}]  
[BUNDlespecification=*bundlespecification-id*] [DFBit={SEt|COpy|CLear}] [GROup={0|1|2}]  
[ICmptype={list|NDALL}] [IPROUtetemplate=*template-name*]  
[ISAKmppolicy=*isakmp-policy-name*] [KEYmanagement={ISakmp|MANual}]  
[LADdress={ANY|*ipv4add*[-*ipv4add*]|*ipv6add*[/*prefix-length*]|*ipv6add-ipv6add*}]  
[LMAsk=*ipv4add*] [LNAmE={ANY|system-name}] [LPORt={ANY|OPAque|port}]  
[PEERaddress={*ipv4add*|*ipv6add*|ANY|DYnamic}] [POSition=1..100]  
[RADdress={ANY|*ipv4add*[-*ipv4add*]|*ipv6add*[/*prefix-length*]|*ipv6add-ipv6add*}]  
[RESPONdbadspi={True|False}] [RMAsk=*ipv4add*] [RNAme={ANY|system-name}]  
[RPORT={ANY|port|OPAque}]  
[SASElectorfrompkt={ALL|LADdress|LPORt|NONE|RADdress|RPORT|TRANsportprotocol}]  
[SRCInterface=*interface*]  
[TRANsportprotocol={ANY|EGp|ESp|GRE|Cmp|OPAque|OSpf|RSvp|TCp|UDp|protoco}]  
[UDPHearbeat={True|False}] [UDPPORt=*port*] [UDPTunnel={True|False}]  
[USEPFKey={True|False}]
- 48-59 ..... CREate IPsec SASpecification=*spec-id* KEYmanagement={ISakmp|MANual}  
PROTOcol={AH|COmp|ESp} [ANTIReplayenabled={True|False}] [COMPalg=LZS]  
[ENCAlg={3DES2key|3DESOuter|3DESInner|DES|AES128|AES192|AES256|NULL}]  
[ENCKey=*key-id*] [HASHAlg={DESMac|MD5|NULL|SHA}] [HASHKey=*key-id*] [INSPi=*spi*]  
[MODE={TRANsport|TUnnel}] [OUTSPI=*spi*] [REPLAywindowSize={32|64|128|256}]



## Page Command

- 31-52 .....CREate IPV6 INTerface=*interface* [DUPtrans=1..16] [METric=1..16] [RETRans=0..4294967295]
- 48-62 .....CREate ISAkmp POLicy=*name* PEer={*ipv4add|ipv6add|Any*}  
 [AUTHType={PREshared|RSAEncr|RSASig}] [DELETedelay=0..30]  
 [DHExponentlength=160..1023]  
 [ENCAlg={3DES2key|3DESInner|3DESOuter|DES|AES128|AES192|AES256}]  
 [EXPIRYKbytes=1..1000] [EXPIRYSeconds=600..31449600] [GROup={0|1|2}]  
 [HAlg={SHA|MD5}] [HEARtbeatmode={Both|None|Receive|Send}]  
 [HYBRIDxauth={ON|OFF|TRue|False}] [IPVersion={4|6}] [KEY=0..65535]  
 [LOCALID={*ipv4add|ipv6add|domainname|user-domainname|dist-name*}]  
 [LOCALRsakey=0..65535] [MODE={MAIn|AGGressive}] [MSGBACKoff={INCREMental|NONE}]  
 [MSGREtrylimit=0..1024] [MSGTImeout=1..86400] [NATTraversal={ON|OFF|TRue|False}]  
 [PHASE2xchglimit={None|1..1024}] [POLICYFilename=*filename*]  
 [PREnegotiate={ON|OFF|TRue|False}]  
 [REMOTEId={*ipv4add|ipv6add|domainname|user-domainname|dist-name*}]  
 [RETRYKEattempts={0..16|CONTInuous}] [SENDDeletes={ON|OFF|TRue|False}]  
 [SENDNotify={ON|OFF|TRue|False}] [SENDIdalways={ON|OFF|TRue|False}]  
 [SETCommitbit={ON|OFF|TRue|False}] [SRCInterface=*interface*] [XAUth={CLient|SErver|NONE}]  
 [XAUTHName=*username*] [XAUTHPasswd=*password*] [XAUTHType={GEneric|RADIUS}]
- 13-47 .....CREate LAPB=lapb-interface OVer={SYNn|ISDN-*callname*} [DOD={ON|OFF|YES|NO}]  
 [MAXdata=1080..32792] [MODulus={8|128}] [N2=0..65535] [ROLe={DCE|DTE|DXE}]  
 [WInDow=1..127] [RMaxdata=1080..32792] [TMaxdata=1080..32792]  
 [T1=1..120|500..10000] [T3=3..120]
- 60-19 .....CREate LOG OUTput={Temporary|*output-id*} DEStination={Email|Memory|ASYN|Router|Syslog}  
 [ASYN=*port-number*] [FACILITY={DEFAULT|LOCAL1..LOCAL7}]  
 [FORMat={Full|MSGOnly|Summary}] [LOCAl={NONE|1..15}] [MAXQueueseverity=*severity*]  
 [MESSages=*message-count*] [PASSword={*password*|NONE}]  
 [QUEueonly={False|NO|OFF|ON|True|YES}] [SECure={False|NO|OFF|ON|True|YES}]  
 [SERVER=*ipadd*] [SYslogformat=Extended|Normal] [TO=*email-address*]  
 [ZOne={*time-zone-name|utc-offset*}]
- 49-20 .....CREate PKI CERTificate=*name* KEYpair=0..65535 SERIalnumber=0..4294967295  
 [FORMat=DER|PEM|BASE64] [SUBject=*dist-name*]
- 49-21 .....CREate PKI ENRollmentrequest=*name* KEYpair=*key-id* [FORMat={DER|PEM|BASE64}]  
 [LOCation={*domainname|ipadd*}] [PROTocol={CMP|MANual}] [REFerencenumber=*refnum*]  
 [SECretvalue=*secretvalue*] [TYpe={PKCS10|PKIX}]
- 49-22 .....CREate PKI KEYUpdaterequest=*name* CERTificate=*name* KEYpair=0..65535  
 [LOCation={*domainname|ipadd*}]
- 15-63 .....CREATE PPP TEMPLATE=*template* [COPY=*template*] [AUTHENTICATION={CHAP|EITHER|PAP|NONE}]  
 [BAP={ON|OFF}] [BAPMODE={CALL|CALLBACK}] [CBDELAY=1..100]  
 [CBMODE={ACCEPT|OFF|REQUEST}] [CBNUMBER=*e164number*]  
 [CBOPERATION={E164NUMBER|USERAUTH}] [COMPALGORITHM={PREDICTOR|STACLZS}]  
 [COMPRESSION={ON|OFF|LINK}] [DEBUGMAXBYTES=16..256] [DESCRIPTION=*description*]  
 [DOWNRATE=0..100] [DOWNTIME=*time*] [ECHO={ON|OFF|*period*}] [ENCRYPTION={ON|OFF}]  
 [FRAGMENT={ON|OFF}] [FRAGOVERHEAD=0..100] [IDLE={ON|OFF|*time*}]  
 [INDATALIMIT={NONE|1..65535}] [IPPOOL={*pool-name*|NONE}] [IPREQUEST={ON|OFF}]  
 [LOGIN={ALL|RADIUS|TACACS|USER}] [LQR={ON|OFF|*period*}] [MAGIC={ON|OFF}]  
 [MAXLINKS=1..64] [MRU={ON|OFF|256..1656}] [MSSheader=40..200]  
 [MTU=256..1500|256..1492] [MULTILINK={ON|OFF}] [NULLFRAGTIMER=*time*]  
 [ONLINELIMIT={NONE|1..65535}] [OUTDATALIMIT={NONE|1..65535}] [PASSWORD=*password*]  
 [PREDCHECK={CRC16|CRCCITT}] [RECHALLENGE={ON|OFF|360..3600}] [RESTART=*time*]  
 [STACCHECK={LCB|SEQUENCE}] [STARENTITY=1..255] [TERMINATE={*value*|CONTINUOUS}]  
 [TOTALDATALIMIT={NONE|1..65535}] [UPRATE=0..100] [UPTIME=*time*]  
 [USERNAME=*username*] [VJC={ON|OFF}]



## Page Command

- 15-56 ..... CREATE PPP=*ppp-interface* OVER=*physical-interface*  
 [AUTHENTICATION={CHAP|EITHER|PAP|NONE}] [AUTHMODE={IN|OUT|INOUT}] [BAP={ON|OFF}]  
 [BAPMODE={CALL|CALLBACK}] [CBDELAY=1..100] [CBMODE={ACCEPT|OFF|REQUEST}]  
 [CBNUMBER=*e164number*] [CBOperation={E164NUMBER|USERAUTH}]  
 [COMPALGORITHM={PREDICTOR|STACLZS}] [COMPRESSION={ON|OFF|LINK}]  
 [CONFIGURE={*value*|CONTINUOUS}] [DEBUGMAXBYTES=16..256] [DESCRIPTION=*description*]  
 [DOWNRATE=0..100] [DOWNTIME=*time*] [ECHO={ON|OFF|*period*}] [ENCRYPTION={ON|OFF}]  
 [FRAGMENT={ON|OFF}] [FRAGOVERHEAD=0..100] [IDLE={ON|OFF|*time*}]  
 [INDATALIMIT={NONE|1..65535}] [IPPOOL={*pool-name*|NONE}] [IPREQUEST={ON|OFF}]  
 [LQR={ON|OFF|*period*}] [MAGIC={ON|OFF}] [MODEM={ON|OFF}] [MRU={ON|OFF|256..1656}]  
 [MSSheader=40..200] [NULLFRAGTIMER=*time*] [NUMBER=*number*]  
 [ONLINELIMIT={NONE|1..65535}] [OUTDATALIMIT={NONE|1..65535}] [PASSWORD=*password*]  
 [PREDCHECK={CRC16|CRCCITT}] [RECHALLENGE={ON|OFF|360..3600}] [RESTART=*time*]  
 [STACCHECK={LCB|SEQUENCE}] [STARENTITY=1..255] [TERMINATE={*value*|CONTINUOUS}]  
 [TOTALDATALIMIT={NONE|1..65535}] [TYPE={DEMAND|PRIMARY|SECONDARY}]  
 [UPRATE=0..100] [UPTIME=*time*] [USERNAME=*username*]
- 40-9 ..... CREate RSVP PROXY=*name* TYpe=PATH PATH=*ipadd[/port]* [PMask=*ipadd*] TSPEC=*tspec*  
 [TImeout=10..1800] SEssion=*protocol,ipadd[/port[-port]]* [SMask=*ipadd*]
- 40-9 ..... CREate RSVP PROXY=*name* TYpe=RESV INTERface=*interface* STYLe={WF|SE|FF} FLOWspec=*flowspec*  
 SEssion=*protocol,ipadd[/port[-port]]* [SMask=*ipadd*]
- 48-70 ..... CREate SA=*sa-id* ENCKEY=*key-id* SPI=*spi* [ENCAlg={DES|3DES2key|3DESInner}]  
 [DIRECTION={IN|OUT|BOTH}]
- 61-17 ..... CREate SERvice=*service-name* DESCription="*description*" TYpe={Interactive|TELBin|Telnet}  
 [IPaddress=*ipadd*] [VISible={ON|OFF}]
- 29-28 ..... CREate SIP INTERface=*interface* PHonenumber=*number* DOmain=*domain*  
 PROXYserver=*ipaddr[:udpport|tcpport];ipaddr[:udpport|tcpport]*  
 [CAPABility={ALL|PCMU|PCMA|G723R53|G723R63|G729A|...}] [DSCP=*dscp*priority]  
 [DTMFrelay={RTP|NONE}]  
 [LOCATionserver=*ipaddr[:udpport|tcpport];ipaddr[:udpport|tcpport]*]  
 [PASSword={NONE|*password*}] [RTPport=*udpport*] [TOS=*tos*priority]  
 [USERName={NONE|*username*}]
- 55-33 ..... CREate SNmp COMMunity=*name* [ACCess={Read|Write}] [TRAPhost=*ipadd*]  
 [MAnager=*ipadd/prefix*] [OPen={ON|OFF|YES|NO|True|False}] [V1traphost=*ipadd*]  
 [V2ctraphost=*ipadd*]
- 39-92 ..... CREate SQOS DAR=*id-list* [CODEC={AUDIO|VIDEO|ANY}] [DESCRiption=*description*]  
 [DSTIp={*ipadd*/0..32|*ipv6add*/0..128}] [SRCIp={*ipadd*/0..32|*ipv6add*/0..128}]  
 [INACTivetimeout={1..3600|NONE}] [PROTOcol={SIP|RTSp|H323|ALL}] [H323Port=1..65535]  
 [RTSPPort=1..65535] [SIPPort=1..65535]
- 39-94 ..... CREate SQOS DSCPMaP=*id-list* [DESCRiption=*description*]
- 39-95 ..... CREate SQOS METer=*id-list* [DESCRiption=*description*] [IGNorebwclass={Yes|No}]  
 [MINbandwidth=*rate*[Kbps|Mbps|Gbps]] [MAXbandwidth=*rate*[Kbps|Mbps|Gbps]]  
 [MINBUrstsizE=*burstsize*[Bytes|Kbytes|Mbytes|Gbytes]]  
 [MAXBUrstsizE=*burstsize*[Bytes|Kbytes|Mbytes|Gbytes]] [TYpe={SRtcm|TRtcm}]
- 39-98 ..... CREate SQOS POLIcy=*id-list* [BWClass3action={DROP|PAUSE|NONE}]  
 [DEFaulttraffIcclass={0..9999|NONE}] [DESCRiption=*description*] [DSCPMaP={0..9999|NONE}]  
 [IGNOREPrenatInfo={YES|NO}] [METer={0..9999|NONE}] [PAUSEAction={NONE|Log|TRap|BOth}]  
 [PAUSETime={1..30}] [REMARKing={0..63|USEDscpmap|NONE}] [REMARKVlanpri={0..7|NONE}]  
 [SYSTEMTraffIc={5..50}] [VIRTbw={*rate*[Kbps|Mbps|Gbps]|NONE}]  
 [WEIGhtschedulE={WRr|DWrr}]



## Page Command

- 39-101 .....CREate SQOS RED=*id-list* [AVERaging=0..99] [DESCRiption=*description*] [START1=0..100] [STOP1=0..100] [DROP1=0..100] [START2=0..100] [STOP2=0..100] [DROP2=0..100] [START3=0..100] [STOP3=0..100] [DROP3=0..100]
- 39-103 .....CREate SQOS TRAfficclass=*id-list* [BWClass3action={DRop|PAuse|NONE}] [DESCRiption=*description*] [MAXQlen=1..1023] [METer={0..9999|NONE}] [PAUSEAction={NONE|Log|TRap|BOth}] [PAUSETime={1..30}] [PREMARKBwcl={1..3|USEDscpmap}] [PREMARKDscp={0..63|USEDscpmap|NONE}] [{PRIOrity=0..15|WEIght=0..100}] [QLIMITExceedaction={NONE|Log|TRap|BOth}] [QUEUEDrop={Head|Tail}] [RED={0..9999|NONE}] [REMarking=0..63|USEDscpmap|NONE}] [REMARKVlanpri={0..7|NONE}] [VIRTbw={*bandwidth*[Kbps|Mbps|Gbps]|NONE}] [WEIGhtscheduler={WRr|DWrr}]
- 50-13 .....CREate STAR=*entity-id* MODE={MAStEr|SLAve|STAndby} ENCAlgorithm={DES|3DES2key|3DESInner}
- 12-9 .....CREate TDM GROUp=*groupname* INTERface=*interface* {SLOTs=*slotlist*|UNStructured}
- 18-18 .....CREate TPAD=*name* OVER=*x25-interface* [AUTODIAL={YES|NO}] [AUTODISconnecttime=0..65535] [AUTONUA=*nua*] [AUTONU=*nui*] [AUTONNuiconversion={YES|NO}] [CALLretry=*number-retries*] [CHECKSum={ON|OFF|YES|NO}] [FAStdisconnect={ON|OFF}] [ISDNcall=*isdn-call-name*] [MAXconnections=*connections*] [MAXTransfers=*transfers*] [NOCARRIERresponse={ON|OFF}] [SILentretry={ON|OFF}] [SOURce={ASYNc|TCP|ALL}] [TCPport=*port*] [TRAnsferType={MULTIThread|MULTIVc|NORMAl|TRANSParent}]
- 18-18 .....CREate TPAD=*name* OVER=*x25-interface* [CALLretry=*number-retries*] [CHECKSum={ON|OFF|YES|NO}] [FAStdisconnect={ON|OFF}] [ISDNcall=*isdn-call-name*] [MAXconnections=*connections*] [MAXTransfers=*transfers*] [NOCARRIERresponse={ON|OFF}] [SILentretry={ON|OFF}] [SOURce={ASYNc|TCP|ALL}] [TCPport=*port*] [TRAnsferType={MULTIThread|MULTIVc|NORMAl|TRANSParent}]
- 59-8 .....CREate TRIGger=*trigger-id* CPU=*value* [DIRECTION={UP|DOWN|ANY}] [AFTER=*hh:mm*] [BEFORE=*hh:mm*] [{DATE=*date*|DAYS=*day-list*}] [NAME=*name*] [REPEAT={Yes|No|ONCe|FORever|count}] [SCRIPT=*filename...*] [STATE={ENABled|DISAbled}] [TEST={YES|NO|ON|OFF|True|False}]
- 59-8 .....CREate TRIGger=*trigger-id* FIREwall={ALL|DOSAttack|FRAGAttack|HOSTscan|PORTscan|SESSION|SIPAutomax|SMTPATTACK|SMURfAttack|SYNAttack|TCPAttack} [MODE={STARt|END|BOTH}] [AFTER=*hh:mm*] [BEFORE=*hh:mm*] [{DATE=*date*|DAYS=*day-list*}] [NAME=*name*] [REPEAT={Yes|No|ONCe|FORever|count}] [SCRIPT=*filename...*] [STATE={ENABled|DISAbled}] [TEST={YES|NO|ON|OFF|True|False}]
- 59-8 .....CREate TRIGger=*trigger-id* INTERface=*interface* EVENT={UP|DOWN|FAIL|ANY} [CIRCUit=*miox-circuit*] [CP={APPLE|ATCP|BCP|CCP|DCP|DNCP|IPcp|IPXcp|LCP}] [DLCi=*dLCi*] [AFTER=*hh:mm*] [BEFORE=*hh:mm*] [{DATE=*date*|DAYS=*day-list*}] [NAME=*name*] [REPEAT={Yes|No|ONCe|FORever|count}] [SCRIPT=*filename...*] [STATE={ENABled|DISAbled}] [TEST={YES|NO|ON|OFF|True|False}]
- 59-8 .....CREate TRIGger=*trigger-id* MEMory=*value* [DIRECTION={UP|DOWN|ANY}] [AFTER=*hh:mm*] [BEFORE=*hh:mm*] [{DATE=*date*|DAYS=*day-list*}] [NAME=*name*] [REPEAT={Yes|No|ONCe|FORever|count}] [SCRIPT=*filename...*] [STATE={ENABled|DISAbled}] [TEST={YES|NO|ON|OFF|True|False}]
- 59-8 .....CREate TRIGger=*trigger-id* MODUle=*module* EVent=*event* [*module-parameters...*] [AFTER=*hh:mm*] [BEFORE=*hh:mm*] [{DATE=*date*|DAYS=*day-list*}] [NAME=*name*] [REPEAT={Yes|No|ONCe|FORever|count}] [SCRIPT=*filename...*] [STATE={ENABled|DISAbled}] [TEST={YES|NO|ON|OFF|True|False}]
- 59-8 .....CREate TRIGger=*trigger-id* MODUle=SWItch PORT=*port* EVent={LINKDOWN|LINKUP} [AFTER=*hh:mm*] [BEFORE=*hh:mm*] [{DATE=*date*|DAYS=*day-list*}] [NAME=*name*] [REPEAT={Yes|No|ONCe|FORever|count}] [SCRIPT=*filename...*] [STATE={ENABled|DISAbled}] [TEST={YES|NO|ON|OFF|True|False}]



## Page Command

- 59-8 ..... **CREate TRIGger**=*trigger-id* **PERiodic**=*minutes* [**AFTer**=*hh:mm*] [**BEFore**=*hh:mm*] [{**DATE**=*date*|**DAYs**=*day-list*}] [**NAME**=*name*] [**REPeat**={**Yes**|**No**|**ONCe**|**FORever**|*count*}] [**SCript**=*filename...*] [**STAtE**={**ENabled**|**DIsabled**}] [**TEST**={**YES**|**NO**|**ON**|**OFF**|**True**|**False**}]
- 59-8 ..... **CREate TRIGger**=*trigger-id* **REBoot**={**REStart**|**CRASH**|**ALL**} [**AFTer**=*hh:mm*] [**BEFore**=*hh:mm*] [{**DATE**=*date*|**DAYs**=*day-list*}] [**NAME**=*name*] [**REPeat**={**Yes**|**No**|**ONCe**|**FORever**|*count*}] [**SCript**=*filename...*] [**STAtE**={**ENabled**|**DIsabled**}] [**TEST**={**YES**|**NO**|**ON**|**OFF**|**True**|**False**}]
- 59-9 ..... **CREate TRIGger**=*trigger-id* **Time**=*hh:mm* [{**DATE**=*date*|**DAYs**=*day-list*}] [**SCript**=*filename...*] [**NAME**=*name*] [**REPeat**={**Yes**|**No**|**ONCe**|**FORever**|*count*}] [**STAtE**={**ENabled**|**DIsabled**}] [**TEST**={**YES**|**NO**|**ON**|**OFF**|**True**|**False**}]
- 8-26 ..... **CREate VLAN**=*vlan-name* **VID**=2..4094
- 53-14 ..... **CREate VRRP**=*vr-identifier* **OVER**=*physical-interface* **IPAddress**=*ipadd* [**ADINteRval**=1..255] [**ADOPTvrip**={**ON**|**OFF**}] [**ADVertisements**={**ON**|**OFF**|**YES**|**NO**|**TRUE**|**FALSE**}] [**AUTHentication**={**NONE**|**PLAINtext**}] [**PASSword**=*password*] [**PORTMOnitoring**={**ON**|**OFF**}] [**STEPVALue**={*stepvalue*|**PRoportional**}] [**PREEmpt**={**ON**|**OFF**}] [**DELay**=0..3600] [**PRIOrity**=1..254]
- 13-51 ..... **CREate X25C HUNTgroup**=*huntname* **IPAddress**=*ipadd* **DTEaddress**=*dteadd* [**FORwardtime**=1..360] [**REconnecttime**=1..360]
- 13-49 ..... **CREate X25C=x25-interface** **OVER**=**LAPBn** [**DEFpkt**={128|256|512|1024|2048|4096}] [**DEFThroughput**={75|150|300|600|1200|2400|4800|9600}] [**DEFWin**=2..7] [**HGroup**=*huntname*] [**INLCGn**=0..15] [**INLCN**=0..128] [**MAXActive**=0..128] [**OUTLCGn**=0..15] [**OUTLCN**=0..128] [**Packetsize**={**ON**|**OFF**}] [**THroughput**={**ON**|**OFF**}] [**TWOLCGn**=0..15] [**TWOLCN**=0..128] [**WInDow**={**ON**|**OFF**}]
- 13-52 ..... **CREate X25T=x25-interface** **OVER**={**LAPBn**|**LAPDn**} [**MAXActive**=0..4095] [**MODulus**={8|128}] [**T20**=1..360] [**T21**=1..360] [**T22**=1..360] [**T23**=1..360] [**T24**={1..360|**OFF**}] [**T27**={1..360|**OFF**}] [**MINRecall**=1..360] [**R20**=0..65535] [**R22**=0..65535] [**R23**=0..65535] [**R27**=0..65535] [**NPvc**=0..4095] [**DEFcpar**=0..8] [**DTEaddress**=*dteaddress*] [**LIC**=0..4095] [**HIC**=0..4095] [**LTC**=0..4095] [**HTC**=0..4095] [**LOC**=0..4095] [**HOC**=0..4095] [**ROLe**={**DYnamic**|**DCE**|**DTE**}]
- 19-22 ..... **DEACTivate ACC CALL**=*name*
- 11-73 ..... **DEACTivate ISDN CALL**={*acnum*|*name*}
- 20-28 ..... **DEACTivate L2TP CALL**={*name*|1..65535}
- 13-54 ..... **DEACTivate MIOX=x25t-interface** **CIRCUit**=*circuit-name* [**USer**={**APPLE**|**IP**|**IPX**|**PPP**}]
- 58-9 ..... **DEACTivate SCript**=*filename*
- 10-37 ..... **DEACTivate SHDsl=interface** **EOCcmd**=**LOOPback** **DESTination**={1..A|**F**|**ALL**|**CO**|**CPE**} [**LOOPbacktype**={**CUSTOMer**|**NETwork**|**BOTH**}]
- 19-23 ..... **DELete ACC CALL**=*name* [**ASYN**=*asyn-number*]
- 19-23 ..... **DELete ACC DOrainname**={*domain-name*}
- 19-24 ..... **DELete ACC SCript**=*script-name* [**Line**=*line-number*]
- 2-13 ..... **DELete ALIas**=*name*
- 35-32 ..... **DELete APple CIRCUit**=*circuit* **PORT**=*port*
- 35-33 ..... **DELete APple DLci**=*dcli* **PORT**=*port*
- 35-34 ..... **DELete APple PACKETFilter**=*filter-id* [**ENTry**=*entry*]
- 35-34 ..... **DELete APple PORT**=*port*
- 35-35 ..... **DELete APple ROUte**=*network*
- 35-35 ..... **DELete APple ROUTEfilter**=*filter-id* [**ENTry**=*entry*]
- 35-36 ..... **DELete APple ZONE**=*zone-name* **PORT**=*port*
- 35-37 ..... **DELete APple ZONEFilter**=*filter-id* [**ENTry**=*entry*]
- 10-38 ..... **DELete ATM**=0..9 **CHANnel**=1..30
- 27-67 ..... **DELete BGP AGGgregate**=*prefix* [**MASK**=*ipadd*]
- 27-68 ..... **DELete BGP CONFEDerationpeer**=1..65534
- 27-68 ..... **DELete BGP IMPort**={**INteRface**|**OSPF**|**RIP**|**STAtic**}



## Page Command

- 27-69 .....DELEte BGP NETwork=*prefix* [MASK=*ipadd*]
- 27-69 .....DELEte BGP PEer=*ipadd*
- 27-70 .....DELEte BGP PEERTemplate=1..30
- 23-22 .....DELEte BOOTp RELAy=*ipadd* [INTErface=*interface*]
- 16-35 .....DELEte BRIDGe FILTer=1..99 [ENTRy=*entry*]
- 16-35 .....DELEte BRIDGe GROUp{=*groupname*|1..32}
- 16-36 .....DELEte BRIDGe PORT=1..32
- 16-36 .....DELEte BRIDGe PROTOcol{=*protocolname*|*index*}
- 16-37 .....DELEte BRIDGe STAtion=*macadd* PORT=1..32
- 34-17 .....DELEte CLNS[=*virtual-router-id*] ADJAcency=*nsap-system-id*
- 34-18 .....DELEte CLNS[=*virtual-router-id*] AREa=*nsap-area-address*
- 34-18 .....DELEte CLNS[=*virtual-router-id*] CIRCuit=*circ-id*
- 34-19 .....DELEte CLNS[=*virtual-router-id*] CIRCuit=*circ-id* RA=*nsap-prefix*
- 37-18 .....DELEte DECnet EXclusion={*dntadd*|ALL}
- 37-19 .....DELEte DECnet INclusion={*dntadd*|ALL}
- 37-20 .....DELEte DECnet INTErface=*interface*
- 37-21 .....DELEte DECnet LPN={*dntadd*|ALL}
- 32-17 .....DELEte DHCP6 INTErface=*interface*
- 32-17 .....DELEte DHCP6 KEY=[0..65535]
- 23-23 .....DELEte DHCP OPTion=*number* POLIcy=*name*
- 23-24 .....DELEte DHCP POLIcy=*name* [ARPTIMEout] [BOOTFilesize] [BROADCastaddress] [COOKleserver] [DNSServer] [DOrainname] [ETHERENcap] [EXTENSionpath] [File] [HOSTname] [IMPRESserver] [INTMTu] [IPForwarding] [IPMTU] [IPPLAteau] [IPTIMEout] [IPTTL] [LOGServer] [LPRServer] [MASKDiscovery] [MASKSupplier] [MERITdumpfile] [NAMEserver] [NBDDservers] [NBNameservers] [NBNOdetype] [NBSCOpe] [NISDomain] [NIServers] [NTPServers] [POLICYFiltering] [RESOURceserver] [ROOTPath] [ROuter] [ROUTERDiscovery] [ROUTERSolicit] [SERVER] [SERVERName] [SOURcerouting] [STATicroute] [SUBLocal] [SUBNetmask] [SWAPServer] [T1TIme] [T2TIme] [TCPGarbage] [TCPKeepalive] [TCPTtl] [TIMEOffset] [TIMEServer] [TRAILerencap] [XDISplayservers] [XFONtservers]
- 32-18 .....DELEte DHCP6 POLIcy=*name* [DNSServer] [DOrainname] [PDLease] [PREFerence] [SERVER] [T1TIme] [T2TIme]
- 23-28 .....DELEte DHCP RANge=*name* IP=*ipadd*
- 32-19 .....DELEte DHCP6 RANge=*name* IP=*ipv6add*
- 24-53 .....DELEte DVMrp INTErface=*interface* [DLC=1..1024]
- 6-14 .....DELEte File=*filename*
- 46-99 .....DELEte FIREwall MONitor=*monitor-id*
- 46-100 .....DELEte FIREwall POLIcy=*policy-name* APPRule=*app-rule-id*
- 46-101 .....DELEte FIREwall POLIcy=*policy-name* DYnamic=*template* {File=*filename.txt*|USer={*username*|ANY|NONE}}
- 46-102 .....DELEte FIREwall POLIcy=*policy-name* HTTPFilter=*filename* [Direction={IN|OUT}]
- 46-103 .....DELEte FIREwall POLIcy=*policy-name* INTErface=*interface*
- 46-104 .....DELEte FIREwall POLIcy=*policy-name* LIMitrule=*rule-id*
- 46-105 .....DELEte FIREwall POLIcy=*policy-name* LISt=*list-name*
- 46-106 .....DELEte FIREwall POLIcy=*policy-name* NAT={ENAPt|ENHanced|STANDARD} INTErface=*interface* GBLIInterface=*interface* [IP=*ipadd*]
- 46-108 .....DELEte FIREwall POLIcy=*policy-name* PROXY={HTTP|SMTP} INTErface=*interface* GBLIInterface=*interface* Direction={IN|OUT|BOTH} [IP=*ipadd*]
- 46-109 .....DELEte FIREwall POLIcy=*policy-name* RULE=*rule-id*



## Page Command

46-110	.....	DELEte FIREWall POLlcy= <i>policy-name</i> SPAMsources= <i>filename</i>
46-111	.....	DELEte FIREWall POLlcy= <i>policy-name</i> UDPPorttimeout= <i>port</i>
46-111	.....	DELEte FIREWall SEssion={ <i>session-number</i>  ALL}
14-32	.....	DELEte FRamerelay= <i>fr-interface</i> DLC= <i>dlci</i>
14-32	.....	DELEte FRamerelay= <i>fr-interface</i> LI= <i>logical-interface</i>
30-15	.....	DELEte GRE TUNnel REMote= <i>ipadd</i>
30-15	.....	DELEte GRE= <i>gre-number</i> ENTRy={ <i>entry-number</i>  ALL}
24-54	.....	DELEte IGMP FILTer= <i>filter-id</i> ENTRy={1..65535 ALL}
24-54	.....	DELEte IGMPsNooping ROUTERAddress= <i>ipaddr-list</i>
24-55	.....	DELEte IGMPsNooping vlan={ <i>vlan-name</i>  1..4094} routerport= <i>port-list</i>
5-23	.....	DELEte INSTAll={TEMPorary PREferred DEFault}
22-96	.....	DELEte IP ARP={ <i>ipadd</i>  ALLDynamic}
28-57	.....	DELEte IP ASPATHlist=1..99 [ENTRy=1..4294967295]
28-58	.....	DELEte IP COMMunitylist=1..99 [ENTRy=1..4294967295]
22-97	.....	DELEte IP DNS [DOMain={ANY  <i>domain-name</i> }]
22-98	.....	DELEte IP FILTer=0..999 ENTRy={ <i>entry-number</i>  ALL}
22-99	.....	DELEte IP HElper DESTination= <i>ipadd</i> INTerface= <i>interface</i> PORT= <i>port-number</i>
22-100	.....	DELEte IP HOSt= <i>name</i>
22-101	.....	DELEte IP INTerface= <i>interface</i>
22-102	.....	DELEte IP LOCAl=1..15
22-103	.....	DELEte IP NAT IP= <i>ipadd</i> GLBIpAddress= <i>ipadd</i> [MASK= <i>ipadd</i> ] [GBLMask= <i>ipadd</i> ] [GBLPort= <i>port</i> ] [PORT= <i>port</i> ] [PROTOcol={ <i>protocol</i>  ALL EGP GRE ICmp OSPF SA TCP UDP}]
22-103	.....	DELEte IP NAT IP= <i>ipadd</i> MASK= <i>ipadd</i> GBLINterface= <i>interface</i> [GBLMask= <i>ipadd</i> ] [GBLPort= <i>port</i> ] [PORT= <i>port</i> ] [PROTOcol={ <i>protocol</i>  ALL EGP GRE ICmp OSPF SA TCP UDP}]
28-58	.....	DELEte IP PREFIXList[= <i>name</i> ] [ENTRy=1..65535]
25-12	.....	DELEte IP RIP INTerface= <i>interface</i> [CIRCuit= <i>miox-circuit</i> ] [DLCi= <i>dlci</i> ] [IP= <i>ipadd</i> ]
25-13	.....	DELEte IP RIP REDistribute PROTOcol=BGp
28-59	.....	DELEte IP ROUte FILTer=1..100
22-106	.....	DELEte IP ROUte TEMPlate= <i>name</i>
22-105	.....	DELEte IP ROUte= <i>ipadd</i> MASK= <i>ipadd</i> INTerface= <i>interface</i> NEXThop= <i>ipadd</i>
28-60	.....	DELEte IP ROUTEMap= <i>routemap</i>
28-60	.....	DELEte IP ROUTEMap= <i>routemap</i> ENTRy=1..4294967295
28-60	.....	DELEte IP ROUTEMap= <i>routemap</i> ENTRy=1..4294967295 MAth={ASPath COMMunity INTerface MED METric NEXThop ORIGin PREFIXList  ROUTESource ROUTEType TAG}
28-60	.....	DELEte IP ROUTEMap= <i>routemap</i> ENTRy=1..4294967295 SET={ASPath COMMunity LOCALpref MED METric ORIGin TAG TYpe}
22-107	.....	DELEte IP SA= <i>sa-id</i> INTerface= <i>interface</i>
25-13	.....	DELEte IP TRusted= <i>ipadd</i>
31-53	.....	DELEte IPV6 FILTer= <i>filter-id</i> ENTRy={ <i>entry-number</i>  ALL}
31-54	.....	DELEte IPV6 HOSt= <i>name</i>
31-54	.....	DELEte IPV6 INTerface= <i>interface</i> IPAddress= <i>ipv6add</i>
31-55	.....	DELEte IPV6 ND= <i>ipv6add</i> INTerface= <i>interface</i>
31-56	.....	DELEte IPV6 PREFIX= <i>ipv6add/prefix-length</i> INTerface= <i>interface</i>
31-57	.....	DELEte IPV6 RIP INTerface= <i>interface</i>
31-58	.....	DELEte IPV6 ROUte= <i>ipv6add</i> INTerface= <i>interface</i> NEXThop= <i>ipv6add</i>
31-53	.....	DELEte IPV6 6TO4 IP= <i>ipv4add</i>



Page	Command
36-42	DELEte IPX TUNnel= <i>ipv6add</i> INTERface= <i>tunnel-interface</i>
36-42	DELEte IPX CIRCUit= <i>circuit</i>
36-43	DELEte IPX EXclusion= <i>network[:station]</i>
36-44	DELEte IPX INclusion= <i>network[:station]</i>
36-45	DELEte IPX RIP= <i>filter-number</i> ENTRY={ <i>entry-number</i>  ALL}
36-45	DELEte IPX ROUte= <i>network</i>
36-46	DELEte IPX SAP= <i>filter-number</i> ENTRY={ <i>entry-number</i>  ALL}
36-47	DELEte IPX SERvice= <i>service</i> TYPE= <i>service-type</i>
11-73	DELEte ISDN CALL= <i>name</i>
11-74	DELEte ISDN CLIList=0..99 NUMber= <i>number</i>
11-74	DELEte ISDN DOMainname[= <i>domain-name</i> ]
11-75	DELEte LAPD= <i>interface</i> TEI= <i>tei</i>
11-76	DELEte LAPD= <i>interface</i> XSPid= <i>spid-index</i>
11-77	DELEte LAPD= <i>interface</i> XTEI= <i>tei</i>
51-28	DELEte LOADBalancer RESource= <i>resourcenam</i>
51-29	DELEte LOADBalancer RESPool= <i>resourcepoolname</i>
51-30	DELEte LOADBalancer VIRTUalbalancer= <i>virtualbalancename</i>
51-31	DELEte LOADBalancer VIRTUalbalancer= <i>virtualbalancename</i> HTTPErrorcode= <i>httperrorcodelist</i>
60-23	DELEte LOG OUTput={Temporary  <i>output-id</i> } FILter={ALL  <i>filter-id</i> }
60-23	DELEte LOG RECeive={ <i>ipadd</i>  ANY}
20-28	DELEte L2TP CALL= <i>name</i>
20-29	DELEte L2TP IP={ <i>ipadd</i>   <i>ipadd-ipadd</i> }
20-30	DELEte L2TP PASSword [IP={ <i>ipadd</i>   <i>ipadd-ipadd</i>  ALL}]
20-31	DELEte L2TP USer={mapping ALL LOCAL NONE REMote}
4-15	DELEte MAIL= <i>id</i>
13-55	DELEte MIOX=x25t-interface CIRCUit= <i>circuit-name</i>
57-8	DELEte NTP PEer= <i>ipadd</i>
26-42	DELEte OSPF AREa={BACKbone  <i>area-number</i> }
26-42	DELEte OSPF HOSt= <i>ipadd</i>
26-43	DELEte OSPF INTERface= <i>interface</i>
26-44	DELEte OSPF MD5key ID=1..255 INTERface= <i>interface</i> [FORce]
26-45	DELEte OSPF NEIghbour= <i>ipadd</i>
26-45	DELEte OSPF RANge= <i>ipadd</i>
26-46	DELEte OSPF REDistribute PROTOcol={BGP INTERface RIP STatic}
26-47	DELEte OSPF STUB= <i>ipadd</i> MASK= <i>ipadd</i>
26-48	DELEte OSPF SUMMaryaddress= <i>ipadd</i>
62-7	DELEte PERM= <i>perm-name</i>
24-55	DELEte PIM BSRCandidate
33-26	DELEte PIM6 BSRCandidate [SCOpe=SITE GLObal ALL]
33-26	DELEte PIM6 INTERface= <i>interface</i>
24-56	DELEte PIM INTERface= <i>interface</i> [DLCi=1..1024]
24-57	DELEte PIM RPCandidate[= <i>rp-address</i> ] GROup= <i>group-address</i> [MASK= <i>ipaddress</i> ]
33-27	DELEte PIM6 RPCandidate[= <i>rp-address</i> ] GROup= <i>ipv6address</i> [/ <i>prefixlength</i> ]
54-11	DELEte PING POLI= <i>poll-id</i>
49-23	DELEte PKI CERTificate={ <i>name</i>  ALL}
49-23	DELEte PKI CRL={ <i>name</i>  ALL}
49-24	DELEte PKI LDaprepository={ <i>name</i>  ALL}
15-71	DELEte PPP ACservice= <i>service-name</i> [ACINTERface={NONE  <i>interface</i> }]



Page	Command
15-70	..... DELETE PPP=ppp-interface OVER=physical-interface [NUMBER=number] [TYPE={DEMAND PRIMARY SECONDARY}]
41-37	..... DELEte RADius SERVer= <i>ipadd</i>
48-71	..... DELEte SA= <i>sa-id</i> MEMBer={LOCAl REMote} IPAddress= <i>ipadd</i> MASK= <i>ipadd</i>
58-10	..... DELEte SCRipt= <i>filename</i> [LIne= <i>line</i> ]
55-35	..... DELEte SNmp COMMunity= <i>name</i> [TRAPhost= <i>ipadd</i> ] [MANager={ <i>ipadd</i>   <i>prefix</i> }] [V1traphost= <i>ipadd</i> ] [V2ctrphost= <i>ipadd</i> ]
55-36	..... DELEte SNmp GROUp= <i>group-name</i>
55-36	..... DELEte SNmp TARgetaddr= <i>address-name</i>
55-37	..... DELEte SNmp TARGETParams= <i>params-name</i>
55-37	..... DELEte SNmp USer= <i>user-name</i>
55-38	..... DELEte SNmp VIEW= <i>view-name</i> {OID= <i>oid-tree</i>  MIB={ <i>mib-name</i>  ALL}}
39-108	..... DELEte SQOS INTERface= <i>interface</i> DAR={ <i>id-list</i>  ALL}
39-109	..... DELEte SQOS POLIcy=0..9999 TRAfficclass={ <i>id-list</i>  ALL}
39-110	..... DELEte SQOS TRAfficclass=0..9999 CLASSifier={ <i>id-list</i>  ALL}
39-111	..... DELEte SQOS TRAfficclass=0..9999 DAR={ <i>id-list</i>  ALL}
39-112	..... DELEte SQOS TRAfficclass=0..9999 SUBCclass={ <i>id-list</i>  ALL}
44-12	..... DELEte SSH SESSion={ <i>session-id</i>  ALL}
44-12	..... DELEte SSH USER= <i>username</i>
17-6	..... DELEte STT= <i>sttname</i>
41-38	..... DELEte TACacs SERVer= <i>ipadd</i>
41-38	..... DELEte TACPlus SERVer= <i>ipaddress</i>
22-108	..... DELEte TCP= <i>tcb</i>
12-10	..... DELEte TDM GROUp= <i>groupname</i> SLOTS= <i>slotlist</i>
18-21	..... DELEte TPAD= <i>name</i> ASYn= <i>port-number</i>
59-15	..... DELEte TRIGger= <i>trigger-id</i> NUMber= <i>index</i>
41-40	..... DELEte USEr RSO IP= <i>ipadd</i> [- <i>ipadd</i> ]
41-40	..... DELEte USEr RSO IP= <i>ipv6add</i> / <i>prefix-length</i>
41-40	..... DELEte USEr RSO IP= <i>ipv6add</i> [- <i>ipv6add</i> ]
41-39	..... DELEte USEr= <i>login-name</i>
16-38	..... DElete VLAN={ <i>vlan-name</i>  1..4094} BRIDGe
8-27	..... DELEte VLAN={ <i>vlan-name</i>  1..4094} PORT={ <i>port-list</i>  ALL}
53-17	..... DELEte VRRP= <i>vr-identifier</i> IPAddress= <i>ipadd</i>
53-18	..... DELEte VRRP= <i>vr-identifier</i> MONitoredinterface= <i>monitored-interface</i>
52-18	..... DELEte WANLB HEALthcheck={1..3 ALL}
52-19	..... DELEte WANLB RESource={ALL  <i>interface</i> }
13-57	..... DELEte X25C HUNTgroup= <i>huntname</i> FORward= <i>ipadd</i>
13-58	..... DELEte X25C ROUte= <i>dteaddress</i>
13-56	..... DELEte X25C=x25-interface DTEaddress= <i>dteaddress</i>
13-58	..... DELEte X25T CPAr= <i>call-index</i>
10-38	..... DESTroy ATM=0..9
27-70	..... DESTroy BGP DAMping PARAmeterset={ALL 1..100}
38-15	..... DESTroy CLASSifier={ <i>rule-list</i>  ALL}
23-29	..... DESTroy DHCP POLIcy= <i>name</i>
32-19	..... DESTroy DHCP6 POLIcy= <i>name</i>
23-29	..... DESTroy DHCP RANge= <i>name</i>
32-20	..... DESTroy DHCP6 RANge= <i>name</i>



## Page Command

42-21	.....DESTroy ENCo KEY= <i>key-id</i> LOCation=FLAsh
9-26	.....DESTroy ETH=0..9
46-112	.....DESTroy FIREwall POLlcy= <i>policy-name</i>
46-112	.....DESTroy FIREwall POLlcy= <i>policy-name</i> DYnamic= <i>template-name</i>
14-33	.....DESTroy FRamerelay= <i>fr-interface</i>
29-31	.....DESTroy H323 ENTRy ENGEine= <i>engine</i> PHOnenumber= <i>number</i> HOSTip= <i>ipaddr</i> [PORT= <i>tcpport</i> ]
29-30	.....DESTroy H323 INTerface= <i>interface</i>
24-58	.....DESTroy IGMP FILTer= <i>filter-id</i>
22-108	.....DESTroy IP POOL= <i>pool-name</i>
48-71	.....DESTroy IPSec BUNDlespecification= <i>bundlespecification-id</i>
48-72	.....DESTroy IPSec POLIcy= <i>name</i> [SABundle= <i>bundle-id</i> ]
48-73	.....DESTroy IPsec SASpecification= <i>spec-id</i>
31-60	.....DESTroy IPV6 INTerface= <i>interface</i>
48-73	.....DESTroy ISAkmp POLIcy= <i>name</i>
13-59	.....DESTroy LAPB= <i>lapb-interface</i>
60-24	.....DESTroy LOG OUTput={Temporary  <i>output-id</i> }
49-24	.....DESTroy PKI ENRollmentrequest={ <i>name</i>  ALL}
49-25	.....DESTroy PKI KEYUpdaterequest={ <i>name</i>  ALL}
15-72	.....DESTROY PPP TEMPLATE= <i>template</i>
15-72	.....DESTROY PPP= <i>ppp-interface</i>
40-12	.....DESTroy RSVP PROXY= <i>name</i>
48-74	.....DESTroy SA= <i>sa-id</i>
61-18	.....DESTroy SERvice= <i>service-name</i>
29-32	.....DESTroy SIP INTerface= <i>interface</i>
55-39	.....DESTroy SNmp COMMunity= <i>name</i>
39-113	.....DESTroy SQOS DAR= <i>id-list</i>
39-113	.....DESTroy SQOS DSCPMap= <i>id-list</i>
39-114	.....DESTroy SQOS METer= <i>id-list</i>
39-114	.....DESTroy SQOS POLlcy= <i>id-list</i>
39-115	.....DESTroy SQOS RED= <i>id-list</i>
39-115	.....DESTroy SQOS TRafficclass= <i>id-list</i>
50-14	.....DESTroy STAR= <i>entity-id</i> [NETkey MKT]
12-11	.....DESTroy TDM GROUp= <i>groupname</i>
18-21	.....DESTroy TPAD= <i>name</i>
59-15	.....DESTroy TRIGger= <i>trigger-id</i>
8-28	.....DESTroy VLAN={ <i>vlan-name</i>  2..4094 ALL}
53-19	.....DESTroy VRRP={ <i>vr-identifier</i>  ALL}
13-60	.....DESTroy X25C HUNTgroup= <i>huntname</i>
13-59	.....DESTroy X25C=x25-interface
13-60	.....DESTroy X25T=x25-interface
19-24	.....DISable ACC CALL= <i>name</i>
19-25	.....DISable ACC CALL= <i>name</i> DEbug={UTILisation DEMAND PACket PKT ASYn SCRipts DIALin ALL}
10-39	.....DISable ADSL={ <i>interface</i>  ALL}
10-39	.....DISable ADSL={ <i>interface</i>  ALL} DEbug={TRaining ALL}
35-37	.....DISable APple
35-38	.....DISable APple DEbug={ALL AARP PACket PKT ROUte Zlp ZOne}
9-27	.....DISable ASYn= <i>asyn-number</i>



## Page Command

10-40	.....	DISable ATM=0..9 CAC
10-40	.....	DISable ATM=0..9 CHANnel={1..30 ALL}
27-71	.....	DISable BGP AUTOsoftupdate
27-71	.....	DISable BGP AUTOSUmmary
27-72	.....	DISable BGP BACKoff
27-73	.....	DISable BGP DAMping [PARAmeterset={ALL 0..100}]
27-74	.....	DISable BGP DEBUg[={ALL DAMPing MSG STATE UPDATE},{...}] [PEer= <i>ipadd</i> ]
27-75	.....	DISable BGP DEFaultoriginate
27-75	.....	DISable BGP PEer={ALL  <i>ipadd</i> }
23-30	.....	DISable BOOTp RELAY
23-30	.....	DISable BOOTp RELAY OPTion82 [DEBUg]
11-77	.....	DISable BRI=instance CTest
11-78	.....	DISable BRI=instance Test[=test-number]
11-78	.....	DISable BRI[=instance] DEBUg[={ERrors Indications States Events ALL}]
16-38	.....	DISable BRIDge
16-38	.....	DISable BRIDge LEarning
16-39	.....	DISable BRIDge SPanning
34-20	.....	DISable CLNS[= <i>virtual-router-id</i> ] CIRCuit= <i>circ-id</i>
34-20	.....	DISable CLNS[= <i>virtual-router-id</i> ] DEBUg[={ALL ENGDEBUg ENGTRACE PACKET PKT TRACE TRACEMORE} [,...]]
4-16	.....	DISable CPU EXTended
22-108	.....	DISable DDNS
22-109	.....	DISable DDNS DEbug
4-17	.....	DISable DEBUg ACTive={ALL  <i>module</i> }
37-21	.....	DISable DECnet
32-20	.....	DISable DHCP6
23-31	.....	DISable DHCP [BOOTp]
23-32	.....	DISable DHCP DEBUg[={ALL PKT RECLaim STATE}]
32-20	.....	DISable DHCP6 DEBUg[={PACKET STATE ALL}]
32-21	.....	DISable DHCP6 RAPidcommit
24-58	.....	DISable DVMrp
24-59	.....	DISable DVMrp DEBUg[={ALL GRAft PRObe PRUne REPort},{...}] INTerface= <i>interface</i> [DLC=1..1024]
42-22	.....	DISable ENCo COMPStatistics
42-22	.....	DISable ENCo DEBUgging[={CHannel PACket TImestamp ALL}]
5-24	.....	DISable FEAture[= <i>featurename</i>   <i>index</i> ]
46-113	.....	DISable FIREwall
46-113	.....	DISable FIREwall MONitor
46-114	.....	DISable FIREwall NOTify[={ALL MAIL MANager PORT SNMP}]
46-115	.....	DISable FIREwall POLIcy= <i>name</i> [ACCcounting] [FRAGment[={ICMP UDP OTHER},{...}]] [ICMP_Forwarding[={ALL PARAmeter PING SOURcequench TIMEExceeded TImeStamp UNREachable}]] [LOG[={ALLow DENY DENYDump EVERYDeny INAlcmp INAlLow INAOther INATcp INAUdp INDDIcmp INDDOther INDDTtcp INDDUdp INDDump INDEny INDIcmp INDOther INDTtcp INDUdp OUTAlcmp OUTAlLow OUTAOther OUTATtcp OUTAUdp OUTDDIcmp OUTDDOther OUTDDTtcp OUTDDUdp OUTDDump OUTDEny OUTDIcmp OUTDOther OUTDTtcp OUTDUdp SIPAlg}]] [OPTions[={ALL RECord_route SECurity SOURcerouting TImeStamp}]] [PING]
46-119	.....	DISable FIREwall POLIcy= <i>policy-name</i> HTTPCookies
46-120	.....	DISable FIREwall POLIcy= <i>policy-name</i> IDentproxy
46-120	.....	DISable FIREwall POLIcy= <i>policy-name</i> SMTPRelay



## Page Command

46-121	.....DISable FIREwall POLlcy= <i>policy-name</i> TCPsetuproxy
46-117	.....DISable FIREwall POLlcy[= <i>policy-name</i> ] DEBUg={ALL ARP CHECKsum HTTP IDEntproxy LIMitrule PACKet PKT PROcess PROXY RADIus SIPAlg SMTP TCP UPNP}[DEBUgMode={ALL ERRORcode MESSAge PARSing TRACE}]
46-122	.....DISable FIREwall SESSionreport
46-122	.....DISable FIREwall SIPAlg
6-15	.....DISable FLash AUTOwrite
14-33	.....DISable FRamerelay= <i>fr-interface</i>
14-34	.....DISable FRamerelay= <i>fr-interface</i> CONgEStioncontrol
14-34	.....DISable FRamerelay= <i>fr-interface</i> DEBUg={ALL CLLMpKt LMIState LMIPKt UTILisation}
14-36	.....DISable FRamerelay= <i>fr-interface</i> DLC={ <i>dlci</i>  ALL} DEBUg={ALL ATKpKt BRGPkt CCPPkt CCPState CNGStstate COMPPkt DLCState DNTPkt ECPKt ECPState ENCO ENCPkt IPKt IPXPkt PKT PLLCstate}
14-35	.....DISable FRamerelay= <i>fr-interface</i> DLC= <i>dlci</i>
14-37	.....DISable FRamerelay= <i>fr-interface</i> LI= <i>logical-interface</i> DEBUg=USER
14-38	.....DISable FRamerelay= <i>fr-interface</i> SLOWstart
30-16	.....DISable GRE
30-16	.....DISable GRE DEBUg
3-21	.....DISable GUI
5-25	.....DISable HTTP DEBUg={ALL AUTH MSG SESSion STATE}
5-25	.....DISable HTTP SERVer
24-60	.....DISable IGMPsNooping
9-29	.....DISable INTerface={ <i>ifIndex</i>   <i>interface</i>  DYnamic} LInktrap
9-28	.....DISable INTerface={ <i>ifIndex</i>   <i>interface</i> } DEBUg=PRIOriTqueue
22-109	.....DISable IP
22-110	.....DISable IP ARP AGEPoll
22-110	.....DISable IP ARP LOG
22-110	.....DISable IP DEBUg[={ARP PACKet UPNP ALL}]
22-111	.....DISable IP DNSRelay
22-111	.....DISable IP ECHoreply
22-112	.....DISable IP FOFilter
22-113	.....DISable IP FORwarding
22-113	.....DISable IP HElper
22-114	.....DISable IP ICMPreply[={ALL NETunreach HOSTunreach REDirect}]
24-60	.....DISable IP IGMP
24-61	.....DISable IP IGMP ALLGroup=[ <i>port-list</i>  ALL]
24-61	.....DISable IP IGMP DEBUg
24-62	.....DISable IP IGMP INTerface= <i>interface</i> [DLC=1..1024]
22-115	.....DISable IP INTerface= <i>interface</i>
22-116	.....DISable IP MACdisparity
22-117	.....DISable IP NAT [FRAGment={ICMP UDP OTHER}[,...]] [LOG={ALL FAILS INTCP INUDP OUTTCP OUTUDP}[,...]]
22-118	.....DISable IP REMoteassign
22-118	.....DISable IP ROUte [CACHe COUnT MULTipath DEBUg]
22-119	.....DISable IP SPOofcheck
22-119	.....DISable IP SRCRoute[={LOOSE STRICT ALL}]
48-74	.....DISable IPSec



Page	Command
48-75	..... DISable IPsec OLDsa INTerface= <i>interface</i>
48-76	..... DISable IPsec POLicy={AL  <i>name</i> } DEBUg={AL FILTER PACKet TRace} [DIRECTION={AL IN OUT}] [DISPLAY={ALL BUFFERHEADER DATA IPHEADER}] [RESult={ALL FAIL PASS}] [SElector={ALL LADDRESS LNAME LPORT RADDRESS RNAME RPORT TRANSPORTprotocol}] [WHEre={AL IPsec PROTocol}]
31-60	..... DISable IPV6
31-61	..... DISable IPV6 ADVertise [INTerface= <i>interface</i> ]
31-61	..... DISable IPV6 DEBUg
33-27	..... DISable IPV6 MLD
33-28	..... DISable IPV6 MLD DEBUg
33-28	..... DISable IPV6 MLD INTerface= <i>interface</i>
31-62	..... DISable IPV6 MTUdiscovery
31-62	..... DISable IPV6 RIP
36-47	..... DISable IPX
36-48	..... DISable IPX CIRCUit= <i>circuit</i>
48-78	..... DISable ISAkmp
48-79	..... DISable ISAkmp DEBUg={ALL DEFault PACKet PKT PKTRaw STATE TRAcE TRACEMore}
11-79	..... DISable ISDN CALL= <i>name</i>
11-80	..... DISable ISDN LOG
5-26	..... DISable LDAP DEBUg
56-15	..... DISable LLDP CDP
56-16	..... DISable LLDP CDP DEBUg[={PACKet ADJAcency EvEnt PPP}]
56-17	..... DISable LLDP CDP INTerface= <i>interface</i>
56-17	..... DISable LLDP CDP PPPTemplate= <i>template</i>
56-18	..... DISable LLDP MANAgementaddress [PORT={ALL  <i>port-list</i> }]
56-19	..... DISable LLDP NOTIfications [PORT={ALL  <i>port-list</i> }]
56-20	..... DISable LLDP PORT={ALL  <i>port-list</i> } [{TX RX TXRX}]
56-21	..... DISable LLDP PORTDescription [PORT={ALL  <i>port-list</i> }]
56-22	..... DISable LLDP SYSTEMCapabilities [PORT={ALL  <i>port-list</i> }]
56-23	..... DISable LLDP SYSTEMDescription [PORT={ALL  <i>port-list</i> }]
56-24	..... DISable LLDP SYSTEMName [PORT={ALL  <i>port-list</i> }]
51-31	..... DISable LOADBalancer
51-32	..... DISable LOADBalancer DEBUg={AL HTtp FIREwall REDun TRAcE}
51-32	..... DISable LOADBalancer HEALThpings
51-33	..... DISable LOADBalancer REDUNDancy
51-34	..... DISable LOADBalancer RESource={AL resourcename} [IMMEdiately]
51-35	..... DISable LOADBalancer VIRTUalbalancer={ALL virtualbalancename} [IMMEdiately]
60-24	..... DISable LOG
60-24	..... DISable LOG GENeration
60-25	..... DISable LOG OUTput[={Temporary  <i>output-id</i> }]
60-25	..... DISable LOG REception
20-32	..... DISable L2TP
20-33	..... DISable L2TP DEBUg={ALL DECode PKT STATE} [CALL[=1..65535] TUNnel[=1..65535]]
20-34	..... DISable L2TP SERVER={BOTH LAC LNS}
4-17	..... DISable MAIL DEBUg
13-61	..... DISable MIOX=x25t- <i>interface</i> CIRCUit= <i>circuit-name</i>
57-9	..... DISable NTP



## Page Command

26-48	.....	DISable OSPF
26-49	.....	DISable OSPF DEBUg={ALL AUTOcost IFState LSU NBRState NRL NSSA PACKet REDistribute SPF StAte}
26-50	.....	DISable OSPF INTerface= <i>interface</i>
26-50	.....	DISable OSPF LOG
24-62	.....	DISable PIM
33-29	.....	DISable PIM6
24-63	.....	DISable PIM BSMSecuritycheck
33-29	.....	DISable PIM6 DEBUg={ALL ASSERT BSR C-RP-ADV GRAFT HELlo JOIN REGISTER STATerefresh}{,...}
24-63	.....	DISable PIM DEBUg={ALL ASSert BSR C-Rp-adv GRAft HELlo JOInt REGister STATerefresh}{,...}
54-12	.....	DISable PING POLL= <i>poll-id</i>
54-12	.....	DISable PING POLL= <i>poll-id</i> DEBUg
49-25	.....	DISable PKI DEBUg={ALL CMDTRACE CRTDBTRACE CRTRUTRACE CRTVGSTATE  CRTVGTTRACE CRTVUSTATE CRTVUTRACE MPPACKET MPPKT MPSTATE MPTRACE  OPHTTPTRACE OPLDAPTRACE OPPACKET OPPKT PACKET PKT STATE TRACE}{,...}
43-22	.....	DISable PORTAuth[={8021x MACbased}]
43-24	.....	DISable PORTAuth[={8021x MACbased}] [Port={ALL  <i>port-name</i> }
43-23	.....	DISable PORTAuth[={8021x MACbased}] DEBUg={ALL Packet StAte} Port={ALL  <i>port-name</i> }
15-73	.....	DISABLE PPP ACCESSCONCENTRATOR
15-75	.....	DISABLE PPP TEMPLATE= <i>template</i> DEBUg={ALL AUTH BAPSTATE CALLBACK CTRLPKT DATAPKT  DECODE DEMAND ENCO LCP LQR NCP PACKET PKT PPPOE UTILISATION}{,...}
15-73	.....	DISABLE PPP= <i>ppp-interface</i>
15-74	.....	DISABLE PPP= <i>ppp-interface</i> DEBUg={ALL AUTH BAPSTATE CALLBACK CTRLPKT DATAPKT  DECODE DEMAND ENCO LCP LQR NCP PACKET PKT PPPOE UTILISATION}{,...}
11-80	.....	DISable PRI= <i>instance</i> CTest[= <i>test-number</i> ]
11-81	.....	DISable PRI= <i>instance</i> TEST[= <i>test-number</i> ]
11-81	.....	DISable PRI[= <i>instance</i> ] DEBUg={Errors Indications States Events ALL}
11-82	.....	DISable Q931= <i>interface</i> DEBUg={MDECODE MRAW SDLC SINTERFACE SSPID SSPIDFILE STATE TRACE}
41-41	.....	DISable RADIUS DEBUg={ALL PKT DECODE ERROR} [,...]
5-26	.....	DISable RELease= <i>release-name</i>
40-12	.....	DISable RSVP
40-13	.....	DISable RSVP DEBUg[={ALL EVENt PKT RESv StAte}] [INTerface={ <i>interface</i>  DYNAMIC}]
40-14	.....	DISable RSVP INTerface={ <i>interface</i>  DYNAMIC}
40-15	.....	DISable RSVP PROXY[= <i>name</i> ]
61-18	.....	DISable RTELnet
61-19	.....	DISable RTELnet DEBUg={ALL CONFIg ERRORcode OPTions TRACE}
48-80	.....	DISable SA= <i>sa-id</i> DEBUg={All Pkt Search}
10-41	.....	DISable SHDsl= <i>interface</i>
10-41	.....	DISable SHDsl= <i>interface</i> BERT
10-42	.....	DISable SHDsl= <i>interface</i> DEBUg={ALARM EOC TRAINing ALL}
55-39	.....	DISable SNmp
55-39	.....	DISable SNmp AUTHenticate_trap
55-40	.....	DISable SNmp COMMunity= <i>name</i> TRAP
39-116	.....	DISable SQOS
39-116	.....	DISable SQOS DEBUg={ALL DAR DARDATA ENGINE ERRor INFo MARK PKT}
44-13	.....	DISable SSH DEBUg[={ALL SCP SSH}]
44-13	.....	DISable SSH SERver



Page	Command
44-14	..... DISable SSH USER= <i>username</i>
45-10	..... DISable SSL DEBUg[={ALL PACket STAtE TRAcE}]
50-15	..... DISable STAR DEBUgging
4-18	..... DISable SUMMertime
8-28	..... DISable SWItch AGEingtimer
8-29	..... DISable SWItch DEBUg={ARL DEV DMA PHY ALL}
8-29	..... DISable SWItch LEarning
8-30	..... DISable SWItch PORt={ <i>port-list</i>  ALL} [AUTOMDI]
8-30	..... DISable SWItch PORt={ <i>port-list</i>  ALL} [FLOW]
9-30	..... DISable SYN= <i>n</i>
9-30	..... DISable SYN= <i>n</i> DEBUg
41-41	..... DISable SYStem SECurity_mode
41-42	..... DISable TACacs DEBUg={ALL PKT DECode ERRor} [,...]
41-42	..... DISable TACPlus
41-42	..... DISable TACPlus DEBUg
22-120	..... DISable TCP DEBUg={ALL EVent IN MAIn OUT STAtE}]
61-19	..... DISable TELnet SErver
22-120	..... DISable TELnet SErver [LOGINBAnner]
63-10	..... DISable TEST INTErface= <i>interface</i>
18-22	..... DISable TPAD= <i>name</i> DEBUg
18-22	..... DISable TPAD[= <i>name</i> ]
59-16	..... DISable TRIGger[= <i>trigger-id</i> ]
47-12	..... DISable UPNP
47-13	..... DISable UPNP FWPolicy= <i>name</i> INTErface= <i>interface</i> ACtion= <i>action-name</i>
47-14	..... DISable UPNP L4PORT={0-65535}
41-43	..... DISable USEr RSO
41-43	..... DISable USEr= <i>login-name</i>
8-30	..... DISable VLAN={ <i>vlan-name</i>  1..4094 ALL} DEBUg={PKT ALL}
29-33	..... DISable VOIP DEBUg={ALL IP H323 SIP PHONE RTP DSP}[,...] [ENGine= <i>engine</i> ]
29-32	..... DISable VOIP PROTOcol={H323 SIP} [ENGine= <i>engine</i> ]
53-20	..... DISable VRRP={ <i>vr-identifier</i>  ALL} DEBUg
53-19	..... DISable VRRP[={ <i>vr-identifier</i>  ALL}]
52-19	..... DISable WANLB
52-20	..... DISable WANLB DEBUg[={ABD HEALthcheck IP RESource SElect ALL}]
52-21	..... DISable WANLB HEALthcheck
52-22	..... DISable WANLB RESource={ALL  <i>interface</i> } [IMMEDiately]
13-61	..... DISable X25C= <i>x25-interface</i> DEBUg
61-20	..... Disconnect <i>session-number</i>
4-19	..... DUMP [Address= <i>address</i> ] [LENGth= <i>length</i> ] [SIZE={BYTE LONGword WORD}] [SPace={SD SP UD UP UR}]
6-16	..... EDit [ <i>filename</i> ]
54-13	..... ENAable PING POLL= <i>poll-id</i>
41-44	..... ENAble
19-25	..... ENAble ACC CALL= <i>name</i>
19-26	..... ENAble ACC CALL= <i>name</i> DEbug={UTILisation DEMand PACket PKT ASyn SCRipts DIALin ALL} [ASyn= <i>asyn-number</i> ]
10-42	..... ENAble ADSI={ <i>interface</i>  ALL}
10-43	..... ENAble ADSI={ <i>interface</i>  ALL} DEBUg={ALL TRaining} [TTy= <i>tty-num</i> ]



## Page Command

35-38	.....	ENable APPLe
35-38	.....	ENable APPLe DEBUg={ALL AARP PACKet PKT ROUte ZIp ZOne}
9-31	.....	ENable ASYn= <i>asyn-number</i>
10-43	.....	ENable ATM=0..9 CAC
10-44	.....	ENable ATM= <i>instance</i> CHANnel={1..30 ALL}
27-76	.....	ENable BGP AUTOSoftupdate
27-76	.....	ENable BGP AUTOSUMmary
27-77	.....	ENable BGP BACkoff
27-78	.....	ENable BGP DAMping [PARAmeterset={ALL 0..100}]
27-79	.....	ENable BGP DEBUg={ALL DAMPing MSG STAtE UPdate}{,...} [PEer= <i>ipadd</i> ]
27-80	.....	ENable BGP DEFaultoriginate
27-81	.....	ENable BGP PEer={ALL  <i>ipadd</i> }
23-32	.....	ENable BOOTp RELAy
23-33	.....	ENable BOOTp RELAy OPTion82 [DEBUg]
11-84	.....	ENable BRI= <i>instance</i> CTest= <i>test-number</i>
11-86	.....	ENable BRI= <i>instance</i> TEST= <i>test-number</i>
11-85	.....	ENable BRI[= <i>instance</i> ] DEBUg[={ERRORs Indications States EVENts ALL}]
16-39	.....	ENable BRIDge
16-39	.....	ENable BRIDge LEarning
16-40	.....	ENable BRIDge SPanning
34-21	.....	ENable CLNS[= <i>virtual-router-id</i> ] AREa= <i>nsap-area-address</i> SYStemid= <i>nsap-system-id</i>
34-22	.....	ENable CLNS[= <i>virtual-router-id</i> ] CIRCUit= <i>circ-id</i>
34-23	.....	ENable CLNS[= <i>virtual-router-id</i> ] DEBUg={ALL ENGDEBUg ENGTRACE PACKET PKT TRACE TRACEMORE} [...]
4-20	.....	ENable CPU EXTended
22-121	.....	ENable DDNS
22-121	.....	ENable DDNS DEBUg
37-22	.....	ENable DECnet
32-21	.....	ENable DHCP6
23-33	.....	ENable DHCP [BOOTp]
23-34	.....	ENable DHCP DEBUg={ALL PKT RECLaim STAtE}
32-21	.....	ENable DHCP6 DEBUg[={PACKET STATE ALL}]
32-22	.....	ENable DHCP6 RAPidcommit
24-64	.....	ENable DVMrp
24-65	.....	ENable DVMrp DEBUg={ALL GRAft PRObe PRUne REPort}{,...} INTerface= <i>interface</i> [DLC=1..1024]
42-22	.....	ENable ENCo COMPStatistics
42-23	.....	ENable ENCo DEBUgging={CHANnel PACKet TImestamp ALL}
5-27	.....	ENable FEAture= <i>featurename</i> PASSword= <i>password</i>
46-123	.....	ENable FIREwall
46-123	.....	ENable FIREwall MONitor
46-124	.....	ENable FIREwall NOTify={ALL MAIL MANager PORT SNMP}{,...} [POrt= <i>port-number</i> ] [TO= <i>address</i> ]



## Page Command

- 46-125 ..... ENable FIREwall POLIcy=*policy-name* [ACCounting] [FRAGment={ICMP|UDP|OTHER}{,...}] [ICMP\_Forwarding={ALL|PARAMeter|PING|SOURcequench|TIMEExceeded|TIMESstamp|UNREachable}] [LOG={ALLow|DENY|DENYDump|EVERYDeny|INAlcmp|INAlLow|INAOther|INATcp|INAUdp|INDDIcmp|INDDOther|INDDTtcp|INDDUdp|INDDump|INDEny|INDIcmp|INDOther|INDTtcp|INDUdp|OUTAlcmp|OUTAlLow|OUTAOther|OUTATcp|OUTAUdp|OUTDDIcmp|OUTDDOther|OUTDDTtcp|OUTDDUdp|OUTDDump|OUTDEny|OUTDIcmp|OUTDOther|OUTDTtcp|OUTDUdp|SIPAlg}] [OPTions={ALL|RECOrd\_route|SECurity|SOURcerouting|TIMESstamp}] [PING]
- 46-129 ..... ENable FIREwall POLIcy=*policy-name* HTTPCookies
- 46-129 ..... ENable FIREwall POLIcy=*policy-name* IDentproxy
- 46-130 ..... ENable FIREwall POLIcy=*policy-name* SMTPRelay
- 46-131 ..... ENable FIREwall POLIcy=*policy-name* TCPsetupproxy
- 46-127 ..... ENable FIREwall POLIcy[=*policy-name*] DEBUg={ALL|ARP|CHecksum|HTTP|IDentproxy|LIMitrule|PACKet|PKT|PROcess|PROXY|RADius|SIPAlg|SMTP|TCP|UPNP} [DEBUgMode={ALL|ERRORcode|MESSage|PARSing|TRACE}] [IP=*ipadd*[-*ipadd*]]
- 46-132 ..... ENable FIREwall SESSionreport
- 46-132 ..... ENable FIREwall SIPAlg
- 6-19 ..... ENable FLash AUTOwrite
- 14-38 ..... ENable FRamerelay=*fr-interface*
- 14-39 ..... ENable FRamerelay=*fr-interface* CONGestioncontrol
- 14-40 ..... ENable FRamerelay=*fr-interface* DEBUg={ALL|CLLMpkt|LMIState|LMIPkt|UTILisation} [ASYN=*port-number*]
- 14-41 ..... ENable FRamerelay=*fr-interface* DLC=*dlci*
- 14-42 ..... ENable FRamerelay=*fr-interface* DLC=*dlci* DEBUg={ALL|ATKpkt|BRGpkt|CCPPkt|CCPState|CNGSTstate|COMPPkt|DLCState|DNTPkt|ECPPk|ECPState|ENCO|ENCPkt|IPPKt|IPXPkt|PKT|PLLCstate} [ASYN=*port-number*]
- 14-44 ..... ENable FRamerelay=*fr-interface* LI=*logical-interface* DEBUg=USER [ASYN=*port-number*]
- 14-44 ..... ENable FRamerelay=*fr-interface* SLOWstart
- 30-16 ..... ENable GRE
- 30-17 ..... ENable GRE DEBUg
- 3-21 ..... ENable GUI
- 5-28 ..... ENable HTTP DEBUg={ALL|AUTH|MSG|SESSion|STATE}
- 5-28 ..... ENable HTTP SERVer
- 24-66 ..... ENable IGMPSNooping
- 9-32 ..... ENable INTerface={*ifIndex*|*interface*|DYnamic} Lnktrap
- 9-31 ..... ENable INTerface={*ifIndex*|*interface*} DEBUg=PRIOrityqueue
- 22-122 ..... ENable IP
- 22-122 ..... ENable IP ARP AGEPoll
- 22-122 ..... ENable IP ARP LOG
- 22-123 ..... ENable IP DEBUg
- 22-124 ..... ENable IP DNSRelay
- 22-124 ..... ENable IP ECHoreply
- 22-125 ..... ENable IP FOFilter
- 22-126 ..... ENable IP FORwarding
- 22-126 ..... ENable IP HEIper
- 22-127 ..... ENable IP ICMPPreply[={ALL|NETunreach|HOSTunreach|REDirect}]
- 24-66 ..... ENable IP IGMP
- 24-67 ..... ENable IP IGMP ALLGroup=[*port-list*|ALL]
- 24-67 ..... ENable IP IGMP DEBUg [DEStination={ALL|*ipaddress*}] [SOURCEipaddress={ALL|*ipaddress2*}]



## Page Command

24-68	.....	ENable IP IGMP INTerface= <i>interface</i> [DLC=1..1024]
22-128	.....	ENable IP INTerface= <i>interface</i>
22-129	.....	ENable IP MACdisparity
22-130	.....	ENable IP NAT [FRAGment={ICMP UDP OTHER},{...}] [LOG={ALL FAILS INTCP INUDP OUTTCP OUTUDP},{...}]
22-131	.....	ENable IP REMoteassign
22-131	.....	ENable IP ROUte [CACHe COUnT MULtipath DEBUg]
22-132	.....	ENable IP SPOofcheck
22-132	.....	ENable IP SRCRoute[={LOOSE STRICT ALL}]
48-80	.....	ENable IPsec
48-81	.....	ENable IPsec OLDsa INTerface= <i>interface</i>
48-82	.....	ENable IPsec POLicy[= <i>name</i> ] DEBUg={ALL Filter PACKet TRAcE} [DIRECTION={ALL IN OUT}] [DISPlay={ALL BUFFERHEADER DATA PHEADER}] [RESult={ALL FAIL PASS}] [SELector={ALL LADDRESS LNAMe LPORt RADDRESS RNAME RPORT TRANSPORTprotocol}] [WHERe={ALL IPsec PROTOcol}]
31-62	.....	ENable IPV6
31-63	.....	ENable IPV6 ADVertise [INTerface= <i>interface</i> ]
31-64	.....	ENable IPV6 DEBUg
33-30	.....	ENable IPV6 MLD
33-30	.....	ENable IPV6 MLD DEBUg
33-31	.....	ENable IPV6 MLD INTerface= <i>interface</i> [QUERYversion={1 2}] [V2Draftcompat={No Yes}]
31-64	.....	ENable IPV6 MTUdiscovery
31-64	.....	ENable IPV6 RIP
36-48	.....	ENable IPX
36-49	.....	ENable IPX CIRCUit= <i>circuit</i>
48-84	.....	ENable ISAkmp [LOCALRsakey= <i>key-id</i> ] [POLICYServerenabled={ON OFF TRUE FALSE}] [POLICYFilename= <i>filename</i> ] [UDPPort=1..65535]
48-86	.....	ENable ISAkmp DEBUg={ALL DEFAULT PACKet PKT PKTRaw STATE TRAcE TRACEMore}
11-88	.....	ENable ISDN CALL= <i>name</i>
11-88	.....	ENable ISDN LOG
5-29	.....	ENable LDAP DEBUg
56-25	.....	ENable LLDp CDP
56-26	.....	ENable LLDp CDP DEBUg={PACKet ADJAcency EvEnt PPP}
56-27	.....	ENable LLDp CDP INTerface= <i>interface</i>
56-27	.....	ENable LLDp CDP PPPTemplate= <i>template</i>
56-28	.....	ENable LLDp MANAgementaddress [PORt={ALL  <i>port-list</i> }]
56-29	.....	ENable LLDp NOTIfications [PORt={ALL  <i>port-list</i> }]
56-30	.....	ENable LLDp PORt={ALL  <i>port-list</i> } [{TX RX TXRX}]
56-31	.....	ENable LLDp PORTDescription [PORt={ALL  <i>port-list</i> }]
56-32	.....	ENable LLDp SYSTEMCapabilities [PORt={ALL  <i>port-list</i> }]
56-33	.....	ENable LLDp SYSTEMDescription [PORt={ALL  <i>port-list</i> }]
56-34	.....	ENable LLDp SYSTEMName [PORt={ALL  <i>port-list</i> }]
51-36	.....	ENable LOADBAlancer
51-36	.....	ENable LOADBAlancer DEBUg={ALL HTTp Firewall REDun TRAcE}
51-37	.....	ENable LOADBAlancer HEALThpings
51-38	.....	ENable LOADBAlancer REDUNDancy
51-39	.....	ENable LOADBAlancer RESource={ALL  <i>resourcename</i> }
51-39	.....	ENable LOADBAlancer VIRTUalbalancer={ALL  <i>virtualbalancename</i> }
60-26	.....	ENable LOG



Page	Command
60-26 .....	ENABle LOG GENeration
60-27 .....	ENABle LOG OUTput[={Temporary  <i>output-id</i> }]
60-27 .....	ENABle LOG RECEPTION
20-34 .....	ENABle L2TP
20-35 .....	ENABle L2TP DEBUg={ALL DECOde PKT STAtE} [CALL={1..65535} TUNnel={1..65535}] [TIMEOut=1..300]
20-39 .....	ENABle L2TP SERVER={BOTH LAC LNS}
4-21 .....	ENABle MAIL DEBUg
13-62 .....	ENABle MIOX=x25t-interface CIRCUit=circuit-name
57-9 .....	ENABle NTP
26-51 .....	ENABle OSPF
26-51 .....	ENABle OSPF DEBUg={ALL AUTOcost IFStAtE LSU NBRStAtE NRL NSSA PACket REDistribute SPF StAtE} [DETail={BRlef HEADer LSAFull LSASummary}] [TIMEOut={NONE 1..2400}]
26-53 .....	ENABle OSPF INTerface= <i>interface</i>
26-54 .....	ENABle OSPF LOG
24-68 .....	ENABle PIM
33-32 .....	ENABle PIM6
24-69 .....	ENABle PIM BSMSecuritycheck
33-32 .....	ENABle PIM6 DEBUg={ALL ASSERT BSR C-RP-ADV GRAFT HELlo JOIN REGISTER STATerefresh},{...}
24-69 .....	ENABle PIM DEBUg={ALL ASSert BSR C-Rp-adv GRAft HELlo JOInt REGister STATerefresh},{...}
54-13 .....	ENABle PING POLL= <i>poll-id</i> DEBUg
49-26 .....	ENABle PKI DEBUg={ALL CERTTRACE CMDTRACE CRTDBTRACE CTRUTRACE CRTVGSTATE CRTVGTRACE CRTVUSTATE CRTVUTRACE MPPACKET MPPKT MPSTATE MPTRACE OPHTTPTRACE OPLDAPTRACE OPPACKET OPPKT PACKET PKT STATE TRACE},{...}
43-27 .....	ENABle PORTAuth=MACbased PORT={ALL  <i>eth-port</i> } [CONTRol={AUTHorised UNauthorised AUTO}] [REAUTHENabled={TRue FAlse}] [REAUTHPeriod=1..86400] [QUIETperiod=0..65535] [VLANAssignment={ENabled Disabled}] [MIBReset={ENabled Disabled}] [TRap={SUCcess FAlLure BOTH NONE}]
43-25 .....	ENABle PORTAuth[={8021x MACbased}]
43-26 .....	ENABle PORTAuth[={8021x MACbased}] DEBUg={ALL PACket StAtE} PORT={ALL  <i>port-name</i> }
43-27 .....	ENABle PORTAuth[={8021x}] PORT={ALL  <i>eth-port</i>   <i>switch-port</i> } TYPE=Authenticator [CONTRol={AUTHorised AUTO UNauthorised}] [MAXReq=1..10] [MODE={MULTi SIngle}] [PIGGYback={TRue FAlse}] [QUIETperiod=0..65535] [REAUTHENabled={TRue FAlse}] [REAUTHMax=1..10] [REAUTHPeriod=1..86400] [SERVERTimeout=1..60] [SUPPTimeout=1..60] [TXperiod=1..65535] [GUEStvlan={1..4094  <i>vlan-name</i>  NONE}] [VLANAssignment={ENabled Disabled}] [MIBReset={ENabled Disabled}] [TRap={SUCcess FAlLure BOTH NONE}]
43-27 .....	ENABle PORTAuth[={8021x}] PORT={ALL  <i>eth-port</i>   <i>switch-port</i> } TYPE=Both [AUTHPeriod=1..60] [CONTRol={AUTHorised UNauthorised AUTO}] [HELDPeriod=0..65535] [MAXReq=1..10] [MAXStart=1..10] [MODE={MULTi SIngle}] [PIGGYback={TRue FAlse}] [QUIETperiod=0..65535] [REAUTHENabled={TRue FAlse}] [REAUTHMax=1..10] [REAUTHPeriod=1..86400] [SERVERTimeout=1..60] [STARTperiod=1..60] [SUPPTimeout=1..60] [TXperiod=1..65535] [USERName= <i>login-name</i> PASSword= <i>password</i> ] [METHOD={OTP ENCryption={MD4 MD5}} Standard}] [GUEStvlan={1..4094  <i>vlan-name</i>  NONE}] [VLANAssignment={ENabled Disabled}] [MIBReset={ENabled Disabled}] [TRap={SUCcess FAlLure BOTH NONE}]
43-27 .....	ENABle PORTAuth[={8021x}] PORT={ALL  <i>eth-port</i>   <i>switch-port</i> } TYPE=Supplicant [AUTHPeriod=1..60] [HELDPeriod=0..65535] [MAXStart=1..10] [STARTperiod=1..60] [USERName= <i>login-name</i> PASSword= <i>password</i> ] [METHOD={OTP ENCryption={MD4 MD5}} Standard}]



## Page Command

15-77	.....	ENABLE PPP ACCESSCONCENTRATOR
15-80	.....	ENABLE PPP TEMPLATE= <i>template</i> DEBUG={ALL AUTH BAPSTATE CALLBACK CTRLPKT DATAPKT DECODE DEMAND ENCO LCP  LQR NCP PACKET PKT PPPOE UTILISATION}[,...] [ASYN= <i>port-number</i> ] [TIMEOUT={NONE 1..400000000}] [NUMPKTS={CONT 1..400000000}]
15-76	.....	ENABLE PPP= <i>ppp-interface</i>
15-78	.....	ENABLE PPP= <i>ppp-interface</i> DEBUG={ALL AUTH BAPSTATE CALLBACK CTRLPKT DATAPKT DECODE DEMAND ENCO LCP  LQR NCP PACKET PKT PPPOE UTILISATION}[,...] [ASYN= <i>port-number</i> ] [TIMEOUT={NONE 1..400000000}] [NUMPKTS={CONT 1..400000000}]
11-89	.....	ENABle PRI= <i>instance</i> CTest= <i>test-number</i>
11-91	.....	ENABle PRI= <i>instance</i> TEST= <i>test-number</i>
11-90	.....	ENABle PRI[= <i>instance</i> ] DEBUg[={ERRORS INDICATIONS STATES EVENTS ALL}]
11-92	.....	ENABle Q931= <i>interface</i> ASPid= <i>index</i> [, <i>index</i> ...]
11-93	.....	ENABle Q931= <i>interface</i> DEBUg[={MDECODE MRAW SDLC SINTERFACE SSPID SSPIDFILE STATE TRACE}]
41-45	.....	ENABle RADius DEBUg[={ALL PKT DECODE ERROR} [,...]]
5-30	.....	ENABle RELease= <i>release-name</i> [PASSword= <i>password</i> ] NUMber= <i>release-number</i>
40-15	.....	ENABle RSVP
40-16	.....	ENABle RSVP DEBUg[={ALL EVENT PKT RESv STATE}] [INTerface={ <i>interface</i>  DYNAMIC}]
40-17	.....	ENABle RSVP INTerface={ <i>interface</i>  DYNAMIC}
40-18	.....	ENABle RSVP PROXY[= <i>name</i> ]
61-20	.....	ENABle RTELnet
61-21	.....	ENABle RTELnet DEBUg[={ALL CONFIg ERRORcode OPTions TRACE}]
48-87	.....	ENABle SA= <i>sa-id</i> DEBUg[={ALL PKT SEARCH}]
10-44	.....	ENABle SHDsl= <i>interface</i>
10-45	.....	ENABle SHDsl= <i>interface</i> BERT
10-46	.....	ENABle SHDsl= <i>interface</i> DEBUg[={ALARM EOC TRAINING ALL}] [TTY= <i>tty-num</i> ]
55-40	.....	ENABle SNmp
55-41	.....	ENABle SNmp AUTHenticate_trap
55-41	.....	ENABle SNmp COMmunity= <i>name</i> TRap
39-117	.....	ENABle SQOS
39-117	.....	ENABle SQOS DEBUg[={ALL DAR DARData ENGine ERRor INFo MARK PKT}]
44-14	.....	ENABle SSH DEBUg[={ALL SCP SSH}]
44-15	.....	ENABle SSH SERver HOSTKey= <i>key-id</i> SERVERKey= <i>key-id</i> [EXPIrytime=0..168] [LOGintimeout=1..600] [SCP={ENABled DISABled}]
44-16	.....	ENABle SSH USER= <i>username</i>
45-10	.....	ENABle SSL DEBUg[={ALL PACKet STATE TRACE}]
50-15	.....	ENABle STAR DEBUgging
50-16	.....	ENABle STAR MKTTransfer= <i>sernum</i>
4-21	.....	ENABle SUMMertime
8-31	.....	ENABle SWItch AGEingtimer
8-32	.....	ENABle SWItch DEBUg[={ARL DEV DMA PHY ALL}] [OUTPUT=CONSOLE] [TIMEOUT={1..400000000} NONE}]
8-33	.....	ENABle SWItch LEarning
8-33	.....	ENABle SWItch PORT={ <i>port-list</i>  ALL} [AUTOMdi]
8-33	.....	ENABle SWItch PORT={ <i>port-list</i>  ALL} [FLOW]
9-33	.....	ENABle SYN= <i>n</i>



Page	Command
9-33	..... ENAbLe SYN= <i>n</i> DEBUg
41-46	..... ENAbLe SYStem SECurity_mode
41-47	..... ENAbLe TACacs DEBUg={ALL PKT DECode ERRor} [,...]
41-47	..... ENAbLe TACPlus
41-48	..... ENAbLe TACPlus DEBUg
22-133	..... ENAbLe TCP DEBUg={ALL EVENt IN MAIn OUT StAte}}
61-21	..... ENAbLe TELnet SERver
22-133	..... ENAbLe TELnet SERver [LOGInBANner]
63-11	..... ENAbLe TEST INTErface= <i>interface</i> [TIme= <i>time</i>  CONT] [MORE]
18-23	..... ENAbLe TPAD[= <i>name</i> ]
18-23	..... ENAbLe TPAD[= <i>name</i> ] DEBUg
59-17	..... ENAbLe TRIGGer[= <i>trigger-id</i> ]
47-14	..... ENAbLe UPNP
47-15	..... ENAbLe UPNP FWPolicy= <i>name</i> INTErface= <i>interface</i> ACtion= <i>action-name</i>
47-16	..... ENAbLe UPNP L4PORT={0-65535}
41-49	..... ENAbLe USEr RSO
41-48	..... ENAbLe USEr= <i>login-name</i>
8-34	..... ENAbLe VLAN={ <i>vlan-name</i>  1..4094 ALL} DEBUg={PKT ALL} [OUTput=CONSOLE] [TIMEOut={1..4000000000 NONE}]
29-34	..... ENAbLe VOIP DEBUg={ALL IP H323 SIP PHONE RTP DSP}[,...] [ASyn= <i>port-number</i> ] [ENGINe= <i>engine</i> ]
29-33	..... ENAbLe VOIP PROTOcol={H323 SIP} [ENGINe= <i>engine</i> ]
53-21	..... ENAbLe VRRP={ <i>vr-identifier</i>  ALL} DEBUg
53-20	..... ENAbLe VRRP[={ <i>vr-identifier</i>  ALL}]
52-23	..... ENAbLe WANLB
52-24	..... ENAbLe WANLB DEBUg[={ABD HEALthcheck IP RESourcE SELEct ALL}]
52-25	..... ENAbLe WANLB HEALthcheck
52-25	..... ENAbLe WANLB RESourcE={ALL  <i>interface</i> }
13-62	..... ENAbLe X25C= <i>x25-interface</i> DEBUg
22-134	..... FINGER [ <i>username</i> ]@ <i>host</i> [@ <i>host</i> ]... [DETAil={HIGh LOW}]
60-28	..... FLUsh LOG OUTput[={Temporary  <i>output-id</i> }]
2-13	..... HELP [ <i>feature</i> ]
58-11	..... IF <i>string1</i> {EQ NE} <i>string2</i> THEN <i>commands</i> [ELSE <i>commands</i> ] ENDIF
5-31	..... LOAd [METHod={HTTP WEB WWW}] [DELay= <i>delay</i> ] [DESTFile= <i>destfilename</i> ] [DESTination={BOOTblock FLash}] [{File SRCFile}= <i>filename</i> ] [HTTPproxy={ <i>hostname</i>   <i>ipadd</i> }] [PASSword= <i>password</i> ] [PROxyport=1..65535] [SERver={ <i>hostname</i>   <i>ipadd</i>   <i>ipv6add</i> }] [SERVPort={1..65535 DEFault}] [USERName= <i>username</i> ]
5-31	..... LOAd [METHod=LDAP] [ATTRibute={CERT CRL CACERT}] [BASEobject= <i>dist-name</i> ] [DELay= <i>delay</i> ] [DESTFile= <i>destfilename</i> ] [DESTination={BOOTblock FLash}] [PASSword= <i>password</i> ] [SERver={ <i>hostname</i>   <i>ipadd</i> }] [SERVPort={1..65535 DEFault}] [USERName= <i>username</i> ]
5-31	..... LOAd [METHod=NONE] [ASyn= <i>port</i> ] [DELay= <i>delay</i> ] [DESTFile= <i>destfilename</i> ] [DESTination={BOOTblock FLash}] [{File SRCFile}= <i>filename</i> ]
5-31	..... LOAd [METHod=SCP] [DELay= <i>delay</i> ] [DESTFile= <i>destfilename</i> ] [DESTination={CFlash FLash NVs}] [{File SRCFile}= <i>filename</i> ] [{KEYid= <i>key-id</i>  PASSword= <i>password</i> }] [SERver={ <i>hostname</i>   <i>ipadd</i>   <i>ipv6add</i> }] [USERName= <i>username</i> ]
5-31	..... LOAd [METHod=TFtp] [DELay= <i>delay</i> ] [DESTFile= <i>destfilename</i> ] [DESTination={BOOTblock FLash}] [{File SRCFile}= <i>filename</i> ] [SERver={ <i>hostname</i>   <i>ipadd</i>   <i>ipv6add</i> }]
5-31	..... LOAd [METHod=ZModem] [ASyn= <i>port</i> ] [DELay= <i>delay</i> ] [DESTFile= <i>destfilename</i> ] [DESTination={BOOTblock FLash}] [{File SRCFile}= <i>filename</i> ]
41-50	..... LOGIn [ <i>login-name</i> ]
41-51	..... LOGoff



## Page Command

4-22	.....MAIL TO= <i>destination</i> {File= <i>filename</i>  MESSAge= <i>message</i> } [SUBject= <i>subject</i> ] [ETRn= <i>mail-domain</i> ]
4-24	.....MODify ADDRess= <i>address</i> Size={Byte Long Word} VALue= <i>value-list</i> [SPace={SD SP UD UP UR}]
22-135	.....PING [APPLEAddress= <i>network.node</i> ] [DElay= <i>seconds</i> ] [Length= <i>number</i> ] [NUMBER={ <i>number</i>  CONTInuous}] [PATTern= <i>hexnum</i> ] [SAPpleaddress= <i>network.node</i> ] [SCReenoutput={OFF ON NO YES}] [TIMEOut=1..60]
22-135	.....PING [IPaddress={ <i>ipadd</i>   <i>ipv6add</i> [% <i>interface</i> ]}  <i>host</i> { <i>domain-name</i> }] [DElay= <i>seconds</i> ] [Length= <i>number</i> ] [NUMBER={ <i>number</i>  CONTInuous}] [PATTern= <i>hexnum</i> ] [SIPAddress={ <i>ipadd</i>   <i>ipv6add</i> }] [SCReenoutput={OFF ON NO YES}] [TIMEOut=1..60] [TOS=0..255]
22-135	.....PING [IPXAddress= <i>network:station</i> ] [DElay= <i>seconds</i> ] [LENGTH= <i>number</i> ] [NUMBER={ <i>number</i>  CONTInuous}] [PATTern= <i>hexnum</i> ] [SIPXaddress= <i>network:station</i> ] [SCReenoutput={OFF ON NO YES}] [TIMEOut=1..60]
22-135	.....PING [OSIAddress= <i>nsap</i> ] [DElay= <i>seconds</i> ] [Length= <i>number</i> ] [NUMBER={ <i>number</i>  CONTInuous}] [PATTern= <i>hexnum</i> ] [SOSIaddress= <i>nsap</i> ] [SCReenoutput={OFF ON NO YES}] [TIMEOut=1..60]
19-26	.....PURge ACC
19-27	.....PURge ACC SCript={ <i>script-name</i>  ALL}
35-39	.....PURge APPLE
9-34	.....PURge ASYn={ <i>asyn-number</i>  ALL}
27-81	.....PURge BGP DAMping
23-34	.....PURge BOOTp RELAy
16-40	.....PURge BRIDge
34-24	.....PURge CLNS[= <i>virtual-router-id</i> ]
37-22	.....PURge DECnet
24-70	.....PURge DVMrp
6-20	.....PURge File Translationtable={ALL UPdate}
30-17	.....PURge GRE
22-137	.....PURge IP
48-87	.....PURge IPSec
36-49	.....PURge IPX
5-36	.....PURge LDAP
56-35	.....PURge LLDP
60-28	.....PURge LOG[={Temporary  <i>output-id</i> }]
57-9	.....PURge NTP
26-55	.....PURge OSPF
24-70	.....PURge PIM
33-33	.....PURge PIM6
49-27	.....PURge PKI
43-33	.....PURge PORTAuth[={8021x MACbased}] POrt={ALL  <i>port-name</i> }
15-81	.....PURGE PPP
55-42	.....PURge SNmp
39-118	.....PURge SQOS {DAR INTerface POLIcy TRafficclass}
12-11	.....PURge TDM GROUp
59-17	.....PURge TRIGger
41-51	.....PURge USEr
61-22	.....Reconnect <i>session-number</i>
6-21	.....REName <i>src-filename dest-filename</i>
10-48	.....RESET ADSI={ <i>interface</i>  ALL}
10-48	.....RESET ADSI={ <i>interface</i>  ALL} COUnter
35-39	.....RESET APPLE



Page	Command
9-34	..... RESET ASYn= <i>asyn-number</i>
9-35	..... RESET ASYn= <i>asyn-number</i> COUnters[={Diagnostic InterfAc Rs232}]
9-36	..... RESET ASYn= <i>asyn-number</i> History
10-49	..... RESET ATM=0..9 CHANnel=1..30 COUnter
10-49	..... RESET ATM=0..9 COUnter
27-82	..... RESET BGP DAMping [PARAmeterset={ALL 0..100}]
27-82	..... RESET BGP PEer={ALL  <i>ipadd</i> }
27-83	..... RESET BGP PEer={ALL  <i>ipadd</i> } SOft={IN OUt AL}
11-98	..... RESET BRI= <i>instance</i>
11-98	..... RESET BRI[= <i>instance</i> ] COUnters[={INTerface BRI}]
16-41	..... RESET BRIDge
34-24	..... RESET CLNS[= <i>virtual-router-id</i> ]
4-25	..... RESET CPU UTILisation
37-23	..... RESET DECnet
24-71	..... RESET DVMrp INTerface= <i>interface</i> [DLC=1..1024]
42-24	..... RESET ENCo COUnters={AES DES DH HARdware HMac IPSec PRed QUeues RSa SSI STac USer UTil}
9-36	..... RESET ETH= <i>n</i>
9-37	..... RESET ETH[= <i>n</i> ] COUnters[={COLlision DIAGnostic DOT3stat INTerface}]
6-22	..... RESET File[= <i>filename</i> ] PERManentredirect
46-133	..... RESET FIREwall POLlcy= <i>policy-name</i> MACCache
46-134	..... RESET FIREwall SIPAlg AUTOclients
46-134	..... RESET FIREwall SIPAlg COUnter
14-45	..... RESET FRamerelay= <i>fr-interface</i>
14-46	..... RESET FRamerelay= <i>fr-interface</i> DLC= <i>dlci</i>
30-18	..... RESET GRE
3-22	..... RESET GUI
5-36	..... RESET HTTP SERVer
9-37	..... RESET INTerface[= <i>ifIndex interface</i> ] COUnters
22-138	..... RESET IP
22-138	..... RESET IP COUnter={ALL ARP CAChe Cmp INTerface IP MULticast ROUte SNmp UDP}
22-139	..... RESET IP INTerface= <i>interface</i>
48-88	..... RESET IPsec COUnter[={AH ALG COMp ESp MAIn SAD SETUP SPD}]
48-89	..... RESET IPsec POLlcy= <i>name</i>
48-89	..... RESET IPsec POLlcy= <i>name</i> COUnter
48-90	..... RESET IPsec SA= <i>sa-id</i> COUnter
31-65	..... RESET IPV6 NDcache
36-50	..... RESET IPX
48-91	..... RESET ISAkmp COUnters[={AGGressive GENeral HEARtbeat INFo IPSec MAIn NETwork QUick SAD SPD TRANsaction XDB}]
48-92	..... RESET ISAkmp POLlcy= <i>name</i>
13-63	..... RESET LAPB= <i>lapb-interface</i>
56-35	..... RESET LLDP
56-35	..... RESET LLDP CDP COUnters
56-36	..... RESET LLDP CDP Table
51-40	..... RESET LOADBalancer [RESouce={ALL  <i>resourcename</i> }] [RESPool={ALL  <i>resourcepoolname</i> }]
5-36	..... RESET LOAder
20-39	..... RESET L2TP COUnter



Page	Command
4-25	.....RESet MAIL
57-10	.....RESEt NTP
26-55	.....RESEt OSPF
26-56	.....RESEt OSPF COUnTer
26-57	.....RESEt OSPF INTerface= <i>interface</i>
26-58	.....RESEt OSPF SPF [DEBUg]
62-7	.....RESEt PERM= <i>perm-name</i>
33-33	.....RESEt PIM6 INTerface= <i>interface</i>
24-72	.....RESEt PIM INTerface= <i>interface</i> [DLC=1..1024]
54-14	.....RESEt PING POLL= <i>poll-id</i>
43-34	.....RESEt PORTAuth[={8021x MACbased}] PORT={ALL  <i>port-name</i> } [SUPPLiCantmac= <i>macadd</i> ]
43-35	.....RESEt PORTAuth[={8021x MACbased}] PORT={ALL  <i>port-name</i> } MULTImib
15-82	.....RESEt PPP=ppp-interface [COUNTER] [LINKCOUNTER={ONLINE INDATA OUTDATA TOTALDATA ALL}]
11-99	.....RESEt PRI=instance
11-100	.....RESEt PRI[=instance] COUnTer[={DIAGnostic INTerface LINK PRI STate}]
11-101	.....RESEt Q931=interface [CALL={call-index ALL}]
40-19	.....RESEt RSVP PROXY[= <i>name</i> ]
10-49	.....RESEt SHDsl= <i>interface</i>
10-50	.....RESEt SHDsl= <i>interface</i> COUnTer
39-119	.....RESEt SQOS COUnTers CLASSifier[= <i>id-list</i> ] [Direction={In OUT TUNnel ALL}] [INTerface= <i>interface</i> ] [TRafficclass= <i>id-list</i> ]
39-119	.....RESEt SQOS COUnTers DAR[= <i>id-list</i> ] [Direction={In OUT TUNnel}] [INTerface= <i>interface</i> ]
39-119	.....RESEt SQOS COUnTers POLIcy[= <i>id-list</i> ] [Direction={In OUT TUNnel}] [INTerface= <i>interface</i> ]
39-119	.....RESEt SQOS COUnTers TRafficclass[= <i>id-list</i> ] [Direction={In OUT TUNnel ALL}] [INTerface= <i>interface</i> ]
17-6	.....RESEt STT= <i>sttname</i>
8-34	.....RESEt SWItch
8-35	.....RESEt SWItch PORT={ <i>port-list</i>  ALL} [COUnTer]
9-38	.....RESEt SYN= <i>n</i>
9-39	.....RESEt SYN[= <i>n</i> ] COUnTers[={INTerface SYN}]
63-12	.....RESEt TEST INTerface
18-24	.....RESEt TPAD= <i>name</i>
41-52	.....RESEt USER[= <i>login-name</i> ] [COUNTER[={ALL GLOBAL USER}]]
29-35	.....RESEt VOIP TYpe={SW HW} [ENGine= <i>engine</i> ]
52-26	.....RESEt WANLB RESource={ALL  <i>interface</i> }
52-26	.....RESEt WANLB RESource={ <i>interface</i>  ALL} COUnTer
13-63	.....RESEt X25T=x25-interface
5-37	.....RESTART REBoot
5-37	.....RESTART ROUter [CONfig={ <i>filename</i>  NONE}]
4-32	.....SET [TIme= <i>hh:mm:ss</i> ] [DAte= <i>date</i> ]
19-28	.....SET ACC CALL= <i>name</i> [AUthentication={AUto None PAssword}] [CScript= <i>script-name</i> ] [DIAL= <i>phone-number</i> ] [Direction={ANswer Both ORiginate}] [DScript= <i>script-name</i> ] [ENCapsulation={ADaptive AUto CSlip ENquire None OKPPP PPP SLip DISTill}] [IPPool={ <i>pool-name</i>  None}] [Line={Direct MODem}] [PPPTemplate= <i>template</i> ] [REMotecall= <i>remote-call</i> ] [RScript= <i>script-name</i> ]
19-31	.....SET ACC CALL= <i>name</i> ASYN= <i>asyn-number</i> PHONenumber= <i>phone-number</i>



## Page Command

- 19-32 ..... SET ACC SScript=*script-name* Lne=*line-number* [TExt=*script-text*] [AFTER=*line-number*] [BEFORE=*line-number*]
- 10-51 ..... SET ADSI=*interface* [AUToretrain={ON|OFF}] [CARRier=EC|FDM] [MODE={ANALogloopback|CELLloopback|DIGitalloopback|NORMal}] [STandard={AUTomatic|T1.413|G.Dmt|G.Lite}]
- 35-40 ..... SET APPLE PACKETFilter=*filter-id* [ENTRy=*entry*] [SNETwork={*network-range*|ANY}] [DNETwork={*network-range*|ANY}] [SNOde={*node-range*|ANY}] [DNOde={*node-range*|ANY}] [SSOcket={*socket-range*|ANY}] [DSOcket={*socket-range*|ANY}] [DIRection={IN|OUT}] [LOG={YES|NO|ON|OFF|TRUE|FALSE}] ACtion={DENY|ALLOW}
- 35-42 ..... SET APPLE PORT [DEMAND={ON|OFF|YES|NO}] [HINT=*network:node*] [SEED=*seed*] [PACKETFilter={*filter-id*|NONE}] [ROUTEFilter={*filter-id*|NONE}] [ZONEFilter={*filter-id*|NONE}]
- 35-44 ..... SET APPLE ROUTEConvert={ON|OFF|YES|NO}
- 35-45 ..... SET APPLE ROUTEFILTER=*filter-id* ENTRy=*entry* [NETWork=*network-range*] [DIRection={IN|OUT}] [LOG={YES|NO|ON|OFF}] [ACtion={DENY|ALLOW}]
- 35-46 ..... SET APPLE ZONE=*zone-name* PORT=*port* [DEFAULT]
- 35-47 ..... SET APPLE ZONEFilter=*filter-id* ENTRy=*entry* [ZONE=*zone-name*] [LOG={YES|NO|ON|OFF}] [ACtion={DENY|ALLOW}]
- 9-40 ..... SET ASYN[=*asyn-number*] [ATTention={Break|*alphabetical control char*^|[None]}] [CDcontrol={Connect|Ignore|Online}] [DATabits={5|6|7|8}] [DEFAULTservice={ON|OFF|YES|NO|True|False}] [DTRcontrol={Connect|OFF|ON}] [ECHO={ON|OFF|YES|NO|True|False}] [ENABLE={BREAK|NONE}] [FLOW={Character|HARdware|None}] [History=0..99] [IDLEtimeout={10..4294967294|OFF|0}] [INFlow={Character|HARdware|None}] [IPaddress=*ipadd*|NONE] [IPXnetwork=*network*] [LOGin={ON|OFF|YES|NO|True|False}] [MAXoqlen=0..4294967295] [MTu=40..1500] [NAME=*name*] [OUTFlow={Character|HARdware|None}] [PAGE={0..99|OFF}] [PARity={Even|Mark|None|Odd|SPace}] [PROMpt={*prompt*|DEFAULT|OFF}] [SECure={ON|OFF|YES|NO|True|False}] [SERvice={*service-name*|None}] [SHELLserver={ON|OFF}] [SPEED={AUTO|75|110|134.5|150|300|600|1200|1800|2000|2400|4800|9600|14400|14.4K|19200|19.2K|28800|28.8K|38400|38.4K|57600|57.6K|115200|115.2K}] [STOPbits={1|2}] [TENTimervalue=20..100] [TIMEout=1..65535] [TYPE={Dumb|VT100}]
- 10-52 ..... SET ATM=0..9 CAC [UBRALlocation=32..8192] [OVERBooking=1..1000]
- 10-53 ..... SET ATM=*instance* CHANnel=*channel* [SERViceclass={VBRNrt|VBRrt}] [PCR=32..155000] [SCR=32..155000] [MBS=2..10000] [DESCRiption=*description*] [ENCapsulation={AAL5Snap|LLC|VCMux}] [VPI=0..15 VCI=32..1023]
- 10-53 ..... SET ATM=*instance* CHANnel=*channel* [SERViceclass=CBR] [PCR=32..155000] [DESCRiption=*description*] [ENCapsulation={AAL5Snap|LLC|VCMux}] [VPI=0..15 VCI=32..1023]
- 10-53 ..... SET ATM=*instance* CHANnel=*channel* [SERViceclass=UBR] [PCR=0|32..155000] [DESCRiption=*description*] [ENCapsulation={AAL5Snap|LLC|VCMux}] [VPI=0..15 VCI=32..1023]
- 27-84 ..... SET BGP [CLUster=*ipadd*] [CONfederationid={NONE|1..65534}] [LOCAlpref={DEFAULT|0..4294967295}] [MED={NONE|0..4294967294}] [PREFExt={DEFAULT|1..255}] [PREFInt={DEFAULT|1..255}] [ROuterid=*ipadd*] [SELEction\_timer=3..60] [TABlemap[=*routemap*]]
- 27-87 ..... SET BGP AGGRegate=*prefix* [MASK=*ipadd*] [SUMmary={NO|YES}] [ROUTEMap[=*routemap*]]
- 27-88 ..... SET BGP BACKoff[=20..100] [BASEtime=0..100] [CONSecutive=0..1000] [LOW=15..99] [MULTIplier=1..1000] [STEP=1..1000] [TOTAllimit=0..1000]
- 27-89 ..... SET BGP DAMping PARAmeterset=1..100 [DESCRiption=*description*] [SUPpression={DEFAULT|1..20000}] [REUse={DEFAULT|1..20000}] [HALflife={DEFAULT|1..45}] [MAXhold={DEFAULT|1..8}]
- 27-91 ..... SET BGP IMPort={INTErface|OSPF|RIP|STAtic} [ROUTEMap[=*routemap*]]
- 27-92 ..... SET BGP MEMlimit[=0..100]



## Page Command

- 27-93 .....SET BGP PEer=*ipadd* [AUthentication={MD5|NONE}] [CAPAbilitymatching={STrict|LOOSE}] [CLIEnt={NO|YES}] [CONNectretry={DEfault|0..4294967295}] [DEfaultoriginate={NO|YES}] [DESCRiption={NONE|*description*}] [EHOPs={DEfault|1..255}] [FASTFallover={NO|YES}] [HOLDtime={DEfault|0|3..65535}] [INFiLter={NONE|*prefixlist-name*}] [INPathfilter={NONE|1..99}] [INRoutemap={NONE|*routemap*}] [KEEpalive={DEfault|1..21845}] [LOCAL={NONE|1..15}] [MAXPREFIX={OFF|1..4294967295}] [MAXPREFIXAction={Terminate|Warning}] [MINASoriginated={DEfault|0..3600}] [MINRouteadvert={DEfault|0..3600}] [NEXthopself={NO|YES}] [OUTFilter={NONE|*prefixlist-name*}] [OUTPathfilter={NONE|1..99}] [OUTRoutemap={NONE|*routemap*}] [PASSword=*password*] [PRIVateasfilter={NO|YES}] [REMoteas=1..65534] [SENdcommunity={NO|YES}]
- 27-93 .....SET BGP PEer=*ipadd* [POLICYTemplate=1..30] [AUthentication={MD5|NONE}] [CAPAbilitymatching={STrict|LOOSE}] [DEfaultoriginate={NO|YES}] [DESCRiption={NONE|*description*}] [EHOPs={DEfault|1..255}] [FASTFallover={NO|YES}] [PASSword=*password*] [REMoteas=1..65534]
- 27-93 .....SET BGP PEer=*ipadd* POLICYTemplate=
- 27-101 .....SET BGP PEERTemplate=1..30 [CLIEnt={NO|YES}] [CONNectretry={DEfault|0..4294967295}] [DESCRiption={NONE|*description*}] [HOLDtime={DEfault|0|3..65535}] [INFiLter={NONE|*prefixlist-name*}] [INPathfilter={NONE|1..99}] [INRoutemap={NONE|*routemap*}] [KEEpalive={DEfault|1..21845}] [LOCAL={NONE|1..15}] [MAXPREFIX={OFF|1..4294967295}] [MAXPREFIXAction={Terminate|Warning}] [MINASoriginated={DEfault|0..3600}] [MINRouteadvert={DEfault|0..3600}] [NEXthopself={NO|YES}] [OUTFilter={NONE|*prefixlist-name*}] [OUTPathfilter={NONE|1..99}] [OUTRoutemap={NONE|*routemap*}] [PRIVateasfilter={NO|YES}] [SENdcommunity={NO|YES}]
- 23-35 .....SET BOOTp RELAy MAXHops=1..16
- 23-36 .....SET BOOTp RELAy OPTion82 [CHEck={YES|NO|ON|OFF|True|False}] [POLIcy={DROP|KEEP|REPLACE}]
- 23-37 .....SET BOOTp RELAy OPTion82 PORT={*port-list*|ALL} [SUBScriberid=*subscriber-id*] [TRusted={YES|NO|ON|OFF|True|False}]
- 11-102 .....SET BRI=instance [ACTivation={Normal|ALways}] [ISDNSlots=*slot-list*] [MODE={ISDN|TDM|MIXed}] [TDMSlots=*slot-list*]
- 16-41 .....SET BRIDGe AGEingtimer=10..1000000
- 16-42 .....SET BRIDGe FILter=1..99 ENTry=*entry* [SAddress<*sep1*>*macadd*] [SMask=*macadd*] [DAddress<*sep1*>*macadd*] [DMask=*macadd*] [ENCapsulation<*sep1*>{802|Ethii|Snap|NOVell}] [DIScriminator<*sep1*>*protocoltype*] [Size<*sep2*>1..65535] [Offset=1..1500] [Data<*sep1*>*datastring*] [TYpe<*sep1*>{UNICAST|MULTICAST|BROADCAST|ANY}] [PORT={ALL|NONE|1..32[,1..32]...}]
- 16-44 .....SET BRIDGe GROup={*groupname*|1..32} REclustering=0..15
- 16-45 .....SET BRIDGe PORT=1..32 ACcesspriority=0..7] [PATHcost=1..1000000] [PRIOrity=0..255] [STate={DISabled|BLocking}] [GROup={*groupname*|1..32}] [USerpriority=0..7]
- 16-46 .....SET BRIDGe PROTOcol[=*protocolname*|index] [PRIOrity=0..4]
- 16-47 .....SET BRIDGe SPanning [PRIOrity=0..65535] [MAXage=6..40] [HELLotime=1..10] [FORwarddelay=4..30] [DEBug={ON|OFF}]
- 16-48 .....SET BRIDGe STRipvlantag={ON|OFF|YES|NO|True|False}
- 38-16 .....SET CLASSifier=1..9999 [IPDScp={*dscp-list*|ANY}] [IPTOs={0..7}|ANY}] [VLANPriority={*priority-list*|ANY}]



## Page Command

- 38-16 ..... SET CLASSifier=1..9999 [IInterface={*interface*|NONE}] [EPort={*port*|ANY}] [IPort={*port*|ANY}] [SVlan={*vlan-name*|1..4094|ANY}] [DVlan={*vlan-name*|1..4094|ANY}] [VLANPriority={*priority-list*|ANY}] [ETHFormat={802.2|802.2-Tagged|802.2-Untagged|EthII|ETHII-Tagged|ETHII-Untagged|Netwareraw|NETWARERAW-Tagged|NETWARERAW-Untagged|Snap|SNAP-Tagged|SNAP-Untagged|ANY}] [MACDaddr={*macadd*|ANY}] [MACSaddr={*macadd*|ANY}] [MACType={L2Ucast|L2BMcast|ANY}] [ATMVCI={*vci-list*|ANY}] [ATMVPI={*vpi-list*|ANY}] [DLCi={*dldi-range*|ANY}] [PPPIndex=0..1023] [PPPProtocolid={*ppp-protocol-id*|IP|IPv6|ANY}] [PROTocol={*protocol-type*|ARP|IP|IPv6|IPX|ANY}] [IPDAddr={*ipadd*/0..32|*ipv6add*/0..128|ANY}] [IPSAAddr={*ipadd*/0..32|*ipv6add*/0..128|ANY}] [IPDScp={*dscp-list*|ANY}] [IPTOs={0..7|ANY}] [IPFRag={YES|NO|ANY}] [IPOPtions={YES|NO|ANY}] [IPFLowlabel={0..1048575|ANY}] [IPPRotocol={TCP|UDP|ICMp|GMp|OSPf|NONTCpudp|ANY|*ip-protocol*}] [ICmptype={Any|ECHORply|Unreachable|Quench|Redirect|ECHO|ADvertisement|Solicitation|Timeexceed|Parameter|TSTAMP|TSTAMPPrply|INFOREQ|INFOREP|ADDRREQ|ADDRREP|NAMEREq|NAMERply|*icmp-type*}] [ICMPCode={Any|Filter|FRAGMent|FRAGReassm|HOSTComm|HOSTIsolated|HOSTPrec|HOSTREdirect|HOSTRTos|HOSTTos|HOSTUNKnown|HOSTUNReach|NETComm|NETREdirect|NETRTos|NETTos|NETUNKnown|NETUNReach|NOptr|Portunreach|PREcedent|PROtunreach|PTrproblem|Sourceroute|Ttl|*icmp-code*}] [TCPFlags={{Urg|Ack|Rst|Syn|Fin},...}|ANY}] [TCPDport={*port-range*|ANY}] [TCPSport={*port-range*|ANY}] [UDPport={*port-range*|ANY}] [UDPSport={*port-range*|ANY}]
- 38-17 ..... SET CLASSifier=1..9999 [IInterface={*interface*|NONE}] [IPDAddr={*ipadd*/0..32|*ipv6add*/0..128|ANY}] [IPSAAddr={*ipadd*/0..32|*ipv6add*/0..128|ANY}] [IPDScp={*dscp-list*|ANY}] [IPTOs={0..7|ANY}] [IPFRag={YES|NO|ANY}] [IPOPtions={YES|NO|ANY}] [IPFLowlabel={*flow-label-range*|ANY}] [IPPRotocol={TCP|UDP|ICMp|GMp|OSPf|NONTCpudp|ANY|*ip-protocol*}] [ICmptype={Any|ECHORply|Unreachable|Quench|Redirect|ECHO|ADvertisement|Solicitation|Timeexceed|Parameter|TSTAMP|TSTAMPPrply|INFOREQ|INFOREP|ADDRREQ|ADDRREP|NAMEREq|NAMERply|*icmp-type*}] [ICMPCode={Any|Filter|FRAGMent|FRAGReassm|HOSTComm|HOSTIsolated|HOSTPrec|HOSTREdirect|HOSTRTos|HOSTTos|HOSTUNKnown|HOSTUNReach|NETComm|NETREdirect|NETRTos|NETTos|NETUNKnown|NETUNReach|NOptr|Portunreach|PREcedent|PROtunreach|PTrproblem|Sourceroute|Ttl|*icmp-code*}] [TCPFlags={{Urg|Ack|Rst|Syn|Fin},...}|ANY}] [TCPDport={*port-range*|ANY}] [TCPSport={*port-range*|ANY}] [UDPport={*port-range*|ANY}] [UDPSport={*port-range*|ANY}]
- 34-25 ..... SET CLNS[=*virtual-router-id*] [AREAAAddrmax=1..6] [AREAMaxcheck={ON|OFF|YES|NO|TRUE|FALSE}] [CSNPInterval=1..600] [ESHelloint=1..65535] [IHelloint=1..65535] [LEvel={L1|L2}] [LSPMAxgenint=1..65535] [LSPMIngenint=1..65535] [LSPmtu=512..1492] [MAXPathsplits=1..3] [MINLSptxint=1..65535] [MINBRoadlsptxint=1..65535] [PSNPInterval=1..65535] [WAltime=1..65535]
- 34-27 ..... SET CLNS[=*virtual-router-id*] CIRCuit=*circ-id* [IHelloint=1..65535] [L1DEFmetricval=0..63] [L1DELmetricval=0..63] [L1EXPmetricval=0..63] [L1ERRmetricval=0..63] [L2DEFmetricval=1..63] [L2DELmetricval=0..63] [L2EXPmetricval=0..63] [L2ERRmetricval=0..63] [ISIS={ON|OFF|YES|NO|TRUE|FALSE}] [L2only={ON|OFF|YES|NO|TRUE|FALSE}] [L1Priority=1..127] [L2Priority=1..127] [ESIS={ON|OFF|YES|NO|TRUE|FALSE}] [ISConfint=1..65535] [ESConfint=1..65535] [RDHint=1..65535] [VLantag=1..4094]
- 34-29 ..... SET CLNS[=*virtual-router-id*] RA=*nsap-prefix* CIRCuit=*circ-id* ETHernetaddress=*macadd*
- 2-14 ..... SET COMMand {ASsignmentoperator=[Equals|SPaceorequals]}
- 5-38 ..... SET CONfig={*filename*|none}
- 22-140 ..... SET DDNS [SERVER=*server*] [PORT=*port*] [USER=*userid*] [PASSword=*password*] [DYNamichost=*hostnames*] [CUSTomhost=*hostnames*] [STATichost=*hostnames*] [PRImaryint=*interface*] [SECOndaryint=*interface*] [WILDcard={ON|OFF|NOCHG}] [MAIlchanger={*mailchanger*|NOCHG}] [BACkmx={YES|NO|NOCHG}] [OFFline={YES|NO}]



## Page Command

- 37-24 .....SET DECnet [Address=*dn*tadd] [BRoadcasttimer=1..65535] [HELLotimer=1..8191]  
[MAXADdress=1..1023] [PRIOrity=1..127] [ROUtingtimer=1..65535]  
[TYpe={AREa|ROUtingiv|LEVEL1|LEVEL2|1|2}]
- 37-27 .....SET DECnet INTerface=*interface* COSt=1..25
- 23-38 .....SET DHCP EXTendid={ON|OFF}
- 32-23 .....SET DHCP6 KEY=0..65535 [CLlentid=*clientid*] [STRict={TRue|FAlse}]
- 23-39 .....SET DHCP OPTion=*number* POLlcy=*name* [NAME=*option-name*]  
[TYpe={IP|SWItch|VALue|STRing|HexString|NONE}] [VALue=*value*]
- 23-41 .....SET DHCP POLICY=*name* [ARPTlmeout=*seconds*] [BOOTFilesize=*bootfilesize*]  
[BRoadcastaddress=*ipadd*] [COOKleserver=*ipadd,ipadd...*] [DNSServer=*ipadd,ipadd...*]  
[DObainname=*string*] [ETHERENcap={ON|OFF}] [EXTENSLonpath=*string*] [File=*string*]  
[HOStname=*string*] [IMPRESserver=*ipadd,ipadd...*] [INTMTu=68..65535]  
[IPForwArding={ENABled|DisABled}] [IPMTU=576..65535] [IPPLAteau=*mtu,mtu...*]  
[IPTIMEout=*seconds*] [IPTTL=*ttl*] [LEASETIME=*lease-time*|INFINITy] [LOGServer=*ipadd,ipadd...*]  
[LPRServer=*ipadd,ipadd...*] [MASKDiscovery={ON|OFF}] [MASKSupplier={ON|OFF}]  
[MERITdumpfile=*longstring*] [NAMEserver=*ipadd,ipadd...*] [NBDDservers=*ipadd,ipadd...*]  
[NBNAmeservers=*ipadd,ipadd...*] [NBNOdetype={B-node|P-node|M-node|H-node}]  
[NBSCOpe=*string*] [NISDomain=*string*] [NISERServers=*ipadd,ipadd...*] [NTPServers=*ipadd,ipadd...*]  
[POLICYFiltering=*ipadd,ipadd...*] [RESOURceserver=*ipadd,ipadd...*] [ROOTPath=*longstring*]  
[ROUter=*ipadd,ipadd...*] [ROUterDIScovery={ON|OFF}] [ROUterSolicit=*ipadd*] [SERVER=*ipadd*]  
[SERVERName=*server-name*] [SOURcerouting={ENABled|DisABled}]  
[STATicroute=*ipadd,ipadd...*] [SUBLOcal={ON|OFF}] [SUBNetmask=*ipadd*] [SWAPServer=*ipadd*]  
[T1Tlme=*seconds*] [T2TIME=*seconds*] [TCPGarbage={ON|OFF}] [TCPKeepalive=*seconds*]  
[TCPTtl=*ttl*] [TIMEOffset=*utc-offset*] [TIMEServer=*ipadd,ipadd...*] [TRAILerencap={ON|OFF}]  
[XDISplayservers=*ipadd,ipadd...*] [XFONtservers=*ipadd,ipadd...*]
- 32-24 .....SET DHCP6 POLICY=*name* [DNSServer=*ipv6add[,ipv6add]*] [DObainname=*domain-name[,...]*]  
[PDlease=0..255] [PREFerence=0..255] [SERVER=*ipv6addr*] [T1Tlme=*seconds*]  
[T2Tlme=*seconds*]
- 23-47 .....SET DHCP RANge=*name* PROBe={ARP|ICMP}
- 24-73 .....SET DVMrp INTerface=*interface* [DLC=1..1024] [METric=1..32] [TTLThreshold=1..255]
- 42-25 .....SET ENCo DHPAdding={ON|OFF}
- 42-25 .....SET ENCo DHPriority={High|Medium|Low}
- 42-26 .....SET ENCo KEY=*key-id* [DESCRiption=*description*] [IPaddress=*ipadd*] [MODUle=*module-id*]
- 42-27 .....SET ENCo SW [PREDCannels=0..4] [STACChannels=0..4]
- 9-45 .....SET ETH=*n* LINKup={30..100000000|INFINITy}
- 9-46 .....SET ETH=*n* MAXbandwidth=0..100000
- 9-47 .....SET ETH=*n* SPeed={AUtonegotiate|10MHalf|10MFull|100MHalf|100MFull}
- 46-135 .....SET FIREwall MAXFragments=8..50
- 46-136 .....SET FIREwall MONitor=*monitor-id* [IP=*ipadd*] [COpyto=*ip-interface*] [APPLYto={PRIVate|PUBlic|BOTH}]
- 46-138 .....SET FIREwall POLICY=*policy-name* [FTPDataport={RFC|ANY}] [ICMPUnreachabletimeout=0..65535]  
[MACCachetimeout=1..43200] [MAXUpnpportmaps={0..1000}] [OTHERTimeout=0..43200]  
[RADiuslimit=1..500] [TCPTimeout=0.43200] [UDPTIMEout=0..43200]  
[UPNP={ON|OFF|YES|NO|ENABled|DisABled}]
- 46-140 .....SET FIREwall POLICY=*policy-name* ATTack={DOSFlood|FRAGment|HOSTScan|IPSPooF|LAND|OTHER|  
PINGOfdeath|PORTScan|SMTPrelay|SMURF|SMURFAmp|SPAM|SYNAttack|TCPTIny|UDPAAttack}  
[INTrigger=*count*] [OUTTrigger=*count*] [DETail=*count*] [Tlme=*minutes*]
- 46-142 .....SET FIREwall POLICY=*policy-name* LIMitrule=*rule-id* [INTerface=*interface*] [IP=*ipadd[-ipadd]*]  
[GBLRemoteip=*ipadd[-ipadd]*] [SRCIplimit=0..10000]



## Page Command

- 46-144 ..... SET FIREwall POLIcy=*policy-name* RULe=*rule-id*  
 [PROToCol={*protocol*|ALL|EGP|GRE|Cmp|OSPF|SA|TCP|UDP}] [AFTer=*hh:mm*] [BEFore=*hh:mm*]  
 [DAYs={MON|TUE|WED|THU|FRI|SAT|SUN|WEEKDAY|WEEKEND},{...}]  
 [ENCapsulation={NONE|IPSec}] [GBLIP=*ipadd*] [GBLPort={ALL|*port*[-*port*]|*service-name*}]  
 [GBLRemoteip=*ipadd*[-*ipadd*]] [IP=*ipadd*[-*ipadd*]] [NATMask=*ipadd*]  
 [POrt={ALL|*port*[-*port*]|*service-name*}] [REMoteip=*ipadd*[-*ipadd*]] [SOUrceport={ALL|*port*[-*port*]}]  
 [TTL=*hh:mm*]
- 46-149 ..... SET FIREwall POLIcy=*policy-name* SMTPdomain={*domain-name*|NONE}
- 46-150 ..... SET FIREwall POLIcy=*policy-name* UDPPorttimeout=*port* TIMEout={0..43200|DEFault}
- 46-151 ..... SET FIREwall SIPAlg [CALLIdtranslation={False|NO|OFF|ON|True|YES}] [MODe={MANual|AUTOMatic}]  
 [MAXAutoclients=1..1000] [MULTIservers={OUTOnly|False|NO|OFF|ON|True|YES}]
- 14-47 ..... SET FRamerelay=*fr-interface* [DEFATencap={Appleoui|letfoui}] [BECNLimit=2..4294967295]  
 [BECNTimeout=1..4294967295] [CDETection={BECN|CLLM|BOTH}] [CTICK=1..60]  
 [DECreasefactor={0.025|0.05|0.1|0.2}] [DEFCompression={ON|OFF}]  
 [DEFENCApsulation={IETF|CISCO}] [DEFEncryption={ON|OFF}] [DROPOFFthreshold=1..100]  
 [INCreasefactor={0.05|0.1|0.2}]  
 [LMIscheme={LMIREV1|Q933A|ANNEXA|T1617B|ANNEXB|T1617D|ANNEXD|NONE}]  
 [MAXTXQlength=1..4294967295] [NN1=*nn1*] [NN2=*nn2*] [NN3=*nn3*] [NT1=*nt1*]  
 [RECOverytime=1..4294967295]
- 14-50 ..... SET FRamerelay=*fr-interface* DLCI=*dldci* [CIR={*cir*|NONE}] [CIRLIMited=ON|OFF|YES|NO]  
 [COMPrESSION={DEFault|ON|OFF}] [EIR={*eir*|NONE}] [ENCAPsulation={DEFault|IETF|CISCO}]  
 [ENCryption={DEFault|ON|OFF}] [LI=*logical-interface*]
- 30-21 ..... SET GRE TUNnel REMote=*ipadd* KEY={*keyval*|NONE}
- 30-19 ..... SET GRE=*gre-number* ENTRy=*entry-number* [{INTerface=*interface*|SOUrce=*ipadd* |SMask=*ipadd*]  
 |DEStination=*ipadd* |DMask=*ipadd*}] [TARget=*ipadd*]
- 29-37 ..... SET H323 ENTRy ENGINe=*engine* PHonenumber=*number* [HOSTip=*ipaddr*] [POrt=*tcpport*]
- 29-38 ..... SET H323 GATEway [CONnecttOut=*time*] [GATEKeeper={*ipaddr*[:*ipport*]  
 [-*id*];*ipaddr*[:*ipport*][-*id*]}|AUTO|NONE}] [NAME=*alias*] [Q931port=*tcpport*] [RASport=*udpport*]  
 [RESPOnsetout=*time*] [TIMEtolive=*time*]
- 29-36 ..... SET H323 INTerface=*interface* [CAPABILITY={ALL|PCMU|PCMA|G723R53|G723R63|G729A},{...}]  
 [CLIP={ON|OFF}] [DSCP=*dscppriority*] [DTMFrelay={H245|RTP|NONE}] [PHonenumber=*number*]  
 [RTCP={ON|OFF}] [TOS=*tospriority*]
- 2-15 ..... SET HELP=*helpfile*
- 5-39 ..... SET HTTP SERVer [POrt=0..65535] [SECurity=ON|OFF|ENABLED|DISABLED|True|False]  
 [SSLKey=0..65535]
- 24-74 ..... SET IGMP FILTer=*filter-id* ENTRy=1..65535 [GROUpaddress={*ipadd*|*ipadd-ipadd*}]  
 [MSGType={QUERy|REPORt|LEAVE}] [ACTion={INCLude|EXCLude}]
- 24-76 ..... SET IGMPsNooping ROUTERMode={ALL|DEFault|IP|MULTICAstrouter|NONE}
- 24-75 ..... SET IGMPsNooping VLAN={*vlan-name*|1..4094|ALL} [Fastleave={ON|OFF|YES|NO|True|False}]
- 5-40 ..... SET INSTall={TEMPorary|PREFerred|DEFault} [GUI={*file-name*|NONE}] [RELEase={*release-name*]  
 |PATCh={*patch-name*}]
- 9-49 ..... SET INTerface={*ifIndex*|*interface*|DYNAMIC} TRApIlimit=1..60
- 9-48 ..... SET INTerface={*ifIndex*|*interface*} MTU=*value*
- 22-143 ..... SET IP ARP REFresharp={ON|YES|True|OFF|NO|False}
- 22-144 ..... SET IP ARP TIMEOut=*multiplier*
- 22-142 ..... SET IP ARP=*ipadd* INTerface=*atm-interface*
- 22-142 ..... SET IP ARP=*ipadd* INTerface=*eth-interface* [ETHernet=*macadd*]
- 22-142 ..... SET IP ARP=*ipadd* INTerface=*fr-interface* DLCl=*dldci*
- 22-142 ..... SET IP ARP=*ipadd* INTerface=*ppp-interface*
- 22-142 ..... SET IP ARP=*ipadd* INTerface=*vlan* ETHernet=*macadd* POrt=*port-number*



## Page Command

- 22-142 .....SET IP ARP=*ipadd* INTerface=*x25-interface* CIRCUit=*miox-circuit*
- 22-145 .....SET IP ARPWaittimeout=1..30
- 27-106 .....SET IP AUtonomous=1..65534
- 22-146 .....SET IP DNS [DOMain={ANY|*domain-name*}] [INTerface=*interface*][PRIMary=*ipadd*]  
[SECOnDary=*ipadd*]
- 22-148 .....SET IP DNS CACHe [Size=0..1000] [TIMEout=1..60]
- 22-149 .....SET IP DNSRelay INTerface={*interface*|NONE}
- 22-150 .....SET IP FILTER=0..999 ACTION={INCLude|EXCLude} SOURCE=*ipadd* [ENTry=1..255] [SMask=*ipadd*]
- 22-150 .....SET IP FILTER=0..999 ACTION={INCLude|EXCLude} SOURCE=*ipadd* [SMask=*ipadd*]  
[SPort={*port-name*|*port-id*}] [DESTination=*ipadd* [DMask=*ipadd*]] [DPort={*port-name*|*port-id*}]  
[ICMPCode={*icmp-code-name*|*icmp-code-id*}] [ICMptype={*icmp-type-name*|*icmp-type-id*}]  
[LOG={4..1600|DISabled|Dump|ENabled|Full|Header|None|OFF|ON|Yes}]  
[OPTions={False|OFF|ON|NO|True|YES}] [PROTOcol={*protocol*|Any|Icmp|Ospf|Tcp|Udp}]  
[SEssion={Any|Established|Start}] [Size=*size*] [ENTry=1..255]
- 22-150 .....SET IP FILTER=0..999 POLIcy=0..15 SOURCE=*ipadd* [SMask=*ipadd*] [SPort={*port-name*|*port-id*}]  
[DESTination=*ipadd* [DMask=*ipadd*]] [DPort={*port-name*|*port-id*}]  
[ICMPCode={*icmp-code-name*|*icmp-code-id*}] [ICMptype={*icmp-type-name*|*icmp-type-id*}]  
[LOG={4..1600|DISabled|Dump|ENabled|Full|Header|None|OFF|ON|Yes}]  
[OPTions={False|OFF|ON|NO|True|YES}] [PROTOcol={*protocol*|Any|Icmp|Ospf|Tcp|Udp}]  
[SEssion={Any|Established|Start}] [Size=*size*] [ENTry=1..255]
- 22-150 .....SET IP FILTER=0..999 PRIOrity=P0..P7 SOURCE=*ipadd* [SMask=*ipadd*] [SPort={*port-name*|*port-id*}]  
[DESTination=*ipadd* [DMask=*ipadd*]] [DPort={*port-name*|*port-id*}]  
[ICMPCode={*icmp-code-name*|*icmp-code-id*}] [ICMptype={*icmp-type-name*|*icmp-type-id*}]  
[LOG={4..1600|DISabled|Dump|ENabled|Full|Header|None|OFF|ON|Yes}]  
[OPTions={False|OFF|ON|NO|True|YES}] [PROTOcol={*protocol*|Any|Icmp|Ospf|Tcp|Udp}]  
[SEssion={Any|Established|Start}] [Size=*size*] [ENTry=1..255]
- 22-154 .....SET IP HOSt=*name* IPAddress=*ipadd*
- 24-77 .....SET IP IGMP [LMQI=1..255] [LMQC=1..5] [QUeryinterval=1..65535]  
[QUERYREsponseinterval=1..255] [ROBustness=1..5] [TIMEOut=1..65535]
- 24-78 .....SET IP IGMP INTerface=*interface* QUerytimeout={NONE|0|1..65535}
- 22-155 .....SET IP INTerface=*interface* [BROadcast={0|1}] [DIRectedbroadcast={False|NO|OFF|ON|True|YES}]  
[FILter={0..999|NONE}] [FRAGment={NO|OFF|ON|YES}] [GRAtuitousarp={ON|OFF}]  
[GRE={0..100|NONE}] [IGMPProxy={OFF|UPstream|DOWNstream}] [INVersearp={ON|OFF}]  
[IPAddress=*ipadd*|DHCP] [MASK=*ipadd*] [METric=1..16]  
[MULticast={BOTH|OFF|ON|RECeive|SEND}] [NOTIfyospfdown={False|NO|OFF|ON|True|YES}]  
[OSPFmetric=1..65534|DEFAULT] [POLicyfilter={0..999|NONE}] [PRIorityfilter={0..999|NONE}]  
[PROxyarp={False|NO|OFF|ON|True|YES|LOCAl|STRICT|DEFRoute}] [RIPMetric=1..16]  
[SAMode={Block|Passthrough}] [VJC={False|NO|OFF|ON|True|YES}] [VLANPriority={0..7|None}]  
[VLantag={1..4094|None}]
- 22-160 .....SET IP LOCal[={DEFault|1..15}] [FILter={0..999|None}] [GRE={0..100|None}] [IPAddress=*ipadd*]  
[POLicyfilter={0..999|None}] [PRIorityfilter={0..999|None}]
- 22-162 .....SET IP NAMEserver=*ipadd*
- 22-163 .....SET IP NAT MAXFragments=8..50
- 28-61 .....SET IP PREFIXList=*name* ENTry=1..65535 [ACTion={MATCh|NOMatch}] [MASKlength=*range*]  
[PREFIX=*ipadd*]
- 25-14 .....SET IP RIP INTerface=*interface* [CIRCUit=*miox-circuit*] [DLCI=*dldci*] [IP=*ipadd*]  
[NEWipaddress=*newipadd*] [NEXThop=*ipadd*] [SEND={NONE|RIP1|RIP2|COMPATible}]  
[RECeive={NONE|RIP1|RIP2|BOTH}] [DEMAND={False|NO|OFF|ON|True|YES}]  
[AUth={NONE|PASSword|MD5}] [PASSword=*password*] [STATicexport={YES|NO}]
- 25-17 .....SET IP RIP REDistribute PROTOcol=BGP [LIMit=1..500] [METric=0..16] [ROUTEMap=*routemap*]  
[SUBNET={ON|OFF|Yes|No|True|False}]



## Page Command

25-18	.....	SET IP RIPTimer [FLush=1..4294967295] [HOlddown=1..4294967295] [INvalid=1..4294967295] [UPdate=1..4294967295]
28-63	.....	SET IP ROUte FILTer= <i>filter-id</i> [IP= <i>ipadd</i> ] [MASK= <i>ipadd</i> ] [ACtion={INCLude EXCLude}] [DIRECTION={RECeive SENd BOTH}] [INTErface= <i>interface</i> ] [NEXThop= <i>ipadd</i> ] [POLlcy=0..7] [PROTOcol={ANY OSPF RIP}]
22-166	.....	SET IP ROUte PREFErence={DEFault 1..65535} PROTOcol={BGP-ext BGP-int OSPF-EXT1 OSPF-EXT2 OSPF-INTER OSPF-INTRA OSPF-Other RIP ALL}
22-168	.....	SET IP ROUte TEMPlate= <i>name</i> [NEXThop= <i>ipadd</i> ] [CIRCUit= <i>miox-circuit</i> ] [DLCi= <i>dlci</i> ] [METric=1..16] [METRIC1=1..16] [METRIC2=1..65535] [POLlcy=0..7] [PREFErence=0..65535]
22-164	.....	SET IP ROUte= <i>ipadd</i> INTErface= <i>interface</i> MASK= <i>ipadd</i> NEXThop= <i>ipadd</i> [CIRCUit= <i>miox-circuit</i> ] [DLCi= <i>dlci</i> ] [METRIC=1..16] [METRIC1=1..16] [METRIC2=1..65535] [POLlcy=0..7] [PREFErence=0..65535] [TAG=1..65535]
28-65	.....	SET IP ROUTEMap= <i>routemap</i> ENTRy=1..4294967295 [ACtion={INCLude EXCLude}]
28-65	.....	SET IP ROUTEMap= <i>routemap</i> ENTRy=1..4294967295 [ACtion={INCLude EXCLude}] MATCh COMMunity=1..99 [EXAct={NO YES}]
28-65	.....	SET IP ROUTEMap= <i>routemap</i> ENTRy=1..4294967295 [ACtion={INCLude EXCLude}] MATCh METric=0..4294967295[-0..4294967295]
28-65	.....	SET IP ROUTEMap= <i>routemap</i> ENTRy=1..4294967295 [ACtion={INCLude EXCLude}] MATCh ORIGIN={EGP IGP INCOmplete}
28-65	.....	SET IP ROUTEMap= <i>routemap</i> ENTRy=1..4294967295 [ACtion={INCLude EXCLude}] MATCh PREFIXList= <i>prefixlist-name</i>
28-65	.....	SET IP ROUTEMap= <i>routemap</i> ENTRy=1..4294967295 [ACtion={INCLude EXCLude}] MATCh ROUTESource= <i>prefixlist-name</i>
28-65	.....	SET IP ROUTEMap= <i>routemap</i> ENTRy=1..4294967295 [ACtion={INCLude EXCLude}] MATCh ROUTEType={INTRA INTER TYPE1 TYPE2 OTHER}
28-65	.....	SET IP ROUTEMap= <i>routemap</i> ENTRy=1..4294967295 [ACtion={INCLude EXCLude}] MATCh ASPath=1..99
28-65	.....	SET IP ROUTEMap= <i>routemap</i> ENTRy=1..4294967295 [ACtion={INCLude EXCLude}] MATCh INTErface= <i>interface</i>
28-65	.....	SET IP ROUTEMap= <i>routemap</i> ENTRy=1..4294967295 [ACtion={INCLude EXCLude}] MATCh NEXThop= <i>ipadd</i>
28-65	.....	SET IP ROUTEMap= <i>routemap</i> ENTRy=1..4294967295 [ACtion={INCLude EXCLude}] MATCh TAG=1..65535
28-66	.....	SET IP ROUTEMap= <i>routemap</i> ENTRy=1..4294967295 [ACtion={INCLude EXCLude}] SET TAG=1..65535
28-65	.....	SET IP ROUTEMap= <i>routemap</i> ENTRy=1..4294967295 [ACtion=INCLude] MATCh MED=0..4294967295
28-65	.....	SET IP ROUTEMap= <i>routemap</i> ENTRy=1..4294967295 [ACtion=INCLude] SET COMMunity={NOExport NOAdvertise NOEXPORTSubconfed  <i>aa:xx</i> [,...]} [ADD={NO YES}]
28-65	.....	SET IP ROUTEMap= <i>routemap</i> ENTRy=1..4294967295 [ACtion=INCLude] SET ASPath={1..65534[,...]}
28-65	.....	SET IP ROUTEMap= <i>routemap</i> ENTRy=1..4294967295 [ACtion=INCLude] SET BGPDampid=1..100
28-65	.....	SET IP ROUTEMap= <i>routemap</i> ENTRy=1..4294967295 [ACtion=INCLude] SET LOCALpref=0..4294967295
28-66	.....	SET IP ROUTEMap= <i>routemap</i> ENTRy=1..4294967295 [ACtion=INCLude] SET MED={0..4294967295 REMOVE}
28-66	.....	SET IP ROUTEMap= <i>routemap</i> ENTRy=1..4294967295 [ACtion=INCLude] SET METric=0..4294967295
28-66	.....	SET IP ROUTEMap= <i>routemap</i> ENTRy=1..4294967295 [ACtion=INCLude] SET ORIGIN={IGP EGP INCOmplete}
28-66	.....	SET IP ROUTEMap= <i>routemap</i> ENTRy=1..4294967295 [ACtion=INCLude] SET TYPE={1 2}



## Page Command

- 22-170 .....SET IP SECOndarynameserver=*ipadd*
- 48-93 .....SET IPsec BUNDlespecification=*bundlespecification-id* [EXPIRYKbytes=1..4193280]  
[EXPIRYSeconds=300..31449600]
- 48-94 .....SET IPsec POLlcy=*name* [ACtion={DEny|IPsec|PErmit}] [BUNDlespecification=*bundlespecification-id*]  
[DFBit={SEt|COpy|CLear}] [GROup={0|1|2}] [ICMptype={/list|NDall}]  
[IPROUtetemplate=*template-name*] [IPVersion={4|6}] [ISAkmpolicy=*isakmp-policy-name*]  
[LADdress={ANY|*ipv4add*[-*ipv4add*]|*ipv6add*[/*prefix-length*]|*ipv6add-ipv6add*]} [LMAsk=*ipv4add*]  
[LName={ANY|*system-name*}] [LPort={ANY|OPaque|*port*}]  
[PEERaddress={*ipv4add*|*ipv6add*|ANY|DYNAMIC}] [PKTDebuglength=1..1500]  
[POStion=1..100]  
[RADdress={ANY|*ipv4add*[-*ipv4add*]|*ipv6add*[/*prefix-length*]|*ipv6add-ipv6add*]}  
[RESPondbadspi={True|False}] [RMASK=*ipv4add*] [RName={ANY|*system-name*}]  
[RPort={ANY|*port*|OPaque}]  
[SASElectorfrompkt={ALL|LADdress|LPort|NONE|RADdress|RPort|TRANsportprotocol}]  
[SRCInterface=*interface*]  
[TRANsportprotocol={ANY|EGp|ESp|GRe|ICmp|OPaque|OSpf|RSvp|TCp|UDp|*protocol*}]  
[UDPHearbeat={True|False}] [UDPPort=*port*] [UDPTunnel={True|False}] [USEPFSKey={True|False}]
- 48-102 .....SET IPsec SASpecification=*spec-id* [ANTIreplayenabled={True|False}] [COMPAlg=LZS]  
[ENCalg={3DES2key|3DESInner|3DESOuter|DES|AES128|AES192|AES256|NULL}]  
[ENCKey=*key-id*] [HASHAlg={DESMac|MD5|NULL|SHA}] [HASHKey=*key-id*] [INSPI=*spi*]  
[MMode={TRANsport|TUNnel}] [OUTSPI=*spi*] [REPLAywindowsize={32|64|128|256}]
- 48-104 .....SET IPsec UDPPort=1..65535
- 31-66 .....SET IPV6 FILter=*filter-id* ENTry=*entry-number* SOurce=*ipv6add/prefix-length*  
[ACtion={INCLude|EXCLude}] [PRIOrity=P0..P7] [DEStination=*ipv6add/prefix-length*]  
[DPort={*port-name*|*port-id*|ANY}] [ICMPCode={*icmp-code-name*|*icmp-code-id*|ANY}]  
[ICMptype={*icmp-type-name*|*icmp-type-id*|ANY}] [LOG={4..1950|Dump|Header|None}]  
[OPTions={YES|NO|ON|OFF|True|False}] [PROTocol={*protocol*|ANY|EGp|ICmp|OSpf|TCp|UDp}]  
[SEssion={ANY|Established|Start}] [Size={*size*|ANY}] [SPort={*port-name*|*port-id*|ANY}]
- 31-69 .....SET IPV6 INTerface=*interface* [FILter=0..99] [IPaddress=*ipv6add/prefix-length*] [METric=1..16]  
[PREferred=1..4294967295|INFinite] [PRIorityfilter=200..299]  
[PUBlish={YES|NO|ON|OFF|True|False}] [VALid=1..4294967295|INFinite]
- 33-34 .....SET IPV6 MLD [ROBustness={2..65535|DEFAult}] [QINterval={1..65535|DEFAult}]  
[QRInterval={1..8387|DEFAult}] [SQInterval={1..65535|DEFAult}] [SQCount={1..65535|DEFAult}]  
[LLQInterval={1..65535|DEFAult}] [LLQCount={1..65535|DEFAult}]
- 33-35 .....SET IPV6 MLD INTerface=*interface* QUERYversion={1|2}
- 31-70 .....SET IPV6 MTU=*mtu* INTerface=*interface*
- 31-71 .....SET IPV6 ND INTerface=*interface* [DUPtrans=1..16] [HOP=1..255] [LIFE=0|4..9000]  
[MAXAInt=4..1800] [MCONf={YES|NO}] [MINAInt=3..1350] [MTU=1280..65535]  
[OCONf={YES|NO}] [REAch=0..3600000] [RETRans=0..4294967295]
- 31-73 .....SET IPV6 PREFIX=*ipv6add/prefix-length* INTerface=*interface* [AUTOnomous={YES|NO}]  
[ONlink={YES|NO}] [PREferred=1..4294967295|INFinite] [VALid=1..4294967295|INFinite]
- 31-74 .....SET IPV6 ROUte PREference={DEFAult|1..65535} PROTocol=RIP
- 36-54 .....SET IPX {GRip|GSap}={*filter-number*|NONE}
- 36-51 .....SET IPX CIRCUit=*circuit* [INTerface=*interface*] [NETwork=*network*] [COST=1..999]  
[DEmand={ON|OFF|YES|NO|True|False}] [DLCl=*dlci*] [ENCapsulation={802.2|802.3|ETHii|SNap}]  
[INRip=*filter-number*|NONE] [OUTRip=*filter-number*|NONE] [INSap=*filter-number*|NONE]  
[OUTSap=*filter-number*|NONE]  
[Keepalive={ON|OFF|YES|NO|True|False|Endlessly|FOrever|INfinite|INfinitely|INdefinitely|NONstop|  
1..1440}] [MIoxcircuit=*circuit-name*] [RIPChange={ON|OFF|YES|NO|True|False}]  
[RIPTimer=0..99999] [SAPChange={ON|OFF|YES|NO|True|False}] [SAPTTimer=0..99999]  
[SPXSpooF={ON|OFF|YES|NO|True|False|Endlessly|FOrever|INfinite|INfinitely|INdefinitely|NONstop|  
0..1440}] [SPXEndspooF={Uplink|Donothing}] [SPXConfail={Uplink|Donothing}]  
[TYPE20={ON|OFF|YES|NO|True|False}]



## Page Command

- 36-55 ..... SET IPX RIP=filter-number ENTRy=entry-number [NETwork=network] [ACtion={Include|Exclude}] [NEWentry=entry-number]
- 36-56 ..... SET IPX SAP=filter-number ENTRy=entry-number [SERvice=service] [TYPE=service-type] [ACtion={Include|Exclude}] [NEWentry=entry-number]
- 48-105 ..... SET ISAKmp POLIcy=*name* [PEer={*ipv4add|ipv6add|ANY*}] [AUTHType={PREshared|RSAEncr|RSASig}] [DELETedelay=10] [DHExponentlength=160..1023] [ENCAlg={3DES2key|3DESInner|3DESOuter|DES|AES128|AES192|AES256}] [EXPIRYKbytes=1..1000] [EXPIRYSeconds=600..31449600] [GROup={0|1|2}] [HASHalg={SHA|MD5}] [HEARtbeatmode={Both|None|Receive|Send}] [HYBRIDxauth={ON|OFF|TRue|False}] [IPVersion={4|6}] [KEY=0..65535] [LOCALID={*ipv4add|ipv6add|domainname|user-domainname|dist-name*}] [LOCALRsakey=0..65535] [MODE={MAIn|AGGressive}] [MSGBACKoff={INCREMental|NONE}] [MSGREtrylimit=0..1024] [MSGTImeout=1..86400] [NATTraversal={ON|OFF|TRue|False}] [PHASE2xchglimit={NONE|1..1024}] [POLICYFilename=*filename*] [PREnegotiate={ON|OFF|TRue|False}] [REMOTEId={*ipv4add|ipv6add|domainname|user-domainname|dist-name*}] [RETRYKEattempts={0..16|CONTInuous}] [SENDDeletes={ON|OFF|TRue|False}] [SENDIdalways={ON|OFF|TRue|False}] [SENDNotify={ON|OFF|TRue|False}] [SETCommitbit={ON|OFF|TRue|False}] [SRCInterface=*interface*] [XAUth={CLient|SErver|NONE}] [XAUTHName=*username*] [XAUTHPasswd=*password*] [XAUTHType={GEneric|RAdius}]
- 11-104 ..... SET ISDN CALL=*name* [NUMber=*number*] [PREcedence={IN|OUT}] [ALTnumber=*number*] [BUMPdelay=0..100] [CALLBACK={ON|OFF|YES|NO|True|False}] [CALLINGNumber=*number*] [CALLINGSubaddress=*calling-subaddress*] [CBDelay=0..100] [CHECKCLI={OFF|PREsent|REquired}] [CHECKSub={OFF|LOCAL|REmote}] [CHECKUser={OFF|LOCAL|REmote}] [CLList=0..99] [DIrection={IN|OUT|BOTH}] [DOV={ON|OFF|YES|NO|True|False}] [HOLDUP=0..7200] [INANY={ON|OFF|YES|NO|True|False}] [INTPRef={NONE|*interface*}] [INTREQ={NONE|*interface*}] [KEEPU= {ON|OFF|YES|NO|True|False}] [LOGIn={ALL|NONE|CHAP|PAP-Radius|PAP-Tacacs|RADIus|TACAcS|USER}] [MAXDuration=0..36000] [OUTCLI={OFF|CALLIng|INTerface|NONUMber}] [OUTSUB={OFF|LOCAL|REmote}] [OUTUSER={OFF|LOCAL|REmote}] [PASSword={NONE|CLI|CALLEdsub|NAME|USER}] [PPPTemplate=*template*] [PRIOrity=0..99] [RAte={56K|64K}] [REMotecall=*name*|*remote-number*] [RN1=0..10] [RN2=0..5] [RT1=5..120] [RT2=300..1200] [SEARCHCLI={ON|OFF|YES|NO|True|False|CALled|0..99}] [SEARCHSub={OFF|LOCAL|REmote}] [SEARCHUser={OFF|LOCAL|REmote}] [SUBAddress=*number*] [USer={ATTach|PPP}] [USERName={NONE|CLI|CALLEdsub|NAME|USER}]
- 11-110 ..... SET ISDN DOMainname=*domain-name*
- 11-110 ..... SET ISDN LOG [PORt={0..23|NONE}] [LENGth=0..100]
- 13-64 ..... SET LAPB=*lapb-interface* [MODulus={8|128}] [N2=1..40] [ROLe={DCE|DTE|DXE}] [RMaxdata=1080..32792] [TMaxdata=1080..32792] [WIndow=1..127] [T1=1..120|500..10000] [T3=3..120]
- 11-111 ..... SET LAPD=*interface* [NASMode={NORMAL|MASTER|SLAVE}] [NASMAster=*interface*]
- 11-111 ..... SET LAPD=*interface* {ATTACH=*sap*|CONNECT=*sap*|DATA=*sap* CES=*ces*|ESTABLISH=*sap* CES=*ces*|MDATA=*sap* CES=*ces*|MUNIT=*sap* CES=*ces*|RELEASE=*sap* CES=*ces*|UNIT=*sap* CES=*ces*}
- 11-111 ..... SET LAPD=*interface* DEBUg={OFF|STATE|PACKET}
- 11-111 ..... SET LAPD=*interface* MODE={AUTOMATIC|NONAUTOMATIC}
- 11-111 ..... SET LAPD=*interface* SAP=*sap* {N200|N201|N202}=time...
- 11-111 ..... SET LAPD=*interface* SAP=*sap* {T200|T201|T202|T203}=time...
- 11-111 ..... SET LAPD=*interface* SAP=*sap* K=*value*
- 56-36 ..... SET LLDP MANAgementaddress=*ipadd*
- 56-37 ..... SET LLDP NOTIFicationinterval=5..3600
- 56-37 ..... SET LLDP REINITdelay=1..10
- 56-38 ..... SET LLDP TXDelay=1..8192



## Page Command

- 56-39 .....SET LLDp TXHold=2..10
- 56-39 .....SET LLDp TXInterval=5..32768
- 51-41 .....SET LOADBalancer [AFFInitytimeout=0..4294967295] [CRITicalrst=0..100]  
[ORPHAntimeout=0..65535]
- 51-42 .....SET LOADBalancer REDUNDancy [LISTenport=0..65535] [PEERip=*ipadd*] [PUBLIcint=*interface*]  
[REDUNIp=*ipadd*] [REDUNMask=*ipadd*]
- 51-44 .....SET LOADBalancer RESource=*resourcename* [IP=*ipadd*] [PORT=0..65535]  
[RESPool=*resourcepoolname*] [WEIght=0..4294967295]
- 51-45 .....SET LOADBalancer RESPool=*resourcepoolname* [FAIllaSt={YES|NO}]  
[SELEctmethod={ROundrobin|WLEastconnect|WLOttery|FAstestresponse}]
- 51-46 .....SET LOADBalancer VIRTualbalancer=*virtualbalancename* [AFFInity={YES|NO}]  
[COOKIehEader=*cookiedetectorstring*] [DOMAIInname=*domainname*] [POLIcy=*policyName*]  
[PUBLIcIp=*ipadd*] [PUBLIcPort=0..65535] [RESPool=*resourcepoolname*] [SSL={ON|OFF}]  
[SSLKey=*key-id*] [SSLToresource={ON|OFF}] [TYpe={ROute|TCp|SSl|HTtp}]
- 5-42 .....SET LOAdEr [ASYN={*port*|DEFAult}] [ATTribute={CErt|CRI|CAcert|DEFAult}]  
[BASEobject={*dist-name*|DEFAult}] [DELAy={*delay*|DEFAult}] [DESTFile=*destfilename*]  
[DESTination={BOOtblock|FLash}|DEFAult] [HTTpproxy={*hostname*|*ipadd*|DEFAult}]  
[METHod={HTTPl|LDAP|SCP|Tftp|WEB|WWW|ZModem|NONE}|DEFAult]  
[KEYid=*key-id*|PASSword=*password*|DEFAult] [PROxyport={1..65535}|DEFAult]  
[SRCFile|File=*filename*] [SErver={*hostname*|*ipadd*|*ipv6add*|DEFAult}]  
[SERVPort={1..65535}|DEFAult] [USERName={*username*|DEFAult}]
- 60-29 .....SET LOG OUTput={Temporary|*output-id*} [ASYN=*port-number*]  
[DESTination={Email|Memory|ASYN|Router|Syslog}] [FACILITy={DEFAULT|LOCAL1..LOCAL7}]  
[FORMAt={Full|MSGOnly|SUMMARY}] [LOCAL={NONE|1..15}] [MAXQueueseverity=*severity*]  
[MESSAgEs=*message-count*] [PASSword={*password*|NONE}]  
[QUEueonly={False|NO|OFF|ON|True|YES}] [SECure={False|NO|OFF|ON|True|YES}]  
[SERVER=*ipadd*] [SYslogformat=Extended|Normal] [TO=*email-address*]  
[ZONe={*time-zone-name*|*utc-offset*}]
- 60-29 .....SET LOG OUTput={Temporary|*output-id*} FILter=*filter-id* [ACTIon={Process|ignore}] [ALL]  
[DATE={*op*|*dd-mmm-yyyy*} [DEVICE={*op*|*device*} [FILE={*op*|*filename*} [LOCAL={NONE|1..15}]  
[MASK=*ipadd*] [MSGtext={*op*|*string*} [MODUle={*op*|*module-id*} [ORIGIn=*ipadd*]  
[REFERence={*op*|*string*} [SEVERity={*op*|*severity*} [SOURceline={*op*|*line*} [SUBTYpe={*op*|*subtype-id*]  
[TIME={*op*|*hh:mm:ss*} [TYpe={*op*|*type-id*}]
- 60-35 .....SET LOG RECeive={*ipadd*|ANY} [ALLow={False|NO|OFF|ON|True|YES}] [MASK=*ipadd*]  
[PASSword={*password*|NONE}] [PROTocol={ALL|BOTH|NEW|OLD|SYSlog}]
- 60-36 .....SET LOG UTCOffset={*time-zone-name*|*utc-offset*}
- 20-40 .....SET L2TP CALL=*name* [DIAL=*number*] [IP=*ipadd*] [NUMber={OFF|ON|STARTup}]  
[PASSword=*password*] [PRE13={OFF|ON}] [PREcedence={IN|OUT}] [REMoteCall=*name*]  
[SPEEd=300..4294967295] [SUBAddress=*subaddress*] [TOSreflect={OFF|ON|False|True|NO|YES}]  
[TYpe={ASYNc|ISDN|Vrtual}]
- 20-43 .....SET L2TP CHECKSum={OFF|ON}
- 20-43 .....SET L2TP FILter={0..299|NONE}
- 20-44 .....SET L2TP PASSword={*password*|NONE}
- 20-45 .....SET L2TP USer={mapping|ALL|LOCAL|NONE|REMote}  
[ACTIon={DATABase|DNSLookup|IGNore|RADIUS}] [IP=*ipadd*] [PORT=1..65535]  
[NUMber={OFF|ON}] [PASSword=*password*] [PRE13={OFF|ON}] [PREFix=*prefix*]  
[TIMEOut=8..300] [TOSreflect={OFF|ON|False|True|NO|YES}]
- 4-26 .....SET MAIL HOSTname=*hostname* [SMTPserver=*ipadd*]
- 41-53 .....SET MAnager ASYN={*port-number*|NONE}
- 13-65 .....SET MIOX=x25t-interface [MINOpen=10..360] [INActive=10..360] [HOLddown=10..360]  
[COLLision=10..360] [FAIllure=10..360]



Page	Command
13-66 .....	SET MIOX=x25t-interface CIRcuit=circuit-name [{DTEaddress=dteaddress PVC=1..4095}] [CPAr=1..8] [ENCAP={APPLE IP IPX NULL MULTiple PPP}] [COMMeNt=comment] [COMP={ON OFF}] [TCPComp={ON OFF}]
57-10 .....	SET NTP UTCOffset=-23:59:59..+23:59:59
26-59 .....	SET OSPF [ASExternal={ON OFF NSSA}] [BGPFilter={0..999 NONE}] [BGPImport={ON OFF True False YES NO}] [BGPLimit=1..4000] [AUTOCOST={ON OFF}] [DEFRoute={ON OFF True False YES NO}] [DYNInterface={STUB ASExternal NONE NO OFF False}] [INRoutemap={ <i>routemap</i>  NONE}] [METRIC=0..16777215] [PASSiveinterfacedefault={ON OFF True False YES NO}] [REFBANDWIDTH=10..10000] [RIP={OFF EXport IMport BOTH}] [ROuterid= <i>ipadd</i> ] [PTPStub={ON OFF YES NO True False}] [STATicexport={YES NO}] [TYPE={1 2}]
26-63 .....	SET OSPF AREa={Backbone  <i>area-number</i> } [AUthentication={NONE PASSword MD5}] [NSSAStability=1..3600] [NSSATranslator={CANdicate ALWays}] [STUBArea={ON OFF YES NO NSSA True False}] [STUBMetric=0..16777215] [SUMmary={SENd NONE OFF NO FALSE}]
26-65 .....	SET OSPF HOSt= <i>ipadd</i> METRIC=0..65535
26-66 .....	SET OSPF INTerface= <i>interface</i> [AREa={Backbone  <i>area-number</i> }] [AUthentication={AREadefault NONE PASSword MD5}] [BOOST1=0..1023] [DEadinterval=2..2147483647] [DEMAND={ON OFF YES NO True False}] [HELlointerval=1..65535] [NETwork={BROadcast NON-broadcast}] [PASSive={ON OFF YES NO True False}] [PASSword={NONE  <i>password</i> }] [POLLInterval=1..2147483647] [PRIOrity=0..255] [RXminterval=1..3600] [TRansitdelay=1..3600] [VlRtuallink= <i>router-id</i> ]
26-70 .....	SET OSPF NEIghbour= <i>ipadd</i> PRIOrity=0..255
26-71 .....	SET OSPF RANge= <i>ipadd</i> [AREa={Backbone  <i>area-number</i> }] [MASK= <i>ipadd</i> ] [EFFect={ADVertise DONotadvertise}]
26-72 .....	SET OSPF REDistribute PROTOcol={BGP INTerface RIP STATic} [LIMit=1..4000] [METRIC={0..16777214 ORiginal}] [ROUteMap={ <i>routemap</i>  NONE}] [SUBNET={ON OFF YES NO True False}] [TAG={1..65535 ORiginal}] [TYpe={1 2 ORiginal}]
26-74 .....	SET OSPF STUB= <i>ipadd</i> MASK= <i>ipadd</i> METRIC=0..65535
26-75 .....	SET OSPF SUMMaryaddress= <i>ipadd</i> [MASK= <i>ipadd</i> ] [ADVertise={ON OFF YES NO True False}] [TAG=0..65535]
41-54 .....	SET PASSword
62-8 .....	SET PERM= <i>perm-name</i> [LPORT= <i>lport</i> ] [RPORT= <i>rport</i> ] [IP= <i>ipadd</i> ]
24-79 .....	SET PIM [ADVinterval={10..15000 DEFault}] [BSMinterval={10..15000 DEFault}] [JPInterval={1..65535 DEFault}] [KEEPalivetime={10..65535 DEFault}] [PRObetime={1..65535 DEFault}] [PRUNEholdtime={1..65535 DEFault}] [SOURCealivetime={10..65535 DEFault}] [SRINterval={10..255 DEFault}] [SUPPressiontime={1..65535 DEFault}]
33-36 .....	SET PIM6 [ADVinterval={10..15000 DEFault}] [BSMinterval={10..15000 DEFault}] [JPInterval={1..65535 DEFault}] [KEEPalivetime={10..65535 DEFault}] [PRObetime={1..65535 DEFault}] [PRUNEholdtime={1..65535 DEFault}] [SOURCealivetime={10..65535 DEFault}] [SRINterval={10..255 DEFault}] [SUPPressiontime={1..65535 DEFault}]
24-81 .....	SET PIM BSRCandidate [HASHmasklength=0..32] [INTerface= <i>interface</i> ] [PREFerence=0..255]
33-37 .....	SET PIM6 BSRCandidate [SCOpe=SITE GLOBAL ALL] [PREFerence=0..255]
24-82 .....	SET PIM INTerface= <i>interface</i> [DLCi=1..1024] [DRPriority=0..4294967295] [ELEctby={DRPriority IPaddress}] [HELlointerval={10..15000 DEFault 65535}] [MODE={Dense Sparse}] [SRCapable={Yes No}]
33-38 .....	SET PIM6 INTerface= <i>interface</i> [DRPriority=0..4294967295] [ELEctby={DRPriority IPaddress}] [HELlointerval={10..15000 DEFault 65535}] [MODE={Dense Sparse}] [SRCapable={Yes No}]
24-80 .....	SET PIM LOG={NONE STATUS ERROR ALL} [TRap={NONE STATUS ERROR ALL}]



## Page Command

- 24-84 .....SET PIM RPCandidate GROup=*group-address* [INTerface=*interface*] [MASK=*ipaddress*] [PRIOrity=0..255]
- 33-39 .....SET PIM6 RPCandidate GROup=*ipv6address[/prefixlength]* [PRIOrity=0..255]
- 22-171 .....SET PING [[APPLEAddress=]*network.node*] [DElay=*seconds*] [Length=*number*] [NUMBER={*number*|CONTinuous}] [PATTern=*hexnum*] [SAPpleaddress=*network.node*] [SCReenoutput={YES|NO}] [TIMEOut=1..60]
- 22-171 .....SET PING [[IPAddress=]*{ipadd|ipv6add[%interface]}host{domain-name}*] [DElay=*seconds*] [Length=*number*] [NUMber={*number*|CONTinuous}] [PATTern=*hexnum*] [SIPAddress=*{ipadd|ipv6add}*] [SCReenoutput={YES|NO}] [TIMEOut=1..60] [TOS=0..255]
- 22-171 .....SET PING [[IPXAddress=]*network:station*] [DElay=*seconds*] [Length=*number*] [NUMber={*number*|CONTinuous}] [PATTern=*hexnum*] [SIPXaddress=*network:station*] [SCReenoutput={YES|NO}] [TIMEOut=1..60]
- 22-171 .....SET PING [[OSIAddress=]*nsap*] [DElay=*seconds*] [Length=*number*] [NUMber={*number*|CONTinuous}] [PATTern=*hexnum*] [SOSIaddress=*nsap*] [SCReenoutput={YES|NO}] [TIMEOut=1..60]
- 54-15 .....SET PING POLL=*poll-id* [CRITICALinterval=1..65535] [DESCRiption=*poll-description*] [FALLcount=1..100] [IPAddress=*{ipadd|ipv6add[%interface]}*] [Length=4..1500] [NORmalinterval=1..65535] [SAMPlesize=1..100] [SIPAddress=*{ipadd|ipv6add}*] [TIMEOut=1..30] [UPCounT=1..100]
- 49-28 .....SET PKI [CERTstorelimit=*max-certificates*] [CMPRETRYMax=0..10] [CMPRETRYPeriod=10..600] [CRLUPdateperiod=1..168] [SUBjectaltname=*{ipadd|name}*]
- 49-29 .....SET PKI CERTificate=*name* [TRUsted={TRUE|FALSE|YES|NO|ON|OFF}] [TYpe={CA|SELF|ENDentity|EE}]
- 49-30 .....SET PKI CRL=*name* [LOCation={*url|localfile*}] [PASSword=*password*] [USERname=*username*]
- 49-31 .....SET PKI LDaprepository=*name* [LOCation=*ldap-url*] [PASSword=*password*] [USERname=*username*]
- 43-36 .....SET PORTAuth=MACbased PORT={ALL|*eth-port*} [CONTRol={AUTHorised|UNauthorised|AUTO}] [REAUTHENabled={TRUE|FALSE}] [REAUTHPeriod=1..86400] [QUIETperiod=0..65535] [VLANAssignment={ENABLED|DISABLED}] [MIBReset={ENABLED|DISABLED}] [TRap={SUCcess|FAILure|BOTH|NONE}]
- 43-42 .....SET PORTAuth=MACbased PORT={ALL|*portname*} SUPPLICantmac=*macadd* [CONTRol={AUTHorised|UNauthorised|AUTO}] [REAUTHENabled={TRUE|FALSE}] [REAUTHPeriod=1..86400] [QUIETperiod=0..65535] [VLANAssignment={ENABLED|DISABLED}] [TRap={SUCcess|FAILure|BOTH|NONE}][DEFAULT]
- 43-36 .....SET PORTAuth[=8021x] PORT={ALL|*eth-port|switch-port*} TYpe=Authenticator [CONTRol={AUTHorised|AUTO|UNauthorised}] [MAXReq=1..10] [MODE={MULTI|Single}] [PIGGYback={TRUE|FALSE}] [QUIETperiod=0..65535] [REAUTHENabled={TRUE|FALSE}] [REAUTHMax=1..10] [REAUTHPeriod=1..86400] [SERVERTimeout=1..60] [SUPPTimeout=1..60] [TXperiod=1..65535] [GUEstvlan={1..4094|*vlan-name*|NONE}] [VLANAssignment={ENABLED|DISABLED}] [MIBReset={ENABLED|DISABLED}] [TRap={SUCcess|FAILure|BOTH|NONE}]
- 43-36 .....SET PORTAuth[=8021x] PORT={ALL|*eth-port|switch-port*} TYpe=BOTh [AUTHPeriod=1..60] [CONTRol={AUTHorised|UNauthorised|AUTO}] [HELDPeriod=0..65535] [MAXReq=1..10] [MAXStart=1..10] [MODE={MULTI|Single}] [PIGGYback={TRUE|FALSE}] [QUIETperiod=0..65535] [REAUTHENabled={TRUE|FALSE}] [REAUTHMax=1..10] [REAUTHPeriod=1..86400] [SERVERTimeout=1..60] [STARTperiod=1..60] [SUPPTimeout=1..60] [TXperiod=1..65535] [USERName=*login-name* PASSword=*password*] [METHOD={OTP[ENCryption={MD4|MD5}]}|STandard}}] [GUEstvlan={1..4094|*vlan-name*|NONE}] [VLANAssignment={ENABLED|DISABLED}] [MIBReset={ENABLED|DISABLED}] [TRap={SUCcess|FAILure|BOTH|NONE}]
- 43-36 .....SET PORTAuth[=8021x] PORT={ALL|*eth-port|switch-port*} TYpe=SUPPLICant [AUTHPeriod=1..60] [HELDPeriod=0..65535] [MAXStart=1..10] [STARTperiod=1..60] [USERName=*login-name* PASSword=*password*] [METHOD={OTP[ENCryption={MD4|MD5}]}|STandard}}]
- 43-42 .....SET PORTAuth[=8021x] PORT={ALL|*port-name*} SUPPLICantmac=*macadd* [CONTRol={AUTHorised|UNauthorised|AUTO}] [MAXReq=1..10] [QUIETperiod=0..65535] [REAUTHENabled={TRUE|FALSE}] [REAUTHMax=1..10] [REAUTHPeriod=1..86400] [SERVERTimeout=1..60] [SUPPTimeout=1..60] [TXperiod=1..65535] [VLANAssignment={ENABLED|DISABLED}] [TRap={SUCcess|FAILure|BOTH|NONE}][DEFAULT]



Page	Command
43-45 .....	SET PORTAuth[=8021x] USERName= <i>login-name</i> PASSword= <i>password</i> [Method={OTP[ENCryption={MD4 MD5}] Standard}]
15-83 .....	SET PPP [DNSPRIMARY= <i>ipadd</i> ] [DNSSECONDARY= <i>ipadd</i> ] [WINSPRIMARY= <i>ipadd</i> ] [WINSSECONDARY= <i>ipadd</i> ]
15-90 .....	SET PPP ACservice= <i>service-name</i> [ACRadius={OFF ON}] [MAXSessions=1...512] [TEMPlate= <i>ppp-template</i> ] [ACINTerface={NONE  <i>interface</i> }]
15-92 .....	SET PPP TEMPLATE= <i>template</i> [AUTHENTICATION={CHAP EITHER PAP NONE}] [BAP={ON OFF}] [BAPMODE={CALL CALLBACK}] [CBDELAY=1..100] [CBMODE={ACCEPT OFF REQUEST}] [CBNUMBER= <i>e164number</i> ] [CBOPERATION={E164NUMBER USERAUTH}] [COMPALGORITHM={PREDICTOR STACLZS}] [COMPRESSION={ON OFF LINK}] [DEBUGMAXBYTES=16..256] [DESCRIPTION= <i>description</i> ] [ECHO={ON OFF  <i>period</i> }] [ENCRYPTION={ON OFF}] [FRAGMENT={ON OFF}] [FRAGOVERHEAD=0..100] [IDLE={ON OFF  <i>time</i> }] [INDATALIMIT={NONE 1..65535}] [IPPOOL={ <i>pool-name</i>  NONE}] [IPREQUEST={ON OFF}] [LOGIN={ALL RADIUS TACACS USER}] [LQR={ON OFF  <i>period</i> }] [MAGIC={ON OFF}] [MAXLINKS=1..64] [MRU={ON OFF 256..1656}] [MSSheader=40..200] [MTU=256..1500 256..1492] [MULTILINK={ON OFF}] [NULLFRAGTIMER= <i>time</i> ] [ONLINELIMIT={NONE 1..65535}] [OUTDALIMIT={NONE 1..65535}] [PASSWORD= <i>password</i> ] [PREDCHECK={CRC16 CRCCITT}] [RECHALLENGE={ON OFF 360..3600}] [RESTART= <i>time</i> ] [STACCHECK={LCB SEQUENCE}] [STARENTITY=1..255] [TOTALDALIMIT={NONE 1..65535}] [USERNAME= <i>username</i> ] [VJC={ON OFF}]
15-83 .....	SET PPP= <i>ppp-interface</i> [OVER= <i>physical-interface</i> ] [AUTHENTICATION={CHAP EITHER PAP NONE}] [AUTHMODE={IN OUT INOUT}] [BAP={ON OFF}] [BAPMODE={CALL CALLBACK}] [CBDELAY=1..100] [CBMODE={ACCEPT OFF REQUEST}] [CBNUMBER= <i>e164number</i> ] [CBOPERATION={E164NUMBER USERAUTH}] [COMPALGORITHM={PREDICTOR STACLZS}] [COMPRESSION={ON OFF LINK}] [CONFIGURE={ <i>value</i>  CONTINUOUS}] [DEBUGMAXBYTES=16..256] [DESCRIPTION= <i>description</i> ] [DOWNRATE=0..100] [DOWNTIME= <i>time</i> ] [ECHO={ON OFF  <i>period</i> }] [ENCRYPTION={ON OFF}] [FRAGMENT={ON OFF}] [FRAGOVERHEAD=0..100] [IDLE={ON OFF  <i>time</i> }] [INDATALIMIT={NONE 1..65535}] [IPPOOL={ <i>pool-name</i>  NONE}] [IPREQUEST={ON OFF}] [LQR={ON OFF  <i>period</i> }] [MAGIC={ON OFF}] [MAXLINKS=1..64] [MODEM={ON OFF}] [MRU={ON OFF 256..1656}] [MSSheader=40..200] [NULLFRAGTIMER= <i>time</i> ] [ONLINELIMIT={NONE 1..65535}] [OUTDALIMIT={NONE 1..65535}] [PASSWORD= <i>password</i> ] [PREDCHECK={CRC16 CRCCITT}] [RECHALLENGE={ON OFF 360..3600}] [RESTART= <i>time</i> ] [STACCHECK={LCB SEQUENCE}] [STARENTITY=1..255] [TERMINATE={ <i>value</i>  CONTINUOUS}] [TOTALDALIMIT={NONE 1..65535}] [TYPE={DEMAND PRIMARY SECONDARY}] [UPRATE=0..100] [UPTIME= <i>time</i> ] [USERNAME= <i>username</i> ]
11-113 .....	SET PRI= <i>instance</i> [CLock={INTernal Line}] [CODE={STAndard ALTErnate}] [CRC={OFF CHEcking REPorting}] [ENCoding={B8zs B7zs AMi}] [ERRor_threshold= <i>error-frames</i> ] [FRAming={ESF SF}] [IDle= <i>character</i> ] [INBandloopback={Line PAYload}] [INTerframe_flags= <i>extra-flags</i> ] [ISDNslots= <i>slot-list</i> ] [LBO={NONE -7.5db -15db -22.5db}] [LINelength=0..65535] [MODE={ISDN TDM MIXed}] [TDMslots= <i>slot-list</i> ]
11-117 .....	SET Q931= <i>interface</i> [DOVnumber= <i>number</i> ] [INTid= <i>hex-string</i> ] [NONum={ACcept REject}] [NOSub={ACcept REject}] [NUM1= <i>number</i> ] [NUM2= <i>number</i> ] [PROfile={5ESS AUS CHINA DMS-100 ETSI JAPAN KOREA NI1 NZ}] [RAte={56K 64K}] [SPID1= <i>spid</i> ] [SPID2= <i>spid</i> ] [SUB1= <i>subaddress</i> ] [SUB2= <i>subaddress</i> ] [timer={OFF  <i>time</i> }]
41-55 .....	SET RADius [TIMEOut=1..15] [DEAdtime=0..1440] [RETransmitcount=1..5]
40-20 .....	SET RSVP INTerface={ <i>interface</i>  DYNAMIC} [MAXbandwidth=0..100] [ENCapsulation={UDP RAW}]
40-21 .....	SET RSVP PROXY= <i>name</i> [FLOWspec= <i>flowspec</i> ] [SEssion= <i>protocol,ipadd[/port[-port]]</i> ] [SMask= <i>ipadd</i> ]
40-21 .....	SET RSVP PROXY= <i>name</i> [PATH= <i>ipadd[/port]</i> ] [PMask= <i>ipadd</i> ] [TSPEC= <i>tspec</i> ] [TIMEout=10..1800] [SEssion= <i>protocol,ipadd[/port[-port]]</i> ] [SMask= <i>ipadd</i> ]
61-24 .....	SET RTELnet AUTHentication={Off ON NO YES False True}
48-113 .....	SET SA= <i>sa-id</i> [DEBUGPktype={Short Full}] [DIRECTION={IN OUT BOTH}] [ENCalg={DES 3DES2key 3DESInner}] [ENCKey= <i>key-id</i> ] [SPI= <i>spi</i> ]



## Page Command

- 58-12 .....SET SCRipt=*filename* [LIne=*line*] [AFTer=*line*] [BEfore=*line*] [TExt=*text*]
- 61-23 .....SET SERvice=*service-name* [DESCRiption="*description*"] [IPAddres=*ipadd*] [VISible={ON|OFF}]
- 10-55 .....SET SHDsl=*interface* [MDe={CPE|CO}  
 [PAIRmode={2Wire|4WIREstandard|4WIREEnhanced|1Pair|2PAIRstandard|2PAIREnhanced}]  
 [STAndard={ANNEXA|ANNEXB|BOTH|ANNEXBanfp|BOTHAnfp}]  
 [PSDmask={SYMmetric|ASYMetric}] [AUTOretrain={ON|OFF}] [BITratemode=ADActive|FIXed]  
 [MINbitrate=72..4624] [MAXbitrate=72..4624] [ATTENUationthreshold=0..31]  
 [SNRmarginthreshold=0..15]
- 29-41 .....SET SIP GATEway [NATIp=*ipaddr*] [DEFAULtport={*udpport*|*tcpport*}]
- 29-39 .....SET SIP INTerface=*interface* [CAPABILity={ALL|PCMU|PCMA|G723R53|G723R63|G729A}[,...]]  
 [DObain=*domain*] [DSCP=*dscp*priority] [DTMFrelay={RTP|NONE}]  
 [LOCATionserver=*ipaddr*:*udpport*|*tcpport*] [;*ipaddr*:*udpport*|*tcpport*]]  
 [PASSword={NONE|*password*}] [PHOnenumber=*number*]  
 [PROXYserver=*ipaddr*:*udpport*|*tcpport*];;*ipaddr*:*udpport*|*tcpport*]] [RTPport=*udpport*]  
 [TOS=*tos*priority] [USERName={NONE|*username*}]
- 41-55 .....SET SKEY [METHod={SKEY|OTP}] [ENCryption={MD4|MD5}]
- 55-42 .....SET SNmp COMMunity=*name* [ACCess={Read|Write}] [OPen={ON|OFF|YES|NO|True|False}]
- 55-43 .....SET SNmp ENGineid=*snmpEngineID*
- 55-44 .....SET SNmp GROup=*group-name* [READview=*view-name*] [WRITEview=*view-name*]  
 [NOTIFyview=*view-name*]
- 55-45 .....SET SNmp LOCal={NONE|1..15} [VERsion={V1|V2|V3|ALL}]
- 55-46 .....SET SNmp TARgetaddr=*address-name* [IP=*target-ipadd*] [UDP=*udp-port*] [PARams=*params-name*]
- 55-47 .....SET SNmp TARGETParams=*params-name* [SECuritylevel={NOAuthnopriv|AUTHnopriv|AUTHPRiv}]  
 [USer=*user-name*]
- 55-48 .....SET SNmp USer=*user-name* [GROup=*group-name*] [AUTHprotocol={NONE|MD5|SHa}]  
 [AUTHPAssword=*password*] [PRIVprotocol={NONE|DES}] [PRIVPAssword=*password*]
- 39-121 .....SET SQOS DAR=*id-list* [CODEC={AUDio|VIDeo|ANY}] [DESCRiption=*description*]  
 [DSTIp={*ipadd*/0..32}|*ipv6add*/0..128}] [SRCIp={*ipadd*/0..32}|*ipv6add*/0..128}]  
 [INACTivetimeout={1..3600|NONE}] [PROTocol={SIP|RTSp|H323|ALL}] [H323Port=1..65535]  
 [RTSPPort=1..65535] [SIPPort=1..65535]
- 39-123 .....SET SQOS DSCPMaP=*id-list* [DESCRiption=*description*]
- 39-123 .....SET SQOS DSCPMaP=*id-list* Table=PREmark [DESCRiption=*description*] [DSCP=*dscp-list*]  
 [NEWBwclass=1..3] [NEWDsCP=0..63]
- 39-123 .....SET SQOS DSCPMaP=*id-list* Table=REMark [DESCRiption=*description*] [BWCclass=*bwclass-list*]  
 [DSCP=*dscp-list*] [NEWBwclass=1..3] [NEWDsCP=0..63]
- 39-125 .....SET SQOS INTerface=*interface* [INpolicy={0..9999|NONE}] [OUtpolicy={0..9999|NONE}]  
 [TUNnelpolicy={0..9999|NONE}]
- 39-127 .....SET SQOS METer=*id-list* [DESCRiption=*description*] [IGNorebwclass={Yes|No}]  
 [MINbandwidth=*rate*[Kbps|Mbps|Gbps]] [MAXbandwidth=*rate*[Kbps|Mbps|Gbps]]  
 [MINBUrstsizE=*burstsize*[Bytes|Kbytes|Mbytes|Gbytes]]  
 [MAXBUrstsizE=*burstsize*[Bytes|Kbytes|Mbytes|Gbytes]] [TYPE={SRtcm|TRtcm}]
- 39-130 .....SET SQOS POLIcy=*id-list* [BWCclass3action={DROP|PAUSE|NONE}]  
 [DEFAULttrafficclass={0..9999|NONE}] [DESCRiption=*description*] [DSCPMaP={0..9999|NONE}]  
 [IGNOREPrenatinfo={YES|NO}] [METer={0..9999|NONE}] [PAUSEAction={NONE|Log|TRap|BOth}]  
 [PAUSETime={1..30}] [REMarking={0..63|USEDsCPmap|NONE}] [REMARKVlanpri={0..7|NONE}]  
 [SYSTEMTraffic={5..50}] [VIRTbw={*rate*[Kbps|Mbps|Gbps]|NONE}]  
 [WEIGhtscheduler={WRR|DWRR}]
- 39-133 .....SET SQOS RED=*id-list* [AVERaging=0..99] [DESCRiption=*description*] [START1=0..100]  
 [STOP1=0..100] [DROP1=0..100] [START2=0..100] [STOP2=0..100] [DROP2=0..100]  
 [START3=0..100] [STOP3=0..100] [DROP3=0..100]



## Page Command

- 39-135 ..... SET SQOS TRfficclass=*id-list* [BWClass3action={DRop|PAuse|NONE}] [DESCRiption=*description*] [MAXQlen=1..1023] [METer={0..9999|NONE}] [PAUSEAction={NONE|LOG|TRap|BOTH}] [PAUSETime={1..30}] [PREMARKBwcl={1..3|USEDscpmap}] [PREMARKDscp={0..63|USEDscpmap|NONE}] [{PRIOrity=0..15|WEIght=0..100}] [QLIMITExceedaction={NONE|LOG|TRap|BOTH}] [QUEUEDrop={Head|Tail}] [RED={0..9999|NONE}] [REMarking=0..63|USEDscpmap|NONE] [REMARKVlanpri={0..7|NONE}] [VIRtbw={*bandwidth*[Kbps|Mbps|Gbps]|NONE}] [WEIGhtscheduler={WRr|DWrr}]
- 44-17 ..... SET SSH CLient [IDLEtimeout=0..4294967295] [LOGintimeout=1..600] [PREservetime={ENabled|DISabled}]
- 44-18 ..... SET SSH SERver [HOSTKey=*key-id*] [SERVERKey=*key-id*] [EXPIrytime=0..168] [IDLEtimeout=0..4294967295] [LOGintimeout=1..600] [MAXSessions=0..6] [SCP={ENabled|DISabled}]
- 44-20 ..... SET SSH USER=*username* {PASSword=*password*|KEYid=*key-id*} [IPaddress={*ipadd*|*ipv6add*}] [MASK=*mask*]
- 45-11 ..... SET SSL [CACHetimeout=*cachetimeout*] [DEbugipaddress={ALL|*ipadd*}] [MAXsessions=*maxsessions*]
- 50-17 ..... SET STAR=*entity-id* {MODE={MASter|SLAve|STAndby}}[NETkey {RANdom|VALue=*value*}]MKT RANdom}
- 17-7 ..... SET STT=*sttname* [LSYN=*localsyn*] [RSYN=0..7] [IP=*ipadd*] [DATALEN=*maxlength*]
- 4-27 ..... SET SUMMertime[=*summertime-zone-name*] STARTDAte=*date* ENDDAte=*date* [STARTTime=*hh:mm*] [ENDTime=*hh:mm*] [Offset=*offset*]
- 4-27 ..... SET SUMMertime[=*summertime-zone-name*] STARTMonth=*month* STARTWeek=*week* STARTDay=*day* ENDMonth=*month* ENDWeek=*week* ENDDay=*day* [STARTTime=*hh:mm*] [ENDTime=*hh:mm*] [Offset=*offset*]
- 8-36 ..... SET SWItch AGEingtimer=16..4080
- 8-37 ..... SET SWItch POrt={*port-list*|ALL} [BCLimit={NONE|*limit*}] [DESCRiption=*description*] [DLFLimit={NONE|*limit*}] [IGMPAction={DENY|REPlace}] [IGMPFilter={NONE|*filter-id*}] [IGMPMAxgroup={NONE|1..65535}] [INFILTering=OFF|ON] [MCLimit={NONE|*limit*}] [POLarity={MDI|MDIX}] [SPeed={AUTOnegotiate|10MAUTO|10MHAlf|10MFULL|10MHAUto|10MFAuto|100MAUto|100MHAlf|100MFULL|100MHAUto|100MFAuto}]
- 8-40 ..... SET SWItch QOS=*P0, P1, P2, P3, P4, P5, P6, P7*
- 9-50 ..... SET SYN=*n* [C={ON|OFF|I}] [CD={ON|OFF|DTR}] [CTS={ON|OFF|RTS}] [DATAsense={NORMal|INVerted}] [DSR={ON|OFF|DTR}] [DTR={ON|OFF|DSR}] [I={ON|OFF|C}] [MAXQlen=*max-queue*] [MINtxint=*min-interval*] [RTS={ON|OFF|CTS}] [SPeed=*speed*] [TXClock={FALLing|RISing}]
- 4-29 ..... SET SYStem CONtact={*contact-name*|NONE}
- 10-59 ..... SET SYStem COUntry={AUSTRAlia|AUSTRiA|BELgium|CANAda|DENMark|EIRE|FINLand|FRAnce|GERmany|ICELand|ITAlY|NETHerlands|NEWZealand|NORWay|PORTUgal|SINGapore|SPAIN|SWITZerland|SWEden|TURkey|UAE|UK|USA|NONE}
- 49-32 ..... SET SYStem DISTinguishedname={*dist-name*|NONE}
- 4-30 ..... SET SYStem LOCation={/*location*|NONE}
- 4-31 ..... SET SYStem NAME={*name*|NONE}
- 11-120 ..... SET SYStem TERritory={AUStralia|CHIna|EUROpe|JAPan|KORea|NEWZealand|USA}
- 41-56 ..... SET TACPlus Key=*key*
- 41-57 ..... SET TACPlus SERVer=*ipaddress* [Key=*key*] [LOCAL={NONE|1..15}] [PORT=*port*] [SINGLEconnection={Yes|No}] [TIMEOUT=1..10]
- 41-58 ..... SET TACPlus TELnet={0..15|None}
- 61-25 ..... SET TELnet [TERmtype=*termstring*] [INsertnull={ON|OFF}] [LISTenport=*port*] [IDLEtimeout=0..4294967295] [MAXSessions=0..30][LOGINSYStemname={ON|OFF}]
- 4-33 ..... SET TIMEZone[=*time-zone-name*] [UTCoffset=*std-utc-offset*]



## Page Command

- 18-25 .....SET TPAD=*name* [CALLretry=*number-retries*] [AUTODIAL={YES|NO}]  
 [AUTODISconnecttime=0..65535] [AUTONUA=*nua*] [AUTONU=*nui*]  
 [AUTONNUconversion={YES|NO}] [CHECKSum={ON|OFF|YES|NO}] [ISDNcall=*isdn-call-name*]  
 [FAStdisconnect={ON|OFF}] [MAXConnections=*connections*] [MAXTransfers=*transfers*]  
 [NOCARRIERresponse={ON|OFF}] [SILENtretry={ON|OFF}] [TCPport=*port*]  
 [TRANSfertype={MULTIThread|MULTIVc|NORMAL|TRANSPARENT}]
- 18-25 .....SET TPAD=*name* [CALLretry=*number-retries*] [CHECKSum={ON|OFF|YES|NO}]  
 [ISDNcall=*isdn-call-name*] [FAStdisconnect={ON|OFF}] [MAXConnections=*connections*]  
 [MAXTransfers=*transfers*] [NOCARRIERresponse={ON|OFF}] [SILENtretry={ON|OFF}]  
 [TCPport=*port*] [TRANSfertype={MULTIThread|MULTIVc|NORMAL|TRANSPARENT}]
- 22-174 .....SET TRACe [[IPaddress=*ipadd*|*domain-name*] [ADDROnly={No|OFF|ON|Yes}] [MAXTtl=*number*]  
 [MINTtl=*number*] [NUMBER=*number*] [PORT=1..65535] [SCREENoutput={No|OFF|ON|Yes}]  
 [SOURCE=*ipadd*] [TIMEOut=*number*] [TOS=0..25]
- 59-18 .....SET TRIGger=*trigger-id* [CPU=*value*] [DIRECTION={UP|DOWN|ANY}] [AFTER=*hh:mm*]  
 [BEFORE=*hh:mm*] [{DATE=*date*|DAYS=*day-list*}] [NAME=*name*]  
 [REPEAT={Yes|No|ONCE|FOREVER|count}] [TEST={YES|NO|ON|OFF|TRUE|FALSE}]
- 59-18 .....SET TRIGger=*trigger-id*  
 [FIREwall[={ALL|DOSattack|FRAGattack|HOSTscan|PORTscan|SESSION|SIPAutomax|SMurfattack|SYNattack|TCPattack}]] [MODE={START|END|BOTH}] [AFTER=*hh:mm*] [BEFORE=*hh:mm*]  
 [{DATE=*date*|DAYS=*day-list*}] [NAME=*name*] [REPEAT={Yes|No|ONCE|FOREVER|count}]  
 [TEST={YES|NO|ON|OFF|True|False}]
- 59-18 .....SET TRIGger=*trigger-id* [INTERFACE=*interface*] [EVENT={UP|DOWN|FAIL|ANY}]  
 [CIRCUit=*miox-circuit*] [CP={APPLE|ATCP|BCP|CCP|DCP|DNCP|IPcp|IPXcp|LCP}] [DLCi=*dlci*]  
 [AFTER=*hh:mm*] [BEFORE=*hh:mm*] [{DATE=*date*|DAYS=*day-list*}] [NAME=*name*]  
 [REPEAT={Yes|No|ONCE|FOREVER|count}] [TEST={YES|NO|ON|OFF|True|False}]
- 59-18 .....SET TRIGger=*trigger-id* [MEMORY=*value*] [DIRECTION={UP|DOWN|ANY}] [AFTER=*hh:mm*]  
 [BEFORE=*hh:mm*] [{DATE=*date*|DAYS=*day-list*}] [NAME=*name*]  
 [REPEAT={Yes|No|ONCE|FOREVER|count}] [TEST={YES|NO|ON|OFF|True|False}]
- 59-18 .....SET TRIGger=*trigger-id* [MODULE] [*module-parameters...*] [AFTER=*hh:mm*] [BEFORE=*hh:mm*]  
 [{DATE=*date*|DAYS=*day-list*}] [NAME=*name*] [REPEAT={Yes|No|ONCE|FOREVER|count}]  
 [TEST={YES|NO|ON|OFF|True|False}]
- 59-18 .....SET TRIGger=*trigger-id* [PERIODIC=*minutes*] [AFTER=*hh:mm*] [BEFORE=*hh:mm*]  
 [{DATE=*date*|DAYS=*day-list*}] [NAME=*name*] [REPEAT={Yes|No|ONCE|FOREVER|count}]  
 [TEST={YES|NO|ON|OFF|True|False}]
- 59-18 .....SET TRIGger=*trigger-id* [REBOOT[={REstart|CRASH|ALL}]] [AFTER=*hh:mm*] [BEFORE=*hh:mm*]  
 [{DATE=*date*|DAYS=*day-list*}] [NAME=*name*] [REPEAT={Yes|No|ONCE|FOREVER|count}]  
 [TEST={YES|NO|ON|OFF|True|False}]
- 59-18 .....SET TRIGger=*trigger-id* [TIME=*hh:mm*] [{DATE=*date*|DAYS=*day-list*}] [NAME=*name*]  
 [REPEAT={Yes|No|ONCE|FOREVER|count}] [TEST={YES|NO|ON|OFF|True|False}]
- 61-26 .....SET TTY [History=0..99] [PAGE=4..99] [PROMPT={string-15|DEFAULT|OFF}] [TYPE={DUMB|VT100}]  
 [IDLEtimeout={10..4294967294|OFF|0}]
- 41-59 .....SET USER [LOGIN={True|False|ON|OFF|Yes|No}] [LOGINFail=1..10] [LOCKoutpd=1..30000]  
 [MANpwdfail=1..5] [MINpwdlen=1..23] [Securedelay=10..3600] [TACRetries=0..10]  
 [TACTimeout=1..60]
- 41-59 .....SET USER=*login-name* [APPLENetwork=*atk-network*] [APPLEZone=*zone-name*]  
 [CALLingnumber=*number*] [CBNUMBER=*e164number*] [DESCRiption=*description*]  
 [IPaddress=*ipadd*|OFF|NONE}] [MASK=*ipadd*|OFF|NONE}] [NETMASK=*ipadd*|OFF|NONE}]  
 [MTu=40..1500] [IPXnetwork=*ipx-network*] [LOGIN={True|False|ON|OFF|Yes|No}]  
 [PASSWORD=*password*] [PRivilege={User|MANager|SEcurityofficer}]  
 [RADIUSbackup={Yes|No|ON|OFF|True|False}] [TELnet={Yes|No}]
- 8-41 .....SET VLAN=*vlan-name*|1..4094] PORT=*port-list*|ALL] FRAME={UNTAGged|TAGged}



## Page Command

- 29-43 ..... SET VOIP AP INTERFACE=interface [BUFFLEN=blen] [BUFFTHR=bthr]  
 [CAPABILITY={ALL|PCMU|PCMA|G723R53|G723R63|G729A|T38} [...]]  
 [COUNTRY={ITALY|JAPAN|EUROPE|HOLLAND|AUSTRALIA|NEWZEALAND|USA|CHINA|KOREA}]  
 [CRITICALDIGITTIME=msec] [IMPEDANCE={600R|600C|900C|CPLX1|CPLX2}]  
 [INTERDIGITTIME=msec] [LEC=lecfame] [OFFHOOKTIME=msec] [ONHOOKTIME=msec]  
 [RTPPORT=udpport] [RXGAIN=gain] [TXGAIN=gain]
- 29-45 ..... SET VOIP BOutcode=filename SERVER={ipaddr|FLASH}
- 29-42 ..... SET VOIP ENGIne=engine IP={ipaddr} [GATEway={ipaddr}]
- 29-45 ..... SET VOIP File=filename PROTOcol={H323|SIP} TYpe={FXS|FXO}
- 29-46 ..... SET VOIP PHOne INTerface=interface [[BUFFLen=blen] [BUFFThr=bthr]  
 [COUNTRYname={AUSTria|AUStria|CHIna|FRance|GERMANY1|GERMANY2|HOLLand|ITALy|  
 JAPan|KORea|NEWZealand|SPain|UK|USA1|USA2|}]  
 [CADence={RING|TRING|TDIAL|TBUSY|TDISC|TWAIT} [CFreq=frequency-value]  
 CValue={cadence-values}[,...]] [DIGITtout=dtout] [FValue=frequency-value]  
 [IMPEDance={600R|600C1|600C2|900R|900C1|900C2|900C3|CPLX1|CPLX2|CPLX3|CPLX4|  
 CPLX5|CPLX6|CPLX7|CPLX8|GLOBALcplx}] [LEC=lecfame] [RXgain=gain] [TXgain=gain]  
 [VAD={ON|OFF}]
- 29-53 ..... SET VOIP PUBLIC INTerface=interface
- 53-22 ..... SET VRRP=vr-identifier [ADINTerval=1..255] [ADOPTvrip={ON|OFF}]  
 [ADVertisements={ON|OFF|YES|NO|TRUE|FALSE}] [AUTHentication={NONE|PLAINtext}]  
 [PASSword=password] [PORTMOnitoring={ON|OFF}] [STEPVALue={stepvalue|PROportional}]  
 [PREEmpt={ON|OFF}] [DELAy=0..3600] [PRIOrity=1..254]
- 52-27 ..... SET WANLB [ORPhantimeout={OFF|1..65535}]  
 [SElect={ROundrobin|WLEastconnect|WLOttery|WFASTresponse}]
- 52-28 ..... SET WANLB ABD [RESOLution=200..5000] [UPDAteinterval=1..1440] [DECReasetthreshold=0..75]  
 [TRAFFic={TOTa||INBound|OUTBound}]
- 52-30 ..... SET WANLB HEALthcheck [INTerval=1..300] [FAILchecks=1..6] [SUCCesschecks=1..5]
- 52-31 ..... SET WANLB RESource=interface [HEALthchecksipaddress=ipaddr]  
 [WEIght={0..1000000}|AUTOMatic|PERFfectautomatic}]
- 13-70 ..... SET X25C HUNtgroup=huntname [IPaddress=ipaddr] [DTEaddress=dteaddr] [FORwardtime=1..360]  
 [REconnecttime=1..360]
- 13-71 ..... SET X25C TCPKeepalive [TXint=5..180] [FAIlnumber=2..10]
- 13-68 ..... SET X25C=x25-interface [DEFpkt={128|256|512|1024|2048|4096}]  
 [DEFthrough={75|150|300|600|1200|2400|4800|9600}] [DEFWin=2..7] [HGrouP={huntname}]  
 [INLCN=0..15] [INLCN=0..128] [MAXActive=0..128] [OUTLCN=0..15] [OUTLCN=0..128]  
 [Packetsize={ON|OFF}] [THroughput={ON|OFF}] [TWOLCGn=0..15] [TWOLCN=0..128]  
 [WIndow={ON|OFF}]
- 13-74 ..... SET X25T CPAr=call-index [MAXdata={128|256|512|1024}] [NUI=nui]  
 [RMaxdata={128|256|512|1024}] [RWIndow=1..127] [TMaxdata={128|256|512|1024}]  
 [TWIndow=1..127] [USERData=hex-string] [WIndow=1..127]
- 13-72 ..... SET X25T=x25-interface [MAXActive=0..4095] [MODulus={8|128}] [T20=1..360] [T21=1..360]  
 [T22=1..360] [T23=1..360] [T24={1..360|OFF}] [T27={1..360|OFF}] [MINRecall=1..360]  
 [R20=0..65535] [R22=0..65535] [R23=0..65535] [R27=0..65535] [NPvc=0..4095]  
 [DEFCpar=0..8] [DTEaddress=dteaddress] [LIC=0..4095] [HIC=0..4095] [LTC=0..4095]  
 [HTC=0..4095] [LOC=0..4095] [HOC=0..4095] [ROLe={DYnamic|DCe|DTe}]
- 19-34 ..... SHow ACC
- 19-35 ..... SHow ACC CALL[=name]
- 19-38 ..... SHow ACC DOrainname
- 19-38 ..... SHow ACC SScript[=script-name]
- 10-60 ..... SHow ADSI[={interface|ALL}]
- 10-62 ..... SHow ADSI[={interface|ALL}] COUnter
- 2-15 ..... SHow Allas



## Page Command

35-48	.....	SHoW APpLe
35-49	.....	SHoW APpLe AARp
35-50	.....	SHoW APpLe CIRcUit
35-51	.....	SHoW APpLe COUnTer={ALL AARp ATp DDp NBp PACket PKT POrt ROUte RTMp ZIp ZOnE}
35-57	.....	SHoW APpLe DLcI
35-58	.....	SHoW APpLe PACkETFilter[= <i>filter-id</i> ]
35-60	.....	SHoW APpLe POrt[= <i>port</i> ]
35-62	.....	SHoW APpLe ROUte
35-63	.....	SHoW APpLe ROUteFilter[= <i>filter-id</i> ]
35-64	.....	SHoW APpLe ZOnE
35-65	.....	SHoW APpLe ZOnEFilter[= <i>filter-id</i> ]
9-53	.....	SHoW ASYn[= <i>port-number</i>  ALL] [{COUnTers={Diagnostic INTErface Rs232}} History Summary}]
10-71	.....	SHoW ATM=0..9 [CHANnel={1..30 ALL}] COUnTer
10-69	.....	SHoW ATM=0..9 CHANnel={1..30 ALL}
10-66	.....	SHoW ATM[=0..9]
27-107	.....	SHoW BGP
27-109	.....	SHoW BGP AGGRegate
27-111	.....	SHoW BGP BAcKoff
27-110	.....	SHoW BGP CONfederation
27-113	.....	SHoW BGP COUnTers={RIB UPdate DB DB-All PROcEss NEXThop},{...}]
27-117	.....	SHoW BGP DAMping
27-119	.....	SHoW BGP DAMping ROUtes
27-120	.....	SHoW BGP IMPort
27-121	.....	SHoW BGP MEMlLimit
27-122	.....	SHoW BGP MEMlLimit SCAN
27-124	.....	SHoW BGP NETWork
27-125	.....	SHoW BGP PEer[= <i>ipadd</i> ]
27-130	.....	SHoW BGP PEERTemplate[=1..30]
27-132	.....	SHoW BGP ROUte[= <i>prefix</i> ] [COMmunity={INTErnet NOAdvertise NOEXport NOEXpORTSubconfed aa:xx},{...}] [PEer= <i>ipadd</i> ] [REGexp= <i>aspathregexp</i> ]
23-48	.....	SHoW BOOTp RELAY
23-50	.....	SHoW BOOTp RELAY POrt[= <i>port-list</i>  ALL]
11-121	.....	SHoW BRl[= <i>instance</i> ] CONfIguratiOn
11-123	.....	SHoW BRl[= <i>instance</i> ] COUnTer[={INTErface BRl}] [CHANnel={B1 B2 D 0 1 2}]
11-130	.....	SHoW BRl[= <i>instance</i> ] CTesT
11-131	.....	SHoW BRl[= <i>instance</i> ] DEBUg
11-132	.....	SHoW BRl[= <i>instance</i> ] STate
11-136	.....	SHoW BRl[= <i>instance</i> ] TESt
16-49	.....	SHoW BRIDge
16-52	.....	SHoW BRIDge COUnTer [POrt=1..32]
16-55	.....	SHoW BRIDge COUnTer [POrt=1..32]
16-58	.....	SHoW BRIDge FILter[=1..99] [ENTrY= <i>entry</i> ]
16-61	.....	SHoW BRIDge GROUp[= <i>groupname</i>  1..32]
16-63	.....	SHoW BRIDge POrt[=1..32]
16-66	.....	SHoW BRIDge PROTOcol
16-67	.....	SHoW BRIDge SPanning
16-69	.....	SHoW BRIDge STation [{Address= <i>macadd</i> [MASK= <i>macadd</i> ] POrt=1..32}]
4-34	.....	SHoW BUFFer [SCAN[= <i>address</i> [QUEUpointers]]]



Page	Command
38-24 .....	SHoW CLASSifier[={ <i>id-list</i>  ALL DYnamic}]
34-30 .....	SHoW CLNS
34-39 .....	SHoW CLNS COUnTers
34-31 .....	SHoW CLNS[={ <i>virtual-router-id</i> } ADJAcency
34-33 .....	SHoW CLNS[={ <i>virtual-router-id</i> } AREa
34-37 .....	SHoW CLNS[={ <i>virtual-router-id</i> } CIRCuit={ <i>circ-id</i> } COUnTers
34-34 .....	SHoW CLNS[={ <i>virtual-router-id</i> } CIRCuit[={ <i>circ-id</i> }]
34-41 .....	SHoW CLNS[={ <i>virtual-router-id</i> } DETail
34-44 .....	SHoW CLNS[={ <i>virtual-router-id</i> } RA
34-45 .....	SHoW CLNS[={ <i>virtual-router-id</i> } ROUte[=ALL]
2-16 .....	SHoW COMMand History
5-46 .....	SHoW CONfig [DYnamic[={ <i>module-id</i> }]
4-38 .....	SHoW CPU [EXTended]
22-176 .....	SHoW DDNS
4-40 .....	SHoW DEBUg [STAcK FUL IPSec]
4-42 .....	SHoW DEBUg ACTIve={ALL  <i>module</i> }
37-28 .....	SHoW DECnet
37-29 .....	SHoW DECnet COUnTer[={GLobal INTerface ROUte}]
37-31 .....	SHoW DECnet EXclusion
37-32 .....	SHoW DECnet INclusion
37-33 .....	SHoW DECnet INTerface
37-34 .....	SHoW DECnet LPN
37-35 .....	SHoW DECnet ROUte
23-51 .....	SHoW DHCP
32-26 .....	SHoW DHCP6
32-28 .....	SHoW DHCP6 CLIEnt [RANge= <i>name</i> ] [TYPe={PD NORMal TEMP}]
23-53 .....	SHoW DHCP6 CLIEnt[={ <i>ipaddress</i> } [RANge= <i>name</i> ] [PRObeconflicts]
32-30 .....	SHoW DHCP6 COUnTer [INTerface= <i>interface</i> ]
32-33 .....	SHoW DHCP6 INTerface[= <i>interface</i> ]
32-35 .....	SHoW DHCP6 KEY[= <i>key-id</i> ]
23-55 .....	SHoW DHCP6 POLIcy[= <i>name</i> ]
32-36 .....	SHoW DHCP6 POLIcy[= <i>name</i> ]
23-57 .....	SHoW DHCP6 RANge[= <i>name</i> ]
32-37 .....	SHoW DHCP6 RANge[= <i>name</i> ]
32-38 .....	SHoW DHCP6 SERVER
24-85 .....	SHoW DVMrp
24-86 .....	SHoW DVMrp COUnTers
24-87 .....	SHoW DVMrp DEBUg
24-88 .....	SHoW DVMrp FORwarding
24-89 .....	SHoW DVMrp INTerface
24-90 .....	SHoW DVMrp NEIghbour
24-91 .....	SHoW DVMrp ROUte
42-28 .....	SHoW ENCo
42-30 .....	SHoW ENCo CHannel[= <i>channel</i> ] [COUnTers]]
42-36 .....	SHoW ENCo COUnTers[={AES ALI DEs DH HARDware HMAc IPSec PRed QUeues RSa SSI STAc USer UTIl}]
42-53 .....	SHoW ENCo DEBUg
42-54 .....	SHoW ENCo KEY[= <i>key-id</i> ]



## Page Command

9-61	.....	SHoW ETH= <i>n</i> CONFIguration
9-62	.....	SHoW ETH[= <i>n</i> ] COUnTers[={COLLision DIAGnostic DOT3stat INTErface}]
9-67	.....	SHoW ETH[= <i>n</i> ] MACAdDress
9-68	.....	SHoW ETH[= <i>n</i> ] RECEive
9-69	.....	SHoW ETH[= <i>n</i> ] STATe
4-47	.....	SHoW EXception
5-48	.....	SHoW FEATure[={ <i>featurename</i>   <i>index</i> }]
6-23	.....	SHoW FFIle[= <i>file-identifier</i> ] [CHECK]
6-25	.....	SHoW FIle[= <i>filename</i> ] [DEvice={ALl FLash NVs}]
6-28	.....	SHoW FIle[= <i>filename</i> ] PERManentredirect
46-153	.....	SHoW FIREwall
46-156	.....	SHoW FIREwall ACCounting [POLIcy= <i>policy-name</i> ] [REVerse= <i>number</i> ] [TAlL= <i>number</i> ]
46-158	.....	SHoW FIREwall ARP [POLIcy= <i>policy-name</i> ]
46-160	.....	SHoW FIREwall EVent={ALLOw DENY NOTify} [POLIcy= <i>policy-name</i> ] [REVerse= <i>number</i> ] [TAlL= <i>number</i> ]
46-163	.....	SHoW FIREwall MONitor
46-184	.....	SHoW FIREwall POLIcy= <i>policy-name</i> LIMITrule[= <i>rule-id</i> [- <i>rule-id</i> ]] [DETAil]
46-187	.....	SHoW FIREwall POLIcy= <i>policy-name</i> MACCache
46-164	.....	SHoW FIREwall POLIcy[= <i>policy-name</i> ] [COUnTer] [RULe= <i>rule-id</i> [- <i>rule-id</i> ]] [SUMmary]
46-182	.....	SHoW FIREwall POLIcy[= <i>policy-name</i> ] ATTack
46-183	.....	SHoW FIREwall POLIcy[= <i>policy-name</i> ] DYNamic[= <i>template</i> ]
46-186	.....	SHoW FIREwall POLIcy[= <i>policy-name</i> ] LISt
46-189	.....	SHoW FIREwall POLIcy[= <i>policy-name</i> ] UDPPorttimeout
46-188	.....	SHoW FIREwall POLIcy[= <i>policy-name</i> ] USer[= <i>username</i> ]
46-190	.....	SHoW FIREwall SEssion[= <i>session-number</i> ] [POLIcy= <i>policy-name</i> ] [COUnTer] [IP= <i>ipadd</i> [- <i>ipadd</i> ]] [PORt={ <i>port</i> [- <i>port</i> ]  <i>service-name</i> }] [PROTOcol={ <i>protocol</i>  ALL EGP GRE ICmp OSPF TCP UDP}] [SUMmary] [UPNP]
46-195	.....	SHoW FIREwall SIPAlg
46-199	.....	SHoW FIREwall SIPAlg AUTOClients IP= <i>ipadd</i> [- <i>ipadd</i> ] [SUMmary]
46-199	.....	SHoW FIREwall SIPAlg AUTOClients[= <i>session-number</i> ] [SUMmary]
46-195	.....	SHoW FIREwall SIPAlg CALLId= <i>call-id</i>
46-202	.....	SHoW FIREwall SIPAlg COUnTer
46-195	.....	SHoW FIREwall SIPAlg IP= <i>ipadd</i> [- <i>ipadd</i> ]
46-195	.....	SHoW FIREwall SIPAlg SUMmary
6-29	.....	SHoW FLash [FFs]
6-31	.....	SHoW FLash Physical
14-52	.....	SHoW FRamerelay[= <i>fr-interface</i> ] [{CIRUTILisation CONFIg COUnTer DEBUg LMI UTILisation}]
14-62	.....	SHoW FRamerelay[= <i>fr-interface</i> ] DLC[={ALL  <i>dlc</i> }] [COUnTer]
14-70	.....	SHoW FRamerelay[= <i>fr-interface</i> ] LI[={ALL  <i>logical-interface</i> }] [COUnTer]
30-23	.....	SHoW GRE GENeral
30-24	.....	SHoW GRE TUNnel
30-22	.....	SHoW GRE[= <i>gre-number</i> ]
3-23	.....	SHoW GUI
29-55	.....	SHoW H323 ENTrY ENGIne= <i>engine</i>
29-56	.....	SHoW H323 GATEway
29-54	.....	SHoW H323 INTErface= <i>interface</i>
5-50	.....	SHoW HTTP CLient
5-51	.....	SHoW HTTP DEBUg
5-52	.....	SHoW HTTP SERVer



Page	Command
5-53	..... SHow HTTP SERVer SESSion
24-92	..... SHow IGMP FILTer[= <i>filter-id</i> ]
24-94	..... SHow IGMPsNooping [VLAN={ <i>vlan-name</i>  1..4094}]
24-96	..... SHow IGMPsNooping COUnter [VLAN={ <i>vlan-name</i>  1..4094}]
24-98	..... SHow IGMPsNooping ROUTERAddress
5-54	..... SHow INSTAll
9-72	..... SHow INTerface[={ifIndex  <i>interface</i> ]} [COUnters] [PRIOrityqueue]
22-178	..... SHow IP
22-181	..... SHow IP ARP
28-72	..... SHow IP ASPATHlist[=1..99]
22-182	..... SHow IP CACHe
28-73	..... SHow IP COMMunitylist[=1..99] [OLDcommunityformat]
22-183	..... SHow IP COUnter[={ALL ARP CACHe Cmp INterface IP MULTicast ROutes SNmp UDp}]
22-192	..... SHow IP DEBUg[=1..40]
22-193	..... SHow IP DNS
22-195	..... SHow IP DNS CACHe
22-196	..... SHow IP FILTer[= 0..999]
22-198	..... SHow IP HElper [COUnter]
22-200	..... SHow IP HOst
22-201	..... SHow IP ICMPreply
24-99	..... SHow IP IGMP [INterface= <i>interface</i> ]
24-102	..... SHow IP IGMP COUnter [INterface= <i>interface</i> ]
24-104	..... SHow IP IGMP DEBUg
22-202	..... SHow IP INTerface[= <i>interface</i> ] [COUnter[=MULTicast]]
22-206	..... SHow IP NAT [COUnter] [SUMmary]
22-211	..... SHow IP POOL[= <i>pool-name</i> ] [IPaddress= <i>ipadd</i> [- <i>ipadd</i> ]] [SUMmary]
28-74	..... SHow IP PREFIXList[= <i>name</i> ]
25-19	..... SHow IP RIP [INterface= <i>interface</i> ] [CIRCuit= <i>miox-circuit</i> ] [DLCi= <i>dlci</i> ] [IP= <i>ipadd</i> ]
25-21	..... SHow IP RIP COUnter[={Detail Summary}] [INterface= <i>interface</i> ] [CIRCuit= <i>miox-circuit</i> ] [DLCi= <i>dlci</i> ] [IP= <i>ipadd</i> ]
25-23	..... SHow IP RIP REDistribute
25-24	..... SHow IP RIPTimer
28-76	..... SHow IP ROUte FILTer
22-217	..... SHow IP ROUte MULTicast
22-218	..... SHow IP ROUte PREFerence
22-219	..... SHow IP ROUte TEMPlate[= <i>name</i> ]
22-213	..... SHow IP ROUte[= <i>ipadd</i> ] [{GENeral CACHe COUnt FUL}]
28-77	..... SHow IP ROUTEMap[= <i>routemap</i> ] [OLDcommunityformat]
22-221	..... SHow IP SA INTerface= <i>interface</i>
25-25	..... SHow IP TRusted
22-222	..... SHow IP UDP
48-114	..... SHow IPSec
48-115	..... SHow IPSec BUNDlespecification[= <i>bundlespecification-id</i> ]
48-118	..... SHow IPSec COUnter[={AH ALG COMp ESp MAIn SAD SETUP SPD}]
48-134	..... SHow IPSec POLlcy[= <i>name</i> ]
48-138	..... SHow IPSec POLlcy[= <i>name</i> ] COUnter
48-141	..... SHow IPSec POLlcy[= <i>name</i> ] SABundle
48-143	..... SHow IPSec SA[= <i>sa-id</i> ]



## Page Command

48-148	.....	SHoW IPsec SA[= <i>sa-id</i> ] COUnTer
48-151	.....	SHoW IPsec SASpecification[= <i>spec-id</i> ]
31-75	.....	SHoW IPv6
31-77	.....	SHoW IPv6 COUnTer[={Icmp INterface}]
31-81	.....	SHoW IPv6 FILTer[= <i>filter-id</i> ]
31-83	.....	SHoW IPv6 HOst
31-84	.....	SHoW IPv6 INTerface[= <i>interface</i> ]
33-42	.....	SHoW IPv6 MLD CONFig
33-43	.....	SHoW IPv6 MLD COUnTers
33-44	.....	SHoW IPv6 MLD DEBUg
33-40	.....	SHoW IPv6 MLD INTerface= <i>interface</i>
31-86	.....	SHoW IPv6 MULTicast
31-87	.....	SHoW IPv6 NDCAche
31-88	.....	SHoW IPv6 NDCOnfig [INTerface= <i>interface</i> ]
31-90	.....	SHoW IPv6 RIP [{COUnTer TImeR}]
31-92	.....	SHoW IPv6 ROUte [FULL]
31-93	.....	SHoW IPv6 ROUte MULTicast[= <i>ipv6address</i> ] [SOUrce= <i>ipv6address</i> ]
31-94	.....	SHoW IPv6 ROUte PREReference
31-95	.....	SHoW IPv6 TUNnel
31-96	.....	SHoW IPv6 UDP
36-57	.....	SHoW IPX
36-59	.....	SHoW IPX CAChe
36-60	.....	SHoW IPX CALLlog[= <i>circuit</i> ]
36-63	.....	SHoW IPX CIRCUit[= <i>circuit</i> ]
36-65	.....	SHoW IPX COUnTer[={CIRCUIT GATEWAY ROUTES}]
36-69	.....	SHoW IPX EXclusion
36-70	.....	SHoW IPX INclusion
36-71	.....	SHoW IPX RIP[= <i>filter-number</i> ]
36-72	.....	SHoW IPX ROUte
36-73	.....	SHoW IPX SAP[= <i>filter-number</i> ]
36-75	.....	SHoW IPX SERvice
36-76	.....	SHoW IPX SPXSpooF
48-153	.....	SHoW ISAkmp
48-155	.....	SHoW ISAkmp COUnTers[={AGGressive GENeral HEARtbeat INFo IPsec MAIn NETwork QUICK SAD SPD TRANsaction XDB}]
48-185	.....	SHoW ISAkmp EXChange[= <i>exchange-id</i> ]
48-192	.....	SHoW ISAkmp POLicy[= <i>name</i> ]
48-197	.....	SHoW ISAkmp SA[= <i>sa-id</i> ]
11-139	.....	SHoW ISDN CALL[={acnum name}]
11-143	.....	SHoW ISDN CLIList[=0..99]
11-144	.....	SHoW ISDN DOMainname
11-145	.....	SHoW ISDN LOG
13-75	.....	SHoW LAPB[= <i>lapb-interface</i> ] [{CONFig COUnT IDLEtimer}]
11-147	.....	SHoW LAPD[= <i>interface</i> ]
11-150	.....	SHoW LAPD[= <i>interface</i> ] COUnT
11-151	.....	SHoW LAPD[= <i>interface</i> ] STAtE
5-55	.....	SHoW LDAP [DEBUg]
5-56	.....	SHoW LDAP REQUest[={ALL  <i>number</i> }]



Page	Command
56-40 .....	SHoW LLDP [LOCALData] [PORT={ALL  <i>port-list</i> }] [DETail]
56-47 .....	SHoW LLDP CDP
56-48 .....	SHoW LLDP CDP COUnTers
56-49 .....	SHoW LLDP CDP ENTRy= <i>entryname</i> [PROTOcol] [VERsion]
56-51 .....	SHoW LLDP CDP INTerface[= <i>interface</i> ]
56-52 .....	SHoW LLDP CDP NEIghbour [INTerface= <i>interface</i> ] [DETail]
56-55 .....	SHoW LLDP COUnTers [PORT={ALL  <i>port-list</i> }] [DETail]
56-58 .....	SHoW LLDP MEMory
56-59 .....	SHoW LLDP NEIghbour [PORT={ALL  <i>port-list</i> }] [DETail]
51-48 .....	SHoW LOADBAlancer
51-50 .....	SHoW LOADBAlancer AFFinity {{CLlentip= <i>ipadd</i> }}[RESourcE= <i>resourcename</i> ][VIRTualbalancer= <i>virtualbalancename</i> ]
51-53 .....	SHoW LOADBAlancer REDUNDancy
51-56 .....	SHoW LOADBAlancer RESourcE[= <i>resourcename</i> ]
51-59 .....	SHoW LOADBAlancer RESPool[= <i>resourcepoolname</i> ]
51-61 .....	SHoW LOADBAlancer VIRTualbalancer[= <i>virtualbalancename</i> ]
51-52 .....	SHoW LOADBAlancer CONnEctions[= <i>virtualbalancename</i> ]
5-58 .....	SHoW LOAdEr
60-43 .....	SHoW LOG COUnTEr
60-45 .....	SHoW LOG OUTput[={Temporary  <i>output-id</i> }] [FILTer= <i>filter-id</i>  FULL]
60-49 .....	SHoW LOG QUEue
60-50 .....	SHoW LOG RECEive[= <i>ipadd</i> ] [MASK= <i>ipadd</i> ]
60-52 .....	SHoW LOG STATus
60-37 .....	SHoW LOG[= <i>output-id</i> ] [DATE={ <i>op</i> } <i>dd-mmm-yyyy</i> ] [DEVice={ <i>op</i> } <i>device</i> ] [File={ <i>op</i> } <i>filename</i> ] [FULL] [MASK= <i>ipadd</i> ] [MODule={ <i>op</i> } <i>module-id</i> ] [MSGOnly] [MSGtext={ <i>op</i> } <i>string</i> ] [ORIGin= <i>ipadd</i> ] [REFErence={ <i>op</i> } <i>string</i> ] [REVERSE[= <i>count</i> ]] [SEVERity={ <i>op</i> } <i>severity</i> ] [SOURceline={ <i>op</i> } <i>line</i> ] [SUBType={ <i>op</i> } <i>subtype-id</i> ] [TAil[= <i>count</i> ]] [TImE={ <i>op</i> } <i>hh:mm:ss</i> ] [TYpe={ <i>op</i> } <i>type-id</i> ] [ZOne={ <i>time-zone-name</i>   <i>utc-offset</i> }]
20-48 .....	SHoW L2TP
20-50 .....	SHoW L2TP CALL[= <i>name</i> ]
20-52 .....	SHoW L2TP COUnTEr
20-55 .....	SHoW L2TP IP
20-59 .....	SHoW L2TP TUNnel CALL[=1..65535]
20-63 .....	SHoW L2TP TUNnel CALL[=1..65535] COUnTEr
20-56 .....	SHoW L2TP TUNnel[=1..65535]
20-65 .....	SHoW L2TP TUNnel[=1..65535] COUnTEr
20-67 .....	SHoW L2TP USer[= <i>mapping</i> ]
4-48 .....	SHoW MAIL
41-62 .....	SHoW MANager ASYn
13-80 .....	SHoW MIOX[= <i>x25t-interface</i> ]
13-83 .....	SHoW MIOX[= <i>x25t-interface</i> ] CIRCUit[= <i>circuit-name</i> ] [COUnTEr ENCap]
13-81 .....	SHoW MIOX[= <i>x25t-interface</i> ] COUnT
57-11 .....	SHoW NTP
26-76 .....	SHoW OSPF
26-79 .....	SHoW OSPF AREa[={BACKbone  <i>area-number</i> }] [FULL SUMmary]
26-82 .....	SHoW OSPF DEBUg[={ALL NRL PERformance SPF TImEr}]
26-83 .....	SHoW OSPF HOSt[= <i>ipadd</i> ] [AREa={BACKbone  <i>area-number</i> }]
26-85 .....	SHoW OSPF INTerface[= <i>interface</i> ] [AREa={BACKbone  <i>area-number</i> }] [IPAdDress= <i>ipadd</i> ] [{{FULL SUMmary}}



## Page Command

26-90	.....	Show OSPF LSA= <i>link-id</i> [AREa={BACkbone  <i>area-number</i> }] [{FUL SUMmary}] [TYpe={ASBrsmary ASExternal ASNSSA ASSummary IPsummary SUMmary NETwork ROUter}]
26-95	.....	Show OSPF MD5key [INTerface= <i>interface</i> ]
26-96	.....	Show OSPF NEIghbour[= <i>ipadd</i> ] [INTerface= <i>interface</i> ]
26-98	.....	Show OSPF RANge[= <i>ipadd</i> ] [AREa={BACkbone  <i>area-number</i> }]
26-100	.....	Show OSPF REDistribute
26-101	.....	Show OSPF ROUte[= <i>ipadd</i> ] [AREa={BACkbone  <i>area-number</i> }] [TYpe={AB ASbr}]
26-103	.....	Show OSPF STUB[= <i>ipadd</i> ] [AREa={BACkbone  <i>area-number</i> }]
26-104	.....	Show OSPF SUMMryaddress
5-60	.....	Show PATch
62-9	.....	SHOW PERM[= <i>perm-name</i> ]
24-105	.....	Show PIM
33-45	.....	Show PIM6
24-106	.....	Show PIM BSRCandidate
33-46	.....	Show PIM6 BSRCandidate
24-107	.....	Show PIM CONFig
33-47	.....	Show PIM6 CONFig
24-108	.....	Show PIM COUnters
33-48	.....	Show PIM6 COUnters
24-111	.....	Show PIM DEBug
33-51	.....	Show PIM6 DEBug
24-112	.....	Show PIM INTerface
33-52	.....	Show PIM6 INTerface
33-54	.....	Show PIM6 NEIghbour
24-114	.....	Show pim NEIghbour
24-115	.....	Show PIM ROUte
33-55	.....	Show PIM6 ROUte
24-121	.....	Show PIM RPCandidate
33-60	.....	Show PIM6 RPCandidate
24-122	.....	Show PIM RPSet
33-61	.....	Show PIM6 RPSet
24-124	.....	Show PIM STATerefresh
33-63	.....	Show PIM6 STATerefresh
24-125	.....	Show PIM TIMer
33-64	.....	Show PIM6 TIMer
22-224	.....	Show PING
54-17	.....	Show PING POLI[= <i>poll-id</i> ] [COUter] [FUL] [STAt={UP DOWn CRItical}]
49-33	.....	Show PKI [COUnters]
49-40	.....	Show PKI CERTificate[= <i>name</i> ]
49-43	.....	Show PKI CRL[= <i>name</i> ]
49-46	.....	Show PKI ENRollmentrequest[= <i>name</i> ]
49-48	.....	Show PKI KEYUpdaterequest[= <i>name</i> ]
49-50	.....	SHOW PKI LDaprepository
43-47	.....	Show PORTAuth[={8021x MACbased}]
43-58	.....	Show PORTAuth[={8021x MACbased}] MULTIsupplicant PORt={ALL  <i>port-name</i> } [SUPPlicantmac= <i>macadd</i> ]
43-52	.....	Show PORTAuth[={8021x MACbased}] PORt={ALL  <i>port-name</i> }
43-63	.....	Show PORTAuth[={8021x MACbased}] TIMer PORt={ALL  <i>port-name</i> }



## Page Command

43-49	.....	SHoW PORTAuth[=8021x] COUnter PORT={ALL  <i>port-name</i> }
15-123	.....	SHoW PPP NAMESERVER
15-124	.....	SHoW PPP PPPOE
15-126	.....	SHoW PPP TEMPLATE[= <i>template</i> ] [DEBUG]
15-98	.....	SHoW PPP[= <i>ppp-interface</i> ]
15-99	.....	SHoW PPP[= <i>ppp-interface</i> ] CONFIG
15-105	.....	SHoW PPP[= <i>ppp-interface</i> ] COUNT[={INTERFACE LCP MULTILINK NCP PPPOE}]
15-118	.....	SHoW PPP[= <i>ppp-interface</i> ] DEBUG
15-119	.....	SHoW PPP[= <i>ppp-interface</i> ] IDLETIMER
15-120	.....	SHoW PPP[= <i>ppp-interface</i> ] LIMITS
15-121	.....	SHoW PPP[= <i>ppp-interface</i> ] MULTILINK
15-130	.....	SHoW PPP[= <i>ppp-interface</i> ] TXSTATUS
15-132	.....	SHoW PPP[= <i>ppp-interface</i> ] UTILISATION
11-152	.....	SHoW PRI[= <i>instance</i> ] CONfiguration
11-153	.....	SHoW PRI[= <i>instance</i> ] COUnter[={DIAGnostic INTERface LINK PRI}] [CHANnel= <i>channel</i> ] [HIStory[= <i>interval</i> ]] [{NEAR FAR BOTH}]
11-163	.....	SHoW PRI[= <i>instance</i> ] CTest
11-164	.....	SHoW PRI[= <i>instance</i> ] DEBug
11-165	.....	SHoW PRI[= <i>instance</i> ] STATe
11-171	.....	SHoW PRI[= <i>instance</i> ] TEST
11-173	.....	SHoW Q931[= <i>interface</i> ] [CALL[= <i>q931-call</i> ]]
11-176	.....	SHoW Q931[= <i>interface</i> ] SPid
41-63	.....	SHoW RADius
41-64	.....	SHoW RADius DEBug
5-61	.....	SHoW RELease
40-23	.....	SHoW RSVP
40-24	.....	SHoW RSVP COUnter
40-27	.....	SHoW RSVP INTerface
40-28	.....	SHoW RSVP PATH
40-31	.....	SHoW RSVP PROXY COUnter
40-29	.....	SHoW RSVP PROXY[= <i>name</i> ]
40-32	.....	SHoW RSVP RESV
48-211	.....	SHoW SA USER
48-202	.....	SHoW SA[= <i>sa-id</i>  ALL]
48-205	.....	SHoW SA[= <i>sa-id</i> ] COUnter
58-14	.....	SHoW SCript[= <i>filename</i> ]
61-27	.....	SHoW SERvice[= <i>service-name</i> ] [TYpe={Telnet Interactive TELBin}]
61-28	.....	SHoW SESSions
10-78	.....	SHoW SHDsl[= <i>interface</i>  ALL] COUnter
10-82	.....	SHoW SHDsl[= <i>interface</i>  ALL] LINEdetails
10-74	.....	SHoW SHDsl[= <i>interface</i>  ALL]
29-58	.....	SHoW SIP GATEWAY
29-57	.....	SHoW SIP INTERFACE= <i>interface</i>
41-65	.....	SHoW SKEY [SEQuence= <i>seq_no</i> SEED= <i>seed_name</i> [NUMber= <i>value</i> ]]
55-49	.....	SHoW SNmp
55-52	.....	SHoW SNmp COMMunity= <i>name</i>
55-53	.....	SHoW SNmp GROup[= <i>group-name</i> ]
55-54	.....	SHoW SNmp TARgetaddr[= <i>address-name</i> ]



## Page Command

55-55	.....	SHoW SNmp TARGETParams[= <i>params-name</i> ]
55-56	.....	SHoW SNmp USer[= <i>user-name</i> ]
55-57	.....	SHoW SNmp VIEW[= <i>view-name</i> ]
39-139	.....	SHoW SQOS
39-140	.....	SHoW SQOS COUnters CLASSifier[= <i>id-list</i> ] [Direction={In OUT TUNnel ALL}] [INTErface= <i>interface</i> ] [TRafficclass= <i>id-list</i> ]
39-140	.....	SHoW SQOS COUnters DAR[= <i>id-list</i> ] [Direction={In OUT TUNnel}] [INTErface= <i>interface</i> ]
39-140	.....	SHoW SQOS COUnters POLIcy[= <i>id-list</i> ] [Direction={In OUT TUNnel}] [INTErface= <i>interface</i> ]
39-140	.....	SHoW SQOS COUnters TRafficclass[= <i>id-list</i>  DEFAULT SYSTEM] [Direction={In OUT TUNnel ALL}] [INTErface= <i>interface</i> ]
39-146	.....	SHoW SQOS DAR[= <i>id-list</i>  ALL] [FUL SUMmary] [SHOwunused={Yes No}]
39-148	.....	SHoW SQOS DSCPMap[= <i>id-list</i>  ALL] [FUL SUMmary]
39-150	.....	SHoW SQOS INTErface[= <i>interface</i>  ALL]
39-152	.....	SHoW SQOS METer[= <i>id-list</i>  ALL] [FUL SUMmary]
39-154	.....	SHoW SQOS POLIcy[= <i>id-list</i>  ALL] [FUL SUMmary TREE] [SHOwunused={Yes No}]
39-158	.....	SHoW SQOS RED[= <i>id-list</i>  ALL] [FUL SUMmary] [SHOwunused={Yes No}]
39-161	.....	SHoW SQOS TRafficclass[= <i>id-list</i>  ALL] [FUL SUMmary] [SHOwunused={Yes No ON OFF}]
44-21	.....	SHoW SSH
44-23	.....	SHoW SSH COUnter[={ALL SSH SCP}]
44-30	.....	SHoW SSH SESSion[={ALL SSH SCP}]
44-33	.....	SHoW SSH USER[= <i>username</i> ]
45-12	.....	SHoW SSL
45-14	.....	SHoW SSL COUnters
45-22	.....	SHoW SSL SESSions
50-26	.....	SHoW STAR MKTTransfer LOG
50-27	.....	SHoW STAR= <i>entity-id</i> NETkey
50-19	.....	SHoW STAR[= <i>entity-id</i> ]
50-21	.....	SHoW STAR[= <i>entity-id</i> ] COUnter
4-49	.....	SHoW STARTup
17-8	.....	SHoW STT[= <i>sttname</i> ]
4-50	.....	SHoW SUMMertime
8-42	.....	SHoW SWItch
8-44	.....	SHoW SWItch COUnter
8-43	.....	SHoW SWItch DEBUg
8-46	.....	SHoW SWItch FDB [ADDRESS= <i>macadd</i> ][PORT={ <i>port-list</i>  ALL}] [STATus={STATIC DYNAMIC}]
8-47	.....	SHoW SWItch PORT[={ <i>port-list</i>  ALL}]
8-49	.....	SHoW SWItch PORT[={ <i>port-list</i>  ALL}] COUnter
8-53	.....	SHoW SWItch QOS
9-78	.....	SHoW SYN[= <i>n</i> ]
9-80	.....	SHoW SYN[= <i>n</i> ] COUnter[={INTErface SYN}]
4-51	.....	SHoW SYStem
4-54	.....	SHoW SYStem SErialnumber
4-55	.....	SHoW SYStem STARTup
41-67	.....	SHoW TACacs DEBUg
41-68	.....	SHoW TACacs SERVER
41-69	.....	SHoW TACPlus Key
41-70	.....	SHoW TACPlus SERVER
41-71	.....	SHoW TACPlus TELnet
41-72	.....	SHoW TACPlus USer



Page	Command
22-226 .....	SHoW TCP[= <i>tcb</i> ]
12-12 .....	SHoW TDM GROUp[= <i>groupname</i> ] [INTErface= <i>interface</i> ]
61-29 .....	SHoW TELnet
63-13 .....	SHoW TEST [INTErface[={ALL BASE EXPansion}]] [COUnTEr]
4-55 .....	SHoW Tlme [RTC]
4-56 .....	SHoW TIMEZone
18-28 .....	SHoW TPAD[= <i>name</i> ]
18-31 .....	SHoW TPAD[= <i>name</i> ] CONNEctions
18-33 .....	SHoW TPAD[= <i>name</i> ] COUnTEr
22-231 .....	SHoW TRAcE
59-24 .....	SHoW TRIGGER[= <i>trigger-id</i> ] [{COUnTEr FUL STATus SUMmary}]
61-30 .....	SHoW TTy[= <i>tty-number</i>  All] [{SUMmary Default}]
47-17 .....	SHoW UPNP
47-18 .....	SHoW UPNP COUnTEr
47-20 .....	SHoW UPNP FWPolicy= <i>name</i> INTErface=[{ALL  <i>interface</i> }]
47-23 .....	SHoW UPNP FWPolicy= <i>name</i> INTErface={ALL  <i>interface</i> } SUBScriptions
41-78 .....	SHoW USEr RSO
41-73 .....	SHoW USEr[= <i>login-name</i> ] [Configuration]
8-56 .....	SHoW VLAN DEBUg
8-54 .....	SHoW VLAN[={ <i>vlan-name</i>  1..4094 ALL}]
29-59 .....	SHoW VOIP [ENGINe= <i>engine</i> ]
29-61 .....	SHoW VOIP AP INTErface= <i>interface</i>
29-63 .....	SHoW VOIP COUnTEr [ENGINe= <i>engine</i> ]
29-65 .....	SHoW VOIP INSTANCE
29-66 .....	SHoW VOIP LOAd [ENGINe= <i>engine</i> ]
29-67 .....	SHoW VOIP PHone INTErface= <i>interface</i>
53-25 .....	SHoW VRRP[= <i>vr-identifier</i> ]
52-32 .....	SHoW WANLB
52-33 .....	SHoW WANLB DEBUg
52-34 .....	SHoW WANLB HEALThcheck
52-35 .....	SHoW WANLB RESource[={ALL  <i>interface</i> }] [HEALThcheck]
52-42 .....	SHoW WANLB SEssions [RESource= <i>interface</i> ]
13-93 .....	SHoW X25C HUNtgroup[= <i>huntname</i> ]
13-95 .....	SHoW X25C ROUTE
13-97 .....	SHoW X25C TCPKeepalive
13-89 .....	SHoW X25C= <i>x25-interface</i> COUnTEr
13-96 .....	SHoW X25C= <i>x25-interface</i> STATe
13-87 .....	SHoW X25C[= <i>x25-interface</i> ]
13-92 .....	SHoW X25C[= <i>x25-interface</i> ] DTEaddress
13-94 .....	SHoW X25C[= <i>x25-interface</i> ] PATH
13-103 .....	SHoW X25T CPAr[= <i>call-index</i> ]
13-98 .....	SHoW X25T[= <i>x25-interface</i> ] [{CIRCuit COUnT}]
44-35 .....	SSH { <i>ipadd</i>   <i>ipv6add</i> [% <i>interface</i> ]} / <i>host</i> } USER= <i>username</i> {PASSword= <i>password</i>  KEYid= <i>key-id</i> } [COMmand= <i>string</i> ]
22-233 .....	STop PING
22-233 .....	STop TRAcE
61-34 .....	TELnet { <i>ipadd</i>   <i>ipv6add</i> [% <i>interface</i> ]} / <i>host</i> }



**Page      Command**

22-234	.....	TRAcE	[[IPaddress= <i>ipadd</i> ] [ADDROnly={No Off ON Yes}] [MAXTtl= <i>number</i> ] [MINTtl= <i>number</i> ] [NUMber= <i>number</i> ] [POrt=1..65535] [SCReenoutput={No Off ON Yes}] [SOurce= <i>ipadd</i> ] [TIMEOut= <i>number</i> ] [TOS=0..255]
5-62	.....	UPLoad	[METHod=SCP] [DESTFile= <i>path/destfilename</i> ] [File= <i>filename</i> ] [{KEYid= <i>key-id</i>  PASSword= <i>password</i> }] [SErver={ <i>hostname</i>   <i>ipadd</i>   <i>ipv6add</i> }] [USERName= <i>username</i> ]
5-62	.....	UPLoad	[METHod=TFtp] [DESTFile= <i>path/destfilename</i> ] [File= <i>filename</i> ] [SErver={ <i>hostname</i>   <i>ipadd</i>   <i>ipv6add</i> }]
5-62	.....	UPLoad	[METHod=ZModem] [ASYN= <i>port</i> ] [DESTFile= <i>destfilename</i> ] [File= <i>filename</i> ]
58-15	.....	WAIT	<i>delay</i>

